


# SPLASH v2.0.0: tests

## Padul PET

SPLASH v1.0.0

```
year <- 1961
padul_pet_splashv1 <- c(1, 179, 247) %>%
  purrr::map(function(k) {
    purrr::map_dbl(seq_len(365),
      function(i) {
        splash::calc_daily_evap(lat = 37.0108,
          n = i,
          elv = padul_elv,
          y = year,
          sf = padul_sf[i],
          tc = padul_tmp[i] +
            padul_anomalies[[k]][i])$pet_mm
      })
  })
```



## SPLASH v2.0.0

```
year <- 1961
padul_lat <- 37.0108
#Estimate net longwave radiation (rnl), W/m^2
padul_sw <- c(1, 179, 247) %>%
  purrr::map(function(k) {
    purrr::map_dbl(seq_len(365),
      function(i) {
        splash::calc_daily_solar(lat = padul_lat,
          n = i,
          elv = padul_elv,
          y = year,
          sf = padul_sf[i],
          tc = padul_tmp[i] +
            padul_anomalies[[k]][i])$rnl_w.m2
      })
  })
```

Find shortwave radiation [W/m2] (using SPLASH v1.0.0)

```
padul_soil_data <-c(sand = 0, # sand(perc)
  clay = 0, # clay(perc)
  OM = 0, # organic matter(perc)
  gravel = 0, # coarse-fragments-fraction(perc)
  bulk_dens = NA, # bulk density(g cm-3), bd
  maxdepth = 0) # depth
```

Padul soil data

```
padul_pet_splashv2 <- 1:3 %>%
  purrr::map(function(k) {
    # Create core time series object: solar radiation (sw), temperature(tc), and precipitation (pn)
    core <- tibble::tibble(
      time = lubridate::as_date(lubridate::ymd("1961-01-01"):lubridate::ymd("1961-12-31")),
      sw_in = padul_sw[[k]],
      tc = padul_tmp + padul_anomalies[[k]],
      pn = padul_pre
    ) %>%
      tidyr::pivot_longer(c(sw_in, tc, pn), "id") %>%
      tsbox::ts_xts()

    # Combine core data with soil data for Padul
    padul_data <- list(core = core,
      lat = padul_lat,
      elev = padul_elv,
      slop = 0,
      asp = 0,
      soil_data = padul_soil_data,
      Au = 0,
      resolution = 250.)
```

```

# Run SPLASH and return PET
aux <- padul_data %$%
  rsplash::splash.point(
    sw_in = core$sw_in,      # shortwave radiation W/m2
    tc = core$tc,           # air temperature C
    pn = core$pn,           # precipitation mm
    lat = lat,              # latitude deg
    elev = elev,            # elevation masl
    slop = slop,            # slope deg
    asp = asp,              # aspect deg
    soil_data = soil_data,  # soil data: sand,clay,som in w/w %. Gravel v/v %, bulk density g/cm3,
    Au = Au,                # upslope area m2
    resolution = resolution # resolution pixel dem used to get Au
  )
aux
# (aux$pet %>%
#   as.numeric() +
#   aux$aet %>%
#   as.numeric())
})

```


## Run SPLASH

```
#> Loading required namespace: xts
```



```
#> Warning in max(tc[p_snow >= 0.5]): no non-missing arguments to max; returning -
#> Inf
```


```
#> Warning in max(tc[p_snow >= 0.5]): no non-missing arguments to max; returning -
#> Inf
```

```
#> Warning in max(tc[p_snow >= 0.5]): no non-missing arguments to max; returning -
#> Inf
```



## Comparisons





## Calculate corrected Precipitation

$$\text{corrected } P_{\text{ann}} = \text{MI} \times \text{PET}_{\text{ann}}$$

### SPLASH v1.0.0

age_calBP	past_temp	past_co2	modern_co2	present_t	recon_mi	corrected_mi	corrected_P_ann
	12.19893	331.911	332.1725	12.19893	0.5040856	0.5049109	499.9298
12022	14.48268	248.130	332.1725	14.48268	0.4653760	0.6389500	578.3969
18402	11.03844	188.340	332.1725	11.03844	0.5028940	0.8642041	589.6707

### SPLASH v2.0.0

age_calBP	past_temp	past_co2	modern_co2	present_t	recon_mi	corrected_mi	corrected_P_ann
	12.19893	331.911	332.1725	12.19893	0.5040856	0.5049109	86.58979
12022	14.48268	248.130	332.1725	14.48268	0.4653760	0.6389500	95.02592
18402	11.03844	188.340	332.1725	11.03844	0.5028940	0.8642041	106.29555