

# Fast Growth, Slow Growth: The Change of Base Formula

Video companion

## 1 Introduction

Generally use base 10, base 2, and natural log (base  $e$ ) in data science.

$$\begin{aligned}\log_2(12) &= 3.585 \\ \log_{10}(12) &= 1.079\end{aligned}$$

$$\begin{aligned}\log_2(7) &= 2.807 \\ \log_{10}(7) &= 0.8451\end{aligned}$$

$$\begin{aligned}2^{3.585} &= 12 \\ 10^{1.079} &= 12\end{aligned}$$

$$\begin{aligned}2^{2.807} &= 7 \\ 10^{0.8451} &= 7\end{aligned}$$

**The change of base formula:** “Old” base is  $x$ , “new” base is  $a$ ,

$$\log_a(b) = \frac{\log_x(b)}{\log_x(a)}$$

### Examples

Want to convert  $\log_{10}(12)$  to base  $a = 2$ :

$$\log_2(12) = \frac{\log_{10}(12)}{\log_{10}(2)} = \frac{1.079}{0.30103} = 3.585$$

Want to convert  $\log_2(7)$  to base  $a = 10$ :

$$\log_{10}(7) = \frac{\log_2(7)}{\log_2(10)} = \frac{2.8073}{3.3219} = 0.8540$$