

```
create table weather(
    city varchar(15),
    state varchar(15),
    high integer CHECK (HIGH >= 40 AND HIGH
<=60),
    low integer CHECK (LOW >= 10 AND LOW <=20),
    PRIMARY KEY(CITY));
```

```
SQL> select * from weather;
```

CITY	STATE	HIGH	LOW
Tuscon	Arizona	45	15
Tusc	Arizona	45	15
Tuscy	Arizona	45	15

```
SQL> update weather
  2 SET low = 19;
```

3 rows updated.

```
SQL> select * from weather;
```

CITY	STATE	HIGH	LOW
Tuscon	Arizona	45	19
Tusc	Arizona	45	19
Tuscy	Arizona	45	19

```
SQL> UPDATE weather
  2 SET low = low +1;
```

3 rows updated.

```
SQL> select * from weather;
```

CITY	STATE	HIGH	LOW
Tuscon	Arizona	45	20
Tusc	Arizona	45	20
Tuscy	Arizona	45	20

```
SQL> UPDATE weather
  2 SET low = low-5
  3 where city='Tuscy';
```

1 row updated.

```
SQL> select * from weather;
```

CITY	STATE	HIGH	LOW
Tuscon	Arizona	45	20
Tusc	Arizona	45	20
Tuscy	Arizona	45	15

=====

```
SQL> update weather
      2  set low = 20,state='MA'
      3  where city ='Tuscon';
```

1 row updated.

```
SQL> select * from weather;
```

CITY	STATE	HIGH	LOW
Tuscon	MA	45	20
Tusc	Arizona	45	20
Tuscy	Arizona	45	15

=====