Write your name here						
Surname	Other	names				
Pearson Edexcel Certificate Pearson Edexcel International GCSE	Centre Number	Candidate Number				
Physics Unit: KPH0/4PH0 Paper: 2P						
Thursday 12 June 2014 – Morning Time: 1 hour Paper Reference KPH0/2P 4PH0/2P						
You must have: Ruler, calculator						

Instructions

- Use **black** ink or ball-point pen.
- Fill in the boxes at the top of this page with your name, centre number and candidate number.
- Answer all questions.
- Answer the questions in the spaces provided
 - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ⊠. If you change your mind about an answer, put a line through the box \text{\overline{\overline{1}}} and then mark your new answer with a cross \boxtimes .

Information

- The total mark for this paper is 60.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶





EQUATIONS

You may find the following equations useful.

energy transferred = current
$$\times$$
 voltage \times time

$$pressure \times volume = constant$$

frequency =
$$\frac{1}{\text{time period}}$$

$$power = \frac{work done}{time taken}$$

$$power = \frac{energy\ transferred}{time\ taken}$$

orbital speed =
$$\frac{2\pi \times \text{orbital radius}}{\text{time period}}$$

$$\frac{pressure}{temperature} = constant$$

$$force = \frac{change in momentum}{time taken}$$

$$E = I \times V \times t$$

$$p_1 \times V_1 = p_2 \times V_2$$

$$f = \frac{1}{T}$$

$$P = \frac{W}{t}$$

$$P = \frac{W}{t}$$

$$v = \frac{2 \times \pi \times r}{T}$$

$$\frac{p_1}{T_1} = \frac{p_2}{T_2}$$

Where necessary, assume the acceleration of free fall, $g = 10 \text{ m/s}^2$.

Answer ALL questions.

1 A student investigates ice, water and steam.


She heats up a sample of ice.


When it has all melted, she carries on heating until the water has all boiled to steam.


(a) Complete the diagram to show how the particles are arranged in ice, water and steam.

One particle in each box has been drawn for you.

(4)







water

steam

(b) Complete the table by describing how the particles move in ice, water and steam.


(3)

Substance	How the particles move
ice	
water	
steam	

(Total for Question 1 = 7 marks)



2 When a plastic rod is rubbed with a cloth, the rod gains charge.



(a)	How could	vou show	that the	plastic rod	gains	charge?
(u)	TIOW Could	you show	triat tric	plastic roa	gairis	criaryc:

(1)

(b) Explain from the plastic roa gains charge when it is rabbee	(b) Explain	how the plastic	rod gains	charge wher	it is rubbed
---	-------------	-----------------	-----------	-------------	--------------

(2)

	7,7
(c) There are two types of charge.	
Describe how you could demonstrate this using different insulating r	ods and a cloth.
In your answer, you should name any other equipment you would us	e.
	(3)
(Total for Quest	ion 2 = 6 marks)



- **3** Some quantities are vectors, others are scalars.
 - (a) Complete the table ticking the boxes to show which quantities are vectors and which are scalars.

One has been done for you.

(2)

Quantity	Vector	Scalar
distance		
force		
momentum	✓	
speed		
velocity		

(b) A car travels at 20 m

The mass of the car is 1500 kg.

(i) State the equation linking momentum, mass and velocity.

(1)

(ii) Calculate the momentum of the car.

(2)

momentum =kg m/s

(c) In a crash test, a car runs into a wall and stops.



(Author: Brady Holt, 2010)

The momentum	of the car	before	the	crash	is	22500	kg	m/s.

The car stops in 0.14 s.	
(i) Calculate the average force on the car during the crash.	(2)
average force =	
(ii) Use ideas about momentum to explain how seat belts can reduce injuit passengers during a crash.	ries to
	(3)
(Total for Question 3 :	= 10 marks)





Use the following information to help you answer the questions. The gold foil experiment Scientists used to think that electrons were spread out through a positively charged atom. They called this the 'plum pudding' model. To test this idea, scientists aimed alpha particles at thin gold foil. They expected the alpha particles to pass straight through. The results showed that **almost** all the alpha particles did pass straight through, but a few did not. About 1 in every 8000 was deflected away at a very large angle. It was these 'anomalous' results that led to a new understanding of the atom. (a) What was the prediction in this experiment? (1) (b) (i) What do scientists mean by **anomalous results**? (1) (ii) How should scientists deal with anomalous results? (1)



(c) Explain how these anomalous results led to the idea of a positive charge at the centre of an atom.	ne (2)
	(=)
(d) Give two reasons why it is important to carry out experiments in physics.	(2)
(Total for Question 4 =	7 marks)
	7 marks)

5	A signa	al g	enerator produces sounds from a loudspeaker.	
	(a) (i)		nich property of the sound wave should be increased in order to make the und louder?	(1)
	×	A	amplitude	(1)
	×	В	frequency	
	×	C	speed	
	\times	D	wavelength	
	(ii)		nich property of the sound wave should be increased in order to make a gher pitched sound?	(1)
	×	A	amplitude	
	×	В	frequency	
	×	C	speed	
	×	D	wavelength	
	(b) Soi	und	waves travel as longitudinal waves.	
	Otl	her	waves are transverse.	
	(i)	Giv	ve an example of a transverse wave.	(1)
	(ii)	De	scribe how the vibrations of longitudinal waves and transverse waves differ.	(2)
			(Total for Question 5 = 5 ma	rks)



BLANK PAGE






6 A student investigates refraction using a glass block.

She wants to find the refractive index of the glass.

She sends rays of light into the block at different angles and measures the angle of incidence and the angle of refraction.



The table shows her results.

Angle of incidence, i	Angle of refraction, r	sin i	sin r
0°	0°	0.00	0.00
15°	10°	0.26	0.17
25°	16°	0.42	
35°	22°	0.57	
45°	28°	0.71	0.47


(a) (i) Complete the table by calculating the missing values of $\sin r$.

(1)



(ii) Draw a graph of $\sin i$ (y-axis) against $\sin r$ (x-axis).

(5)



(iii) Use your graph to find the refractive index of the glass.

(2)

refractive index =





(b) Suggest two reasons why using a graph to find the refractive index is a better method than simply calculating it using a pair of angles from the table.(2)			
1			
2			
(Total for Question 6 = 10 marks)			




BLANK PAGE





7 The diagram shows a transformer that is 100% efficient.



- (a) (i) State the equation linking input power and output power for the transformer. (1)
 - (ii) Calculate the output current of the transformer. (2)

output current = A

(b) (i) State the equation linking input voltage, output voltage and turns ratio for the transformer.

(ii) Calculate the number of turns on the secondary coil of the transformer. (2)

number of turns =

(c) Explain how a transformer works.		
In your answer, you should include the reasons for using		
• two coils		
an iron core		
an alternating supply		
	(5)	
(Total for Question 7 = 11 marks)		



8 An energy company plans to build a new power station.


The company must decide between two renewable energy projects, a geothermal power station or a solar power station.

Geothermal power station



(Author: Gretar Ívarsson, geologist at Nesjavellir, 2006)

Solar power station




(Author: Torresol Energy, 2011)

(4)

Explain how the location and the climate might affect the type of power station that the company chooses.

climate (Total for Question 8 = 4 marks)

TOTAL FOR PAPER = 60 MARKS







BLANK PAGE

