Please check the examination det	ails bel	ow before ente	ring your candidate information
Candidate surname			Other names
Pearson Edexcel International GCSE (9-1)	Cen	itre Number	Candidate Number
<b>Time</b> 1 hour 15 minutes		Paper reference	4PH1/2P
Physics PAPER: 2P			
You must have: Ruler, calculator			Total Marks

### **Instructions**

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  - there may be more space than you need.
- Show all the steps in any calculations and state the units.
- Some questions must be answered with a cross in a box ⋈. If you change your mind about an answer, put a line through the box ⋈ and then mark your new answer with a cross ⋈.

#### Information

- The total mark for this paper is 70.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

#### **Advice**

- Read each question carefully before you start to answer it.
- Write your answers neatly and in good English.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ▶



P67162RA
©2021 Pearson Education Ltd.
1/1/1/1/1/1



#### **FORMULAE**

You may find the following formulae useful.

energy transferred = current 
$$\times$$
 voltage  $\times$  time  $E = I \times V \times t$ 

frequency = 
$$\frac{1}{\text{time period}}$$
  $f = \frac{1}{T}$ 

$$power = \frac{work done}{time taken} \qquad P = \frac{W}{t}$$

$$power = \frac{energy transferred}{time taken} \qquad P = \frac{W}{t}$$

orbital speed = 
$$\frac{2\pi \times \text{orbital radius}}{\text{time period}}$$
  $v = \frac{2 \times \pi \times r}{T}$ 

(final speed)<sup>2</sup> = (initial speed)<sup>2</sup> + 
$$(2 \times acceleration \times distance moved)$$

$$v^2 = u^2 + (2 \times a \times s)$$

pressure 
$$\times$$
 volume = constant  $p_1 \times V_1 = p_2 \times V_2$ 

$$\frac{\text{pressure}}{\text{temperature}} = \text{constant} \qquad \frac{p_1}{T_1} = \frac{p_2}{T_2}$$

force = 
$$\frac{\text{change in momentum}}{\text{time taken}}$$
  $F = \frac{(mv - mu)}{t}$ 

$$\frac{\text{change of wavelength}}{\text{wavelength}} = \frac{\text{velocity of a galaxy}}{\text{speed of light}} \qquad \frac{\lambda - \lambda_0}{\lambda_0} = \frac{\Delta \lambda}{\lambda_0} = \frac{v}{c}$$

change in thermal energy = mass  $\times$  specific heat capacity  $\times$  change in temperature

$$\Delta Q = m \times c \times \Delta T$$

Where necessary, assume the acceleration of free fall,  $g = 10 \text{ m/s}^2$ .

### **Answer ALL questions.**

- 1 This question is about astrophysics.
  - (a) The table lists some statements about the universe.

Place ticks ( $\checkmark$ ) in the table to show which statements support the Big Bang theory.

(2)

Statement	Supports the Big Bang theory
black holes are formed from extremely massive stars	
cosmic microwave background radiation is detected in all directions	
cosmic rays from space are detected at the Earth's surface	
each galaxy contains billions of stars	
most galaxies show a red-shift in the light detected from them	

(b) The Sun will become a red giant star when it leaves the main sequence.

Which row correctly describes how the surface temperature and brightness of the Sun will change when it becomes a red giant?

(1)

	Surface temperature	Brightness
⊠ A	decreases	decreases
	decreases	increases
	increases	decreases
⊠ D	increases	increases

(c) Astronomical objects can be classified by their absolute magnitude.

State what is meant by the term **absolute magnitude**.

(2)

(Total for Question 1 = 5 marks)



2 The photograph shows the Three Gorges Dam in China, one of the largest hydroelectric power stations on Earth.



© PRILL/Shutterstock

(a) State two advantages of generating el	ectricity using hydroelectric power stations.
	(2

(b) Water is held in a reservoir on one side of the dam.

The water flows through turbines to a river on the other side of the dam.

The water level of the river is lower than the water level of the reservoir.

(i) State which energy store of the water decreases as the water flows from the reservoir to the river.

(1)

(ii) How is energy transferred from the dam to homes and factories in China?

- A by heating
- **B** by radiation
- C electrically
- D mechanically



(c)			Gorges Dam has a larger maximum output power than any other cric power station on Earth.		
	(i) Sta	ate w	hat is meant by the term <b>power</b> .	(1)	
	(ii) Th	e me	ean energy transferred by the dam each day is $9.7 \times 10^{14} J$ .		
	Ca	lcula	ate the mean output power of the dam.	(3)	
			mean output power =		W
	(iii) Th	a ma	aximum output power is 22 500 MW.		
			of these is the same as 22 500 MW?		
	VVI			(1)	
	×		22 500 000 J		
	×		22 500 000 J/s		
	$\boxtimes$		22 500 000 000 J/s		
			st why the Three Gorges Dam does not always operate at its maximum power.		
				(1)	
			(Total for Question 2 = 10 ma	rks)	



- 3 This question is about solids, liquids and gases.
  - (a) Melting is the process that occurs when a solid changes into a liquid.


    Using ideas about particles, describe the process of melting.

(2)

(b) A sealed metal flask contains air at room temperature.

The flask is then heated.

The graph shows how the pressure of the air increases as its temperature increases.




(i) Explain how heating the flask increases the temperature of the air inside	(2)
(ii) Explain why the pressure of the air increases as its temperature increas	ses. (2)
(iii) Using the group determine the program of the given on its top or or to	
(iii) Using the graph, determine the pressure of the air when its temperatu	(1)
pressure =	
(iv) The air in the flask is now cooled to a temperature of 230 K.	
	(3)
(iv) The air in the flask is now cooled to a temperature of 230 K.	
(iv) The air in the flask is now cooled to a temperature of 230 K.	
(iv) The air in the flask is now cooled to a temperature of 230 K.	(3)



- 4 In extreme conditions, the isotope lithium-6 can be made to undergo nuclear fission.
  - (a) The lithium-6 nucleus absorbs a neutron and produces an alpha particle and an isotope of hydrogen.

The incomplete nuclear equation for this fission is



(i) Complete the nuclear equation by writing the numbers in the boxes.

(2)

(ii) Explain why this fission does not cause a chain reaction.

(2)


(b) Explain the difference between nuclear fission and nuclear fusion.

(2)

(Total for Question 4 = 6 marks)

**5** A student investigates how the support forces acting on a metre rule are affected by the position of a mass hanger.

He uses this apparatus.



This is the student's method.

- suspend a metre rule from its 10 cm and 90 cm marks using two newton meters
- place a mass hanger with a weight of 5 N at the 20 cm mark on the metre rule
- adjust the heights of the newton meters until the metre rule is horizontal
- record the readings on both newton meters

The student repeats the method, moving the mass hanger to a different position on the metre rule each time.

(a) (i) State the independent variable in the student's investigation.

(1)

(ii) State two control variables in the student's investigation.

(2)

(iii) Suggest how the student could improve the quality of his data.




(1)

(b) The table shows the student's results.

Position of mass hanger in cm	Reading on newton meter A in N	Reading on newton meter B in N
20	5.1	1.4
30	4.5	2.0
40	3.9	2.6
50	3.3	3.3
60	2.6	3.9
70	2.0	4.5
80	1.4	5.1

The graph shows the results for newton meter A.



- (i) Plot the results for newton meter B.
- (ii) Draw the line of best fit for newton meter B.



(iii) Describe the relationships shown by the graph.	(4)
(c) Using ideas about moments, explain why the reading on newton meter A	
decreases as the mass hanger is moved towards newton meter B.	4-1
decreases as the mass hanger is moved towards newton meter B.	(3)
decreases as the mass hanger is moved towards newton meter B.	(3)
decreases as the mass hanger is moved towards newton meter B.	(3)
decreases as the mass hanger is moved towards newton meter B.	(3)
decreases as the mass hanger is moved towards newton meter B.	(3)



- **6** This question is about electromagnetism.
  - (a) Diagram 1 shows the construction of an electromagnet.




Diagram 1

(i) Name a suitable metal for the core.

(1)

(ii) State what must be done to the coil of wire to produce a magnetic field.

(b) Electromagnets are used in transformers to change the size of a voltage.

Diagram 2 shows the construction of a simple transformer.




Diagram 2

(i) State the formula linking the input (primary) voltage, output (secondary) voltage and the turns ratio for a transformer.

(1)


(ii) The input voltage to the transformer is 115V.

Show that the output voltage is approximately 20 V.

(3)



7 An electrostatic paint sprayer is used to paint an object.



(a) The nozzle of the paint sprayer is positively charged.

Explain the advantage of using a charged nozzle.



(b) The object is an electrical conductor and is initially uncharged.	
(b) The object is all electrical conductor and is initially difficulty ex-	
Explain why the painting process would be more effective if the	e object were earthed. (3)
(Total for	Question 7 = 6 marks)

**8** The photograph shows an oscilloscope.



© dny3d/Shutterstock

An oscilloscope can be used to determine the frequency of a sound wave.


(a) (i) Name the piece of equipment that should be used with an oscilloscope to detect a sound wave.

(1)

(ii) Describe how an oscilloscope can be used to measure the time period of a sound wave.

(2)


(b) Diagram 1 shows an oscilloscope screen when a sound wave is detected.It also shows the settings of the oscilloscope.



# Oscilloscope settings

y direction: 1 square = 2 V x direction: 1 square =  $5 \times 10^{-6}$  s

# Diagram 1

(i) Determine whether the sound can be heard by humans.

Include a calculation of frequency in your answer.

(4)

(ii) The oscilloscope settings are changed, as shown in Diagram 2.

# **Oscilloscope settings**

y direction: 1 square = 1 V

x direction: 1 square =  $1 \times 10^{-5}$  s

# Diagram 2

On Diagram 2, draw the wave that would be displayed on the oscilloscope screen if the same sound wave is detected using these new settings.

(2)

(Total for Question 8 = 9 marks)

**TOTAL FOR PAPER = 70 MARKS** 

