Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

PHYSICS 0625/63

Paper 6 Alternative to Practical

October/November 2020

1 hour

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 40.
- The number of marks for each question or part question is shown in brackets [].

This document has 12 pages. Blank pages are indicated.

1 Some students investigate the transfer of thermal energy from a beaker of hot water. They use the apparatus shown in Fig. 1.1.




Fig. 1.1

(a) Fig. 1.2 shows the reading on the thermometer at the start of the investigation.




Fig. 1.2

Record the room temperature $\theta_{\rm R}$ shown on the thermometer in Fig. 1.2.

$$\theta_{\mathsf{R}} =$$
[1]

(b) A student pours $100\,\mathrm{cm^3}$ of hot water into beaker A. He records the temperature of the water in beaker A and immediately starts a stopclock. The student records the temperature θ of the water every 30 s. His readings are shown in Table 1.1.

The student repeats the procedure for beaker B. Beaker B is fitted with a lid.

Complete the headings and the time column in Table 1.1.

Table 1.1

	beaker A without a lid	beaker B with a lid
t/	$\theta_{A}/$	$\theta_{B}/$
0	85.0	86.0
	79.0	83.0
	73.5	80.5
	68.5	78.5
	64.0	77.0
	60.0	76.5
	56.5	76.0


[2]

(c)		scribe a precaution that should be taken to ensure that the temperature readings are urate as possible in this experiment.	
(d)	(i)	Write a conclusion stating how using the lid affects the cooling of the water.	
			[1]
	(ii)	The temperature of the water in each beaker decreases during this investigation.	
		Describe one other similarity in the pattern of the cooling of water in beakers A and B	
			[1]

(e)	(i)	Calculate the average rate of cooling $x_{\rm A}$ of the water in beaker A. Use the values of $\theta_{\rm A}$ from Table 1.1 and the equation $x_{\rm A} = \frac{(\theta_0 - \theta_{180})}{T}$
		where θ_0 is the temperature of the water in beaker A at $t=0$, θ_{180} is the temperature of the water at $t=180\mathrm{s}$, and $T=180\mathrm{s}$.
		Include a unit.
		$x_{A} = \dots [1]$
	(ii)	Calculate the average rate of cooling x_B of the water in beaker B. Use the values of θ_B from Table 1.1 and the equation $x_B = \frac{(\theta_0 - \theta_{180})}{T}$
		where θ_0 is the temperature of the water in beaker B at $t=0$, θ_{180} is the temperature of the water at $t=180\mathrm{s}$, and $T=180\mathrm{s}$.
		$x_{\rm B} = $ [1]
	(iii)	Thermal energy is transferred from the surface of the water and from the sides of the beaker during the investigation.
		A student suggests that more thermal energy is transferred from the surface of the water than from the sides of the beaker.
		State whether your results support this suggestion. Justify your statement by reference to your values of x_A , the average rate of cooling without a lid, and x_B , the average rate of cooling with a lid.
		statement
		justification
		[2]
(f)	_	ggest a change to the apparatus or the procedure to produce a greater difference between and $\boldsymbol{x}_{\mathrm{B}}.$
		[1]
		[Total: 11]

2 Some students investigate an electrical circuit containing different combinations of resistors.


They use circuit A shown in Fig. 2.1. Circuit A is not shown complete.



circuit A

Fig. 2.1

- (a) On Fig. 2.1, complete circuit A to show a voltmeter connected to measure the potential difference (p.d.) across resistor X and an ammeter connected to measure the current in the circuit. [2]
- **(b)** A student measures the potential difference *V* across resistor X and the current *I* in the circuit. The voltmeter reading is shown in Fig. 2.2. The ammeter reading is shown in Fig. 2.3.






Fig. 2.2 Fig. 2.3

Record, in the first line of Table 2.1, the values of *V* and *I* shown on the meters in Fig. 2.2 and Fig. 2.3.

Table 2.1

circuit	V/	1/	R/Ω
А			
В	2.1	0.54	
С	1.6	0.39	

(c) The student now connects two 5Ω resistors in series between P and Q, as shown in Fig. 2.4, to form circuit B. The rest of the circuit remains as in Fig. 2.1.




Fig. 2.4

She measures the potential difference (p.d.) V across resistor X and the current I in the circuit.

The student then connects three 5Ω resistors in series between P and Q, as shown in Fig. 2.5, to form circuit C. The rest of the circuit remains as in Fig. 2.1.




Fig. 2.5

She measures the potential difference (p.d.) V across resistor X and the current I in the circuit.

All her readings are shown in Table 2.1.

- (i) Complete the headings in Table 2.1. [1]
- (ii) Calculate, and record in Table 2.1, a value for the resistance *R* of resistor X for each combination of resistors the student has used.

Use the readings from Table 2.1 and the equation
$$R = \frac{V}{I}$$
.

(d)	Stat	tudent suggests that the values of R should be the same. te whether your results support this suggestion. Justify your statement by reference ues from your results.	to
	stat	tement	
	just	ification	
(0)	The	a regulta con ha chacked by using a different circuit	[2]
(e)		e results can be checked by using a different circuit.	
	Dra	w, on Fig. 2.6, one other arrangement of three 5Ω resistors between terminals P and	Q.
		P Q	
		Fig. 2.6	
		1 ig. 2.0	[1]
(f)	(i)	A student wants to determine R by using a variable resistor to vary the current in circuit. Draw the circuit symbol for a variable resistor.	the
			[1]
	(ii)	Explain one advantage of using a variable resistor to vary the current compared to procedure carried out in (b) and (c) .	the
			[1]
		[Total:	
		[rotal.	1

3 A student investigates the image produced by a converging lens.

She uses the apparatus shown in Fig. 3.1.




Fig. 3.1

(a) Fig. 3.2 shows the illuminated object, drawn to full size.




Fig. 3.2

Measure and record the height $h_{\rm O}$ of the illuminated object, as shown on Fig. 3.2.

$$h_{\rm O}$$
 = cm [1]

(b) The distance *u* between the illuminated object and the lens is set to 20.0 cm.

The screen is moved until a sharp image of the illuminated object is seen, as shown full size in Fig. 3.3.




Fig. 3.3

- (i) Measure and record in the first line of Table 3.1 the height h_1 of the image, as shown on Fig. 3.3. [1]
- (ii) Calculate and record in Table 3.1 a value W using your measurements for $h_{\rm O}$ and $h_{\rm I}$ and the equation $W = \frac{h_{\rm O}}{h_{\rm I}}$.

Table 3.1

u/cm	h _I /cm	W
20.0		
30.0	1.5	1.3
40.0	1.0	2.0
50.0	0.7	2.9
60.0	0.6	3.3

[1]

(c) The student repeats the process for $u = 30.0 \,\mathrm{cm}$, $40.0 \,\mathrm{cm}$, $50.0 \,\mathrm{cm}$ and $60.0 \,\mathrm{cm}$. Her results are shown in Table 3.1.

Plot a graph of u/cm (y-axis) against W (x-axis).

	-	+	\rightarrow	-	\vdash	+	\vdash	+	\vdash	+	+	-	+	+	+	+	-	-	+	-	-	-	+	+	_	_	-	+	-	\vdash	\rightarrow	_	+	+	\rightarrow	-	-	+
\perp	_	\perp	\perp	\perp	\perp	\perp	ш	\perp	ш	\perp	\perp	_	\perp	\perp	\perp	ш	\perp	\bot	\sqcup			ш	\perp	\bot	\perp		\perp	\perp	_	ш	\perp		\perp	ш	\vdash	\perp		4
Ш											ш					ш		\perp						ш										Ш			Щ	Ш
11											11					ш																						
П		\top															\neg	\neg										\top						+	-	\neg	-	T
\dashv	_	+	+	+	\vdash	+	\vdash	+	\vdash	+	+	+	+	+	+	Н	-	+	+	+	+	+	+	++	-	_	\vdash	+	+	\vdash	++	_	\vdash	+		\rightarrow	+	+
-	+	+	+	+	\vdash	+	\vdash	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	+	+	+	+	\vdash	+	+	+	+	\vdash	\vdash	+	\vdash	+	+	+	+	\vdash	-	+	4
\perp											\perp							\perp																				\perp
\neg		П					П				П		\Box			П			П									П			\Box			\Box	-			Т
\neg	-	$\overline{}$	\neg	-		-	\vdash	-	\vdash	-	\top	-	\top	\vdash		\vdash	-	-	\vdash				-	+	\neg			\vdash			$\overline{}$			+	\neg	\neg	_	+
\rightarrow	+	+	\rightarrow	+	\vdash	-	\vdash	-	\vdash	+	+	-	+	+	+	\vdash	-	+	+	-	-	\vdash	+	+	_	_	+	+	+	\vdash	+	-	\vdash	+	\vdash	\rightarrow	-	+
_	_	\perp	\rightarrow	_	\perp		\sqcup	_	\sqcup	_	ш		\perp	\perp	_	\perp	\perp	_	\perp	\perp		\perp	\perp	\bot	\perp		\perp	\perp	_	ш	\perp		ш	\perp	\perp	\perp	_	4
											11													1 1	- 1 - 1									- 1 - 1				
\neg		\top				\top	П				П		\top			П	\neg	\neg	П				\top					П			\top			\Box	\neg	$\neg \neg$	\neg	Т
-	-	+	+	_	+	_	+	+	\vdash	+	+	_	+	+	+	\vdash	-	_	+	-	-	-	+	++	-	_	-	+	-	-	+			+	-	-	-	+
-	+	+	+	_	\vdash	-	\vdash	_	\vdash	+	+	-	+	\vdash	+	\vdash	\perp	+	+	\perp		\vdash	+	+	-	_	-	+	+	\vdash	+	_	\vdash	+	ш	ш	-	4
- 1					1 1						11							- 1				1 1		1 1	- 1 - 1					1	1 1			- 1 - 1				
П	\neg	П		\neg	П	\Box	П		П	\neg	П		П			П		Т	П			П		T				П	$\neg \vdash$	П	П			\Box	$\neg \neg$	\Box		Т
\neg	-	+	+	-			\vdash	-		-	+	-	+	\vdash		\vdash	-	+	+		-	\vdash	+	1	-	_	\vdash	+	-	\vdash	+	-	\vdash	+	-	\neg		+
\rightarrow	+	+	\rightarrow	+	+	+	\vdash	-	\vdash	+	+	-	+	+	+	+	-	+	+	+	-	\vdash	+	+	-	_	+	+	+	\vdash	+	-	\vdash	+	\vdash	\rightarrow	-	+
_		\perp	\perp		\perp						ш					ш						ш		\perp	\perp					\perp	\perp			\perp	\perp	ш		_
											11													1 1										- 1 - 1				
\neg	\neg	\top	\top	\top		\top	\sqcap	\top	\Box	\neg	\top	\top	\top	\vdash	\top	\Box	\top	\neg	\top	\top		\Box	\top	\top	\neg	\top		П	\neg		\top	\top	\vdash	\top	\neg	\neg	\neg	\top
\dashv	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	\dashv	+	+
_	+	+	+	+	\vdash	+	\vdash	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	+	\vdash	\perp	-	\vdash	+	+	+	\perp	\vdash	\vdash	+	\vdash	+	+	\vdash	-	\vdash	\vdash	+	4
_	\perp	Ш		\perp	Ш	L	Ш		ш	\perp	Ш	Ш	山	Ш	\perp	ш		\perp	Ш		Ш	Ш	ш	LI.			ш	L	\perp	Ш			Ш	Шl	LL.I	الل		╝
Т	Т	\Box	\Box	Т	П	П	ΙТ	Т	П	Т	П	Т	П	Т	Т	П	П	T	П	\Box		ГТ	П		\Box	Т		П	Т	ГТ	П	Т	П				. T	Т
-	+	+	+	+	+	+	\vdash	+	\vdash	-	+	+	+	\vdash	+	\vdash	+	+	+	+	\vdash	+	+	+	\vdash	-	\vdash	+	+	\vdash	+	-	\vdash	+	-	\neg	\pm	+
\rightarrow	+	+	+	+	+	+	\vdash	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	+	+	+	+	+	+	+	+	+	\vdash	+	+	\vdash	+	+	+	+	\vdash	\dashv	+	+
	\perp	\perp	\perp	\perp	\perp	\perp	\sqcup	\perp	\sqcup	\perp	\perp	\perp	\perp	ш	\perp	ш	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp		4
	- 1 -	1 [T	1	ΙГ		ΙГ	1	ΙТ	- 1	+1		17	ΙГ	1	ΙГ		- 1	ΤГ			П	1 [1 1	17			1 T			1 T		П	T	. I T	ıΙŢ	. 1	- [
\neg		\top	\neg	\top		\top	П	\top	\Box	\neg	\top		\top	\Box	\top	\Box	$\neg \neg$	\neg	\sqcap				\top	\top	$\neg \neg$			\Box	\neg		\top			\top	$\neg \neg$	$\neg \neg$		T
\rightarrow	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	+	+	\vdash	+	+	+	++	+	+	+	-	\dashv	+	+
_	_	+	+	+	\vdash	\perp	\vdash	+	\vdash	_	+	\perp	\perp	\vdash	+	\vdash	\perp	+	+	\perp	\perp	\vdash	+	+	\perp	\perp		+	+	\vdash	+	_		44	ш	ш	+	4
											\perp																											
П		П			П	П	П		П	\neg	П			П	Т	П		Т	П			П	П	T				П	Т	П	П			т	\Box	П		Т
\neg	-	+	\neg				\vdash				\top		+	\vdash	+	\vdash	\neg	-	+			\vdash	+	11	-		\vdash	+	-		+	\top		+		\neg		+
-	+	+	\rightarrow	-	\vdash	-	\vdash	+	\vdash	-	+	-	+	+	+	+	$\overline{}$	+	+	-	-	-	+	++	_	_	\vdash	+	+	-	++	-	\vdash	+	+	\rightarrow	-	+
_	_	\vdash	\rightarrow	_	\vdash	_	\sqcup	_	\vdash	_	\bot		\perp	\perp	_	\vdash	\rightarrow	+	\perp	_	\perp	Н.	\perp	+	\rightarrow	\rightarrow		\perp	_	ш.	+	_	\vdash	\rightarrow	\vdash	\vdash	_	4
											11							- 1						1 1										- 1 - 1				
╗	\top	П	\neg	\top	П		П	т	П	\neg	П	П	П	П	Т	П		т	П			П	\Box	\top			П	П	\top	П	П	\top	П	\Box	\Box	\Box	. —	Т
_	-	+	+	+	+	+	\vdash	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	+	+	+	+	+	+	+	+	-	\vdash	+	+	\vdash	+	-	+	+	\neg	\neg	-	+
-	+	+	+	+	\vdash	+	\vdash	+	\vdash	-	+	+	+	\vdash	+	\vdash	+	+	+	+	\vdash	\vdash	+	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	\vdash	\dashv	+	+
_	\perp	\perp	\perp	\perp	\vdash	\perp	\vdash	\perp	\sqcup	\perp	\perp	\perp	\perp	ш	\perp	\sqcup	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	\vdash	\perp	\perp	\perp	ш	\sqcup	\perp	\perp	4
											\perp !																	$ \cdot $			11				$\sqcup \sqcup 1$			
		T^{\dagger}	\neg			\top					\sqcap		\top				\Box		\sqcap				T^{\dagger}		\Box			П						\top	\Box	\Box		T
\dashv	-	++	+	+	\vdash	+	\vdash	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	-	+	+	\vdash	\vdash	+	+	+	\perp	\vdash	+	+	\vdash	++	\pm	\vdash	+	\vdash	\dashv	\pm	+
-	+	+	+	+	+	+	\vdash	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	+	\vdash	\dashv	+	+
\perp	\perp		\perp	\perp	\perp		ш	\perp	\sqcup	\perp	\perp		\perp	ш	\perp	\sqcup		\perp	ш			\perp					\perp		\perp	\perp	\perp	\perp	\perp	\perp	\perp	\perp	_	4
Т		IT	\Box		ΙТ		ΙТ		ΙТ		\Box		\Box	П		ΙТ			IT			ΙТ	IT	I^{T}				\Box		ιТ	\Box		ΙТ	\Box				Т
\neg		\Box	\neg			\top		\top			\neg		\neg				\neg	\neg	\Box	\neg			T		\neg			П			\neg			\neg	$\neg \neg$	$\neg \neg$	\neg	т
-	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	+	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	\vdash	\rightarrow	+	+
_	+	+	\perp	+	\vdash	\perp	\vdash	+	\vdash	+	+	+	\perp	\vdash	+	\vdash	\perp	+	\vdash	\perp	\vdash	\vdash	+	+	\perp	\perp	\vdash	+	+	\vdash	+	\perp	\vdash	+	\vdash	ш	+	4
_1		Ш	\perp	\perp	ш	\perp		_	Ш		\perp	Ш	\perp	Ш	\perp	Ш	\perp		ш	\perp	ш	Ш	ш		\perp	\perp	ш	Ш		ш			Ш	\perp			Ш.	_
T	Т	П	\Box	Т	П	П	ΙТ	Т	П	Т	\Box	Т	П	Т	Т	П	\Box	Т	П		Т	ıΤ	П	\Box	\Box	\Box		П	Т	ΙТ		Т	IΤ				. Т	Т
-	-	+	\dashv	\top	\vdash	\top	\vdash	+	\vdash	$^{-}$	+	\top	+	\vdash	+	\vdash	\top	$^{-}$	\vdash			\vdash	+	+	\top		\vdash	\vdash	$^{-}$		+	\top	\vdash	+	\Box	$\dashv \dashv$	-	+
-	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	++	+	+	+	+	+	+	++	+	+	+	-	\dashv	+	+
_	\perp	+	\perp	+	\vdash	\perp	\vdash	+	\vdash	\perp	+	+	+	\vdash	+	\vdash	\perp	+	+	\perp	\vdash	\vdash	+	+	\perp	\perp	\vdash	\vdash	+	\vdash	+	_	\vdash	44	\vdash	ш	+	4
	\perp	Ш		\perp	Ш	\perp	Ш		ш	\perp	Ш	Ш	山	Ш	\perp	ш			Ш		Ш	Ш	ш				ш	L	\perp	Ш	┸		Ш	_LI	шЫ	الل		╝
Т		\Box		Т			ΙТ	Т		Т	П		\Box	П			\Box	\top	\sqcap				\Box		\Box			\Box			\Box			\Box				Т
\dashv	-	1	+	+	+	\top	\vdash	+	\vdash	+	+	+	+	\vdash	+	\vdash	+	+	+	+	+	+	+	+	\vdash	-	\vdash	+	+	\vdash	+	-	+	+	\neg	\neg	-	+
\rightarrow	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	\vdash	\dashv	+	+
4	\perp	+	\perp	\perp	\vdash	\perp	\vdash	+	\vdash	\perp	+	\perp	\perp	\vdash	\perp	\vdash	\perp	-	\vdash	\perp	\perp	\vdash	+	+	\perp	\perp	\vdash	\perp	\perp	\vdash	\perp	\perp	\vdash	44	ш	\perp	+	4
			\perp								$\perp 1$		\perp															\perp			\perp			\perp I	$\perp \perp T$			
\neg		\Box				\Box					\sqcap		\sqcap			\Box	\Box	\top	\sqcap				T^{\dagger}		\Box			П			\Box			\Box	\Box	$\neg \neg$		T
-	\pm	+	+	+	+	+	+	+	\vdash	-	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	+	\pm	\vdash	+	+	\vdash	1	+	+	+	-	\dashv	\pm	+
-	+	+	+	+	\vdash	+	\vdash	+	\vdash	-	+	+	+	\vdash	+	\vdash	+	-	+	+	\vdash	\vdash	+	+	+	+	\vdash	+	+	\vdash	+	+	\vdash	44	\vdash	\dashv	-	+
\perp	\perp		\perp	\perp	\perp		ш	\perp	ш	\perp	\perp			ш	\perp	\sqcup		\perp	\perp			\perp					\perp	\perp		\perp		\perp	\perp	\perp			_	4
	- 1 -	1 [\perp		П		П	1	П	- 1	\perp 1		17	П	1	ΙГ		- 1	1 [1 [1 1	-1			1 T		ш	1 T	- 1 -	П	1.7	$\Box \Box \Box$. 1	П
_		\top	\top	\top		\top	\Box	\top	\vdash		\top	\top	\top	\vdash	\top	\vdash	\top	\neg	\vdash				\top	+	\neg			\vdash	\neg		11			\top	\neg	$\neg \neg$	\neg	+
-	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	+	\rightarrow	+	+
_	\perp	\perp	\perp	\perp	\vdash	\perp	\vdash	\perp	\sqcup	\perp	\perp	\perp	\perp	\vdash	\perp	\vdash	\perp	+	\sqcup	\perp	\perp	\vdash	\perp	\perp	\perp	\perp	\vdash	\perp	\perp	\vdash	\perp	\perp	\vdash	\perp	\vdash	\vdash	+	4
							П		ıl		1 1			П		П		- 1	1					1				1			1						. 1	
\neg		\top	$\neg \neg$	\top	\Box	\top	П	\top	\sqcap	\neg	\neg	\top	$\neg \neg$		\top	\sqcap	$\neg \neg$	\top	\Box				\top	\top	$\neg \neg$			\sqcap	\neg		\top			\top	\Box	$\neg \neg$		T
	+	+	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	\vdash	+	+	+	+	+	+	+	++	+	+	+	+	+	+	++	+	+	+	-	\dashv	+	+
+			1 1				$\perp \perp$	\perp				\perp		ш		ш												1		\perp				\perp				_

[4	41	

(d) The gradient of the line on the graph is numerically equal to the focal length *f* of the lens.

Record a value of *f* for this experiment. Show clearly on the graph how you obtained the necessary information to determine the gradient.

f =		[2]
-----	--	-----

(e) A student decides to extend the experiment using larger values of u.

Use Table 3.1 to explain why this could produce **less reliable** values for *W*. Suggest an improvement to overcome this difficulty.

explanation		 	 •••••	
improvemen	nt	 	 	
				[2]

. ..**.**

[Total: 11]

4 A student investigates the factors that affect the average speed of a ball falling in water.

Plan an experiment which will enable him to investigate the effect of **one** factor on the speed at which a ball of modelling clay falls in water.

The apparatus available includes:

modelling clay that can be made into different sized balls metal ball bearings that can be embedded in the modelling clay a long transparent tube, closed at one end a supply of water

In your plan, you should:

- state clearly the factor to be investigated
- list any additional apparatus needed
- state any key variables to be kept the same
- explain how to carry out the investigation, including the measurements to be made and any
 precautions that must be taken to ensure reliable results
- explain how to use the readings to reach a conclusion.

You may draw a diagram if it helps to explain your plan.

. [/]

[Total: 7]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

© UCLES 2020