- AGRAN MODULATION

$$f_{+}(\mathbf{x} - [\mathbf{0} \quad d(\mathbf{x}, \mathbf{b}) \quad 0]^{T}) \left(1 - \frac{\partial d}{\partial y} \Big|_{\mathbf{x}}\right)$$

$$\approx f_{-}(\mathbf{x} + [\mathbf{0} \quad d(\mathbf{x}, \mathbf{b}) \quad 0]^{T}) \left(1 + \frac{\partial d}{\partial y} \Big|_{\mathbf{x}}\right)$$

$$\sum_{\mathbf{x} \in V} \left(f_{+}(\mathbf{x} - [\mathbf{0} \quad d(\mathbf{x}, \mathbf{b}) \quad \mathbf{0}]^{T}) \left(1 - \frac{\partial d}{\partial y} \Big|_{\mathbf{x}} \right) - f_{-}(\mathbf{x} + [\mathbf{0} \quad d(\mathbf{x}, \mathbf{b}) \quad \mathbf{0}]^{T}) \left(1 + \frac{\partial d}{\partial y} \Big|_{\mathbf{x}} \right) \right)^{2}$$

$$\frac{\mathbf{B}(\mathbf{x})}{n \times m} = \frac{\mathbf{B}_z(z)}{n_z \times m_z} \otimes \frac{\mathbf{B}_y(y)}{n_y \times m_y} \otimes \frac{\mathbf{B}_x(x)}{n_x \times m_x}$$

$$\frac{d\mathbf{f}_{+}}{d\mathbf{b}} = -diag\left(\frac{\partial\mathbf{f}_{+}}{\partial y}\right) \underbrace{\mathbf{B}}_{n\times m} - \underbrace{diag(\mathbf{f}_{+})}_{n\times m} \underbrace{\frac{\partial\mathbf{B}}{\partial y}}_{n\times m}$$

$$\frac{d\mathbf{f}_{+}}{d\mathbf{b}} = -diag\left(\frac{\partial \mathbf{f}_{+}}{\partial y}\right) \underbrace{\mathbf{B}}_{n \times m} - \underbrace{diag(\mathbf{f}_{+})}_{n \times n} \underbrace{\frac{\partial \mathbf{B}}{\partial y}}_{n \times m} + \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\mathbf{I}_{-\mathbf{I}} \cdot \mathbf{I}\right] \cdot \left[\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right]^{-1}}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\mathbf{I}_{-\mathbf{I}} \cdot \mathbf{I}\right] \cdot \left[\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right]^{-1}}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\mathbf{I}_{-\mathbf{I}} \cdot \mathbf{I}\right] \cdot \left[\frac{\mathbf{f}_{+}}{\mathbf{f}_{-}}\right]}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\mathbf{I}_{-\mathbf{I}} \cdot \mathbf{I}\right] \cdot \left[\frac{\mathbf{f}_{+}}{\mathbf{f}_{-}}\right]}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\mathbf{I}_{-\mathbf{I}} \cdot \mathbf{I}\right] \cdot \left[\frac{\mathbf{f}_{+}}{\mathbf{f}_{-}}\right]}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\mathbf{I}_{-\mathbf{I}} \cdot \mathbf{I}\right] \cdot \left[\frac{\mathbf{f}_{+}}{\mathbf{f}_{-}}\right]}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\frac{\mathbf{f}_{+}}{\mathbf{f}_{-}}\right]}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{+}}{d\mathbf{b}}\right)^{T} \cdot \left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\frac{d\mathbf{f}_{-}}{\mathbf{f}_{-}}\right]}_{2n \times 2n} \underbrace{\left[\left(\frac{d\mathbf{f}_{-}}{d\mathbf{b}}\right)^{T}\right] \cdot \left[\frac{d\mathbf{f}_$$



THY COMPUTE

- So is this solved?
- Far from it

$$\mathbf{B}^{T}\mathbf{B} = \mathbf{B}_{z}^{T}\mathbf{B}_{z} \otimes \mathbf{B}_{y}^{T}\mathbf{B}_{y} \otimes \mathbf{B}_{x}^{T}\mathbf{B}_{x}$$

$$(\mathbf{B}_{z} \otimes \mathbf{B}_{y} \otimes \mathbf{B}_{x})^{T} \mathbf{D}\mathbf{D}(\mathbf{B}_{z} \otimes \mathbf{B}_{y} \otimes \mathbf{B}_{x})$$

