

Assignment 1

Kamparaju Srikanth - EE18BTECH11023

Download all Codes from

https://github.com/srikanth2001/EE4013-C_DS/tree/main/Assingnment-01/codes

Download all latex-tikz codes from

https://github.com/srikanth2001/EE4013-C_DS/blob/main/Assingnment-01/assignment1.tex

1 PROBLEM

(Q 22) Consider the following C fProgram.

```
#include <stdio.h>
int main(){
    int a[4][5] = {{1,2,3,4,5},
                   {6,7,8,9,10},
                   {11,12,13,14,15},
                   {16,17,18,19,20}};
    printf("%d", *((a+**a+2) +3));
    return(0);
}
```

The output of the program is?

2 SOLUTION

Answer : The output of the program is-19

Explanation

Let consider that input **a** is a 2D matrix

$$a = \begin{bmatrix} 1 & 2 & 3 & 4 & 5 \\ 6 & 7 & 8 & 9 & 10 \\ 11 & 12 & 13 & 14 & 15 \\ 16 & 17 & 18 & 19 & 20 \end{bmatrix}$$

From the above matrix ****a** represents the index of the element in $a_{(0,0)}$ element i.e 1,

$$* (* (a + 1 + 2) + 3)) \quad (2.0.1)$$

in above equation $(* (a + 3) + 3)$ this represents the index of $a_{(3,3)}$ in the matrix a. Hence the Output will be $a_{(3,3)}$ Element of the matrix a i.e 19