```
import numpy as np
X = np.array(([2, 9], [1, 5], [3, 6]), dtype=float)
y = np.array(([92], [86], [89]), dtype=float)
X = X/np.amax(X,axis=0) #maximum of X array longitudinally
y = y/100
#Sigmoid Function
def sigmoid (x):
    return 1/(1 + np.exp(-x))
#Derivative of Sigmoid Function
def derivatives_sigmoid(x):
    return x * (1 - x)
#Variable initialization
epoch=5 #Setting training iterations
lr=0.1 #Setting learning rate
inputlayer_neurons = 2 #number of features in data set
hiddenlayer_neurons = 3 #number of hidden layers neurons
output_neurons = 1 #number of neurons at output layer
#weight and bias initialization
wh=np.random.uniform(size=(inputlayer neurons, hiddenlayer neurons))
bh=np.random.uniform(size=(1,hiddenlayer neurons))
wout=np.random.uniform(size=(hiddenlayer_neurons,output_neurons))
bout=np.random.uniform(size=(1,output neurons))
#draws a random range of numbers uniformly of dim x*y
for i in range(epoch):
    #Forward Propogation
    hinp1=np.dot(X,wh)
    hinp=hinp1 + bh
    hlayer act = sigmoid(hinp)
    outinp1=np.dot(hlayer_act,wout)
    outinp= outinp1+bout
    output = sigmoid(outinp)
    #Backpropagation
    EO = y-output
    outgrad = derivatives_sigmoid(output)
    d output = E0 * outgrad
    EH = d output.dot(wout.T)
    hiddengrad = derivatives_sigmoid(hlayer_act)#how much hidden layer wts
contributed to error
    d_hiddenlayer = EH * hiddengrad
    wout += hlayer_act.T.dot(d_output) *lr # dotproduct of nextlayererror and
currentlayerop
```

```
wh += X.T.dot(d_hiddenlayer) *lr

print ("------Epoch-", i+1, "Starts-----")
print("Input: \n" + str(X))
print("Actual Output: \n" + str(y))
print("Predicted Output: \n" ,output)
print ("------Epoch-", i+1, "Ends-----\n")

print("Input: \n" + str(X))
print("Actual Output: \n" + str(y))
print("Predicted Output: \n" ,output)
```

```
Python 3.10.11 (tags/v3.10.11:7d4cc5a, Apr 5 2023, 00:38:17) [MSC v.1929 64 bit
(AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
====== RESTART: C:\Users\Raghul\Desktop\ML\Backpropagation(4).py ========
-----Epoch- 1 Starts-----
Input:
[[0.66666667 1.
[0.33333333 0.55555556]
[1.
            0.66666667]]
Actual Output:
[[0.92]
[0.86]
[0.89]]
Predicted Output:
[[0.89626252]
[0.88629183]
[0.89240309]]
-----Epoch- 1 Ends-----
-----Epoch- 2 Starts-----
Input:
[[0.66666667 1.
[0.33333333 0.55555556]
            0.66666667]]
Actual Output:
[[0.92]
[0.86]
[0.89]]
Predicted Output:
[[0.89625393]
[0.88628319]
[0.89239441]]
-----Epoch- 2 Ends-----
-----Epoch- 3 Starts-----
Input:
[[0.66666667 1.
[0.33333333 0.55555556]
            0.66666667]]
Actual Output:
[[0.92]
[0.86]
[0.89]]
Predicted Output:
[[0.89624538]
[0.88627458]
[0.89238577]]
-----Epoch- 3 Ends-----
```

```
-----Epoch- 4 Starts-----
Input:
[[0.66666667 1.
[0.33333333 0.55555556]
[1.
            0.66666667]]
Actual Output:
[[0.92]
[0.86]
[0.89]]
Predicted Output:
[[0.89623688]
[0.88626602]
[0.89237717]]
-----Epoch- 4 Ends-----
-----Epoch- 5 Starts-----
Input:
[[0.6666667 1.
[0.3333333 0.5555556]
            0.66666667]]
Actual Output:
[[0.92]
[0.86]
[0.89]]
Predicted Output:
[[0.89622843]
[0.88625751]
[0.89236863]]
-----Epoch- 5 Ends-----
Input:
[[0.66666667 1.
[0.3333333 0.5555556]
            0.6666667]]
Actual Output:
[[0.92]
[0.86]
[0.89]]
Predicted Output:
[[0.89622843]
[0.88625751]
[0.89236863]]
```

DLE Shell 3,10,11 - 0 X File Edit Shell Debug Options Window Help [[0.66666667 1. [0.33333333 0.55555556] [1. 0.66666667]] Actual Output: [[0.92] [0.86] [0.89]] Predicted Output: [[0.89164255] [0.87271682] [0.88814576]] -----Epoch- 4 Ends-----------Epoch- 5 Starts-----Input: [[0.66666667 1. [0.33333333 0.55555556] 0.66666667]] [1. Actual Output: [[0.92] [0.86] [0.89]] Predicted Output: [[0.89167794] [0.87275344] [0.88818162]] -----Epoch- 5 Ends-----Input: [[0.66666667 1. [0.33333333 0.55555556] [1. 0.66666667]] Actual Output: [[0.92] [0.86] [0.89]] Predicted Output: [[0.89167794] [0.87275344] [0.88818162]] >>> Ln: 92 Col: 0

Type here to search





























