PERIODIC TABLE OF THE ELEMENTS

Table of Selected Radioactive Isotopes

	=	8 4	<u> </u>	26.)	48	-	10	80		90	8,8,	d	% <u>a</u>	200		26p6		
	18/VIII	2 4.00260 4.216 H P	0,17857 1s2 1s2 Hellum	10 20.1797 27.07 24.56	0.900 Til	18 39.948	87.8 83.8 1.784 t	[Ne]3s²3p ⁶ Argon	36 83.80	119.93	[Ar]3d ¹⁰ 4s ² 4p ⁶ Krypton	54 131.29	165.11 161.4 5.90 t	[Kr]4d ¹⁰ 5s ² 5p ⁶	86 (22	211.4 202 8.73†	XeJ4145d106s26p	118	(Ununoctiu
Maturally occurring radioactive alsotopes are designated by a mass rounder in the (although some are also manufactured). Letter min-			17/VIIB	3.99840	1.696T [He] 2s ² 2p ⁵ Fluorine	35,453	-	[Ne] 3s ² 3p ⁵ Chlorine	5 79.904	10.10	[Arj3d104s²4ps Bromline	53128.80447	386.85 4.83	[Kr]4d105s25p5	5 (210)		Xej4f*5d*6s26p5	17	nunseptium)
	nass number. nd y stand re- ars. The table many others clive but with Symbols de- tre as follows me rediation):	state	16/VIB 1	5,9994	s²2p⁴ gen	32.065 6,±2,4,	S	[Nej3s23p4	78.96 35		_	127.60 5	386.85	[Kr]4d105s25p4 [K	(209) 85	PO 5778	XeJ4f ¹⁴ 5d ¹⁰ 6s ² 6p ⁴ [Xe]	_	
	e of the same res, min, h, d, a res, min, h, d, a restricted solopes and to be radica hear included. des) of decay a mpanied by gam	lower isomeric		14.0067 ±3,5,4,2 80.2 90.2 54.4	-		388.36		9216 43,5	494		121.760 52	722.66	_	3804 84 3,5 84	527	- Auto-	288) 116	
	f another isotopi arontheses, when isotopes in and addi- longer-lived radio isotopes know in lote y have not il mode (or mode a generally accor	alpha particle emission bela particle (electron) emission positron amission obital electron capture isformeric transition from upper to lower isomeric state	15/VB	77.344 63.15	1.251T [He]2s²2p³ Nitrogen	15308	553 317.3 1.82	[Nej3s²3p³ Phosphorus	33 74	876 (busk) 1090 (28 mm.) 5.73	[Ar]3d¹04s²4p³ Arsenic	21	903.78 6.69	[Kr]4d¹05s²5p³ Antimony	_	1837 544.55 9.75	2 1Xej4f145d106s26p3 Bismuth	115 (288)	Rnjsfr*6g
	dictates an behavior of another isotope of the same mass number, epochievity (or seconds, milkels, hours, dags, and years. The bale posticity of tresonois, milkels, hours, dags, and years. The bale includes mainly the longar-head adoasthe sospoes, many others have been prepared, isotopus known to be addisarile anny others have been prepared, isotopus known to be addisarile but with half-wes exceeding (0.4) have not been mobulosi, gymbols ed- erating the principal mode (or modes) of classing was a tolores (these processes are generally accompanied by germin stabilities).	alpha particle (electron) beta particle (electron) posifron amission ofdital electron capture isomeric transition from	14/IVB	6 12.0107 4675 3915	(He) 28°2p² Carbon	28.08	3538 1687 2.33	[Ne]3s23p2 Silicon	32 72.64	3106 1211.4 5.32	[Arj3d104824p2 Germanium	50 118,710	2875 505.08 505.08	[Kr]4d ¹⁰ 5s ² 5p ² Tin	82 207.2	2022 600.61 11.35	Xe]4f145d106s26p2 Lead	14 (289)	- UUU Prijsti*6d ¹⁹⁷ 5 ²⁷ p ² Ununquadium)
Nat	dics Hail spe ind ind have hall hall hall	2 6 € 10 E 12	13/IIIB	10.81	e]2s²2p¹ Boron	26.981538	4	[Ne]3s²3p¹ Aluminum	69.723	Ga	[Ar]3d¹04s²4p¹ Gallium	114,82		[Kr]4d ¹⁰ 5s ² 5p ¹	204.3833	- 8	Xej4f¹45d¹96s²6p¹ X Thallium	13 (284)	-
			-	W 4275	F.37	-	2792 933.5 2.698	12/IIB	65.409	Z	[Ar]3d¹a4s² [A	112.41	7.34	[Kr]4d ¹⁰ 5s ² [Kı Cadmium	200.59	1745 577 11.85	[Xe]4f ¹⁴ 5d ¹⁰ 6s ² [Xe] ⁴ Mercury	2 (285) 1	
		* * * * * * * * * * * * * * * * * * *	3 yla	1.55 x 10° y ac 3.5 x 10° y ac 1.4 x 10° y ac 3.53 y ac 3.53 y ac 3.00 y ac 4.72 d ac	ж м				63.546 30	1180		_	594.22	_	955	-	-69 -	(212)	1 1
S	ed 231 (3.28 x 10) 234 (2.44 x 10) 234 (2.44 x 10) 235 (7.04 x 10) 236 (4.24 x 10) 238 (4.24 x 10) 238 (4.24 x 10) 238 (4.24 x 10) 238 (4.24 x 10)	4500000	20-		253 (20.47 d) α 254 (276 d) α 100.5 d) α 257 (100.5 d) α		222	11/IB	29	2835 1357.8 8.96	[Ar]3d ¹⁰ 4s ¹ Copper		1234.93	[Kr]4d 105s		3130 1327.33	[Xe]4f ¹⁴ 5d ¹⁰ 6s ¹	-	-
Table of Selected Radioactive Isotopes	8; EC	A Secondary	. 2				8	10	28 58.6934	3186 1728 8.90	[Ar]3d 64s ² Nickel	46 108.42	1828 0.21	[Kr]4d 10 Palladium	78 195.08	2041.55	[Xe]4f145dB6s1 Platinum	110 (269)	FRIJSF146d*7,s**
	2. W 181 140 d EC 185 75.1 d FC 186 90 d g 7.5 d 7.5	2.696 3.15 d 46.8 d 3.77 y 3 x 10 3 x 10	22.34/F 38 y/EC 37 x 10 ³	E C C C	211 P.21 II E., a with 222 (3.824 d) a with 222 (19.3 min) EC, 222 (15 min) EC	223 [21.8 min]	232 6	-VIIIA-	58.9332		[Ar]3d74s2 Cobalt	45102.90550	Z	[Kr]4d 95s1 Rhodium	192.217	22.42	[Xe]4f ¹⁴ 5d ⁷ 6s ² ridium	09 (568)	FR)Sf146d77s2*
	60.20 d) ff	9.10 hj b 2.06 kj ff ' 2.08 kj b 20.17 kj f 11.28 dj f 6 k t t t 'kj EC	2 6 2 B	60 1/10 00 1/1	2.1 × 10° y α 1.2 × 10° y EC, β" 72.3 d β" 1.2 × 10° y β"	(128.6 d) # (1.92.y) # (32.0 d) EC	(4.19 d. pr (3.7 × 10 % yr pr (115.0 d) pr	8	55.845	e E	[Ar]3d64s² Iron	2,3,4,6,8	R	4d75s1 renium	190.23	Os	[Xe]4f ¹⁴ 5d ⁶ 6s ² Osmium	08 (277)	[Bn]5f ¹⁴ 6d ⁸ 7s ² :
	25 124 (60.20 d) ff 125 (2.7 v) ff 121 m (154 d) ff 122 m (1197 d) ff 127 m (109 d) ff 129 (1.6 x 10^7 v) ff 120 (34Ce 144 (284 39Pr 142 (19.1 30Nd 147 (11.1	858222	82 8 8 8 E 8 8 8 8	## 170 (128.	755 (4.19 nilu 176 (3.7) nilu 182 (115.	7/VIIA	54.9380 26	MIN 1811	[Ar]3d 54s2 Manganese	(98) 7,5,4	8 2	[Kr]4d 55s2 Technetium R	186.207 76	2 10 44	[Xe]4f ⁴ 5d ⁵ 6s ² [X Rhenium	9	
	ER FR	(6.5 × 10° M B (5.5 × 10° M E (10.7 × 10° M E (10.7 × 10° M B (18.7 × 10° M B (48.8 × 10° M B	(106.6 d) pt., EC (1.5 x 10 x) pt. (64.0 d) pt.	220×10°4)#" (33.15 d)#" (66.02 N)#" (26×10°4) EC (42×10°4) #"	EC C	بالعامان	XE.		51.996 25	5	\dashv	44		_	183.84 75			10	
of S	67 (61.88 h) F. 100 67 (24.1 h) B', H. 172 (14.10 h) F. 180 68 (27.5 h) E. 173 (17.9 h) F. 174 (17.9 h) F. 175 (11.5 h) F. 175 (11.5 h) F.	8888888	8888	228688	8589	82=8	add 109 (453 σ) adn 114 (49.51 d adn 121 (76 y) β	6/VIA	24	2180	[Ar]3d64s1 Chromlum	42	2896	(Kr)4d55s1 Molybdenum	<u>7</u>	3695		100	
Table	(15.3 min) P 20 20 20 20 20 20 20	ή. F	Z EC	్ గౌనెగ్గె	Ų į	7 Y.	ñ	5/VA	23 50.9415	2183	[Ar]3d34s2 Vanadium	4 1 92.90638 5.3,4	Z730 N D	[Kr]4d 45s1 Niobium	73 180.9479	3290 16.65	Xe]4f¹45d³6s² Tantalum	105 (282)	Enjsf*46d97s*
		24 (15.02 h)g 28 (25.02 h)g 38 (25.24)g 32 (14.25 d)g 35 (35.24)g 36 (37.2 d)g 37 (35.01 d)g 38 (37.2 d)g	750C	42 (12.36 k) g 21.6c 45 (16.5 d) g 21.6c 51 (27.70 d) g 22.8c 54 (21.30 d) g 54 (21.30 d) g			\$ 8 2 2	AVI	47.867	Ξ	[Arj3d ² 4s ² Titanium	91.224	17	4d 25s2	178,49	Ė	[Xe]4f145d26s2 Hafnium		D) (5
									44.95591	S S S S S S S S S S S S S S S S S S S		39 88.3059 40		_	138.9055	æ	5d 6s2 thanum	3 (227)	Activities at the state of the
			4	9.01 <u>2</u> 182 B	ium	4.3050	ත	_		5 W		87.62 2.03 3618				Œ	1		(C)
	ο. Τ	4		44 2744 1560		70 12 24.3050				1115 GB.	$\neg \tau$	က နှစ်	1050		5 5	3.5	Barium	8	873 5.0 [R
	GROUP 1/1A	1,00794 20.28 13.81 0.0899 †	tyd.	(6.941) 1615 453.7 0.634	[He]2s1 Lithium	22.989770	ST.0 Supri	Sodium	39.0983	336.8	Potassium	37 85.4678	312.46	Rubidium	55132.80545	301.54	Cesiu	(2) - [1] (2) - [2] (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	(Fn)7s1

** 58 140,116 | 59140,3978 | 60 144,24 | 61 (145) | 62 150,28 | 62 151,364 | 64 157,26 | 65 158,2524 | 66 162,36 | 67 164,390 | 68 157,26 | 69 168,390 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,397 | 77 174,3 *

OXIDATION STATES
(Bold most stable) ELECTRON CONFIGURATION SYMBOL ATOMIC WEIGHT (2) 30 65.409 MELTING 1190 POINT, K — 692.73 Zh ΚĒ © Copyright 2007 VWR International.

All Rights Reserved. DENSITY at 300 K (3) ATOMIC NUMBER BOILING POINT, K

* Estimated Values

No portion of this work may be reproduced in any form or by any means. Without express prior written permission from VWR/Sargent-Welch.

Based upon carbon-12. () indicates most stable or best known lsotope. Entries marked with daggers refer to the gaseous state at 273 K and 1 atm and are given in units of gl.. 3 3 NOTES:
(1) Black — solid.
(2) Red—gas.
Blue — ilquid.
(3) Outline — synthetically prepared.

ended by the Inter-The A & B subgroup designations, are those rational Union of Pure and Applied Chemistry.

Catalog Number WLS-18806-20

Sargent-Weich

P.O. Box 4130 • Buffalo, NY 14217 1-800-727-4368 • FAX 1-800-676-2540 www.sargentwelch.com

Side 1

OF PERIODIC PROPERTIES OF THE ELEMENTS TABLE

