

Project Description

1 Overview

My long-term career goal is to examine statistical graphics with the goal of *helping people use data more effectively*, and to apply this research to educate and inspire a new generation of scientists while supporting science literacy among the general public.

Rationale and Critical Need: Scientific graphics transform quantitative data into image representations that can make use of the human visual system, leveraging our ability to take in and process huge quantities of information with minimal cognitive effort. However, unlike many mathematical data transformations, the transformation to visual space incurs loss both in the rendering of data to image and the transition from image to cognitive representation. That is, when creating data visualizations, we have to be concerned not only with the accuracy of the rendered image, but also with how that image is perceived by the viewer. It is easy to find entire books filled with situations in which the transition from data to image produces results which are misleading [1–3]; identifying scenarios where the transition from image to cognitive representation is suboptimal is more challenging and requires user studies. There have been empirical studies of graphics for at least 100 years [4–6], but the foundational work in graphical perception is Cleveland & McGill [7], which established viewer’s ability to accurately estimate information from simple visual displays. While this work is important, and valuable, it has been synthesized into recommendations and rankings which go far beyond the original experiments [8, 9] with limited empirical verification, though in many cases these extrapolations are based in part on cognitive and perceptual research that is not specific to scientific visualization. It is easy to forget that [7] examined charts with respect to the direct numerical accuracy of quantitative estimates; the results do not necessarily apply if we are interested instead in determining whether differences between quantities can be perceived [10, 11], ordered, remembered [12], or used to reach a reasonable real-world decision [13]. The design space of visualization user studies is incredibly large, and studies may use different numerical measures to address the same basic question. While each of these alternate tasks has been addressed in user studies of graphics, because the design space of visualization user studies is so large [14, 15] and the literature is spread across so many different fields (including psychology, computer science, statistics, design, and communication) with different standard methods, it is extremely difficult to synthesize the total graphics literature to derive empirically driven guidelines for creating graphs that accurately transform the data into an image and also present the data in a form which can be effectively used by the intended audience. Such efforts are essential for promoting effective science communication, cultivating public trust in the scientific process, and ensuring that decision makers accurately interpret supporting information.

Goals and Objectives: To that end, the **overall research goal** of this CAREER proposal is to address the fundamental research question underpinning this problem: *How do design decisions impact the use, design, and perception of data visualizations?* Three research objectives (ROs) support this goal:

- **RO1:** Create a framework for comprehensive graphical testing across multiple levels of user engagement.
- **RO2:** Assess the impact of measurement methods on experiments evaluating statistical graphics.
- **RO3:** Empirically validate common chart design guidelines, measuring the impact of design decisions on task performance.

We focus our investigation on user engagement represented by the integrated cognitive complexity and temporal evolution of the user-chart interaction, which is roughly illustrated in Figure 1. Previous hierarchies have focused on the complexity of single graphical tasks [7, 16, 17]; while this is a useful way to determine which chart to use to display data, it does not approach different ways users engage with a single chart: are

they perceiving the graphical forms without engaging with the underlying symbolic meaning? Using the chart to understand the underlying natural phenomenon? Doing statistical inference (e.g. visually estimating parameter values from the graph)? Making decisions based on their understanding of the data? Each of these use cases involves different cognitive tasks, and as a result, different graphical testing methods must be used to assess the effectiveness of charts under each type of engagement.




Figure 1: Levels of cognitive engagement with charts, roughly ordered by complexity, time, and effort. Methods which effectively measure (or could be extended to measure) each stage are shown below the charts. Text annotations show examples of the types of operations which involved in each stage.

Integrated with these research efforts, the overall **education goal** is to leverage visualization research to motivate statistical learning and improve data-driven decision making in society. Three education objectives (EOs) address this goal:

- **EO1:** Develop and implement experiential learning activities in graphics for undergraduate introductory statistics courses.
- **EO2:** Create graduate course modules for K-12 educators that connect ongoing research to engaging, hands-on classroom activities for teaching statistics, math, and science.
- **EO3:** Improve the penetration of visualization research beyond academia by incorporating summaries of empirical studies in resources used by data scientists, industry analysts, and researchers in STEM disciplines.

Expected Impact: Taken together, these objectives are intended to build a user-focused foundation for measuring and assessing the design and use of data visualizations. The choice to approach testing graphics from the perspective of how the user interacts with and makes decisions based on the visual representation of the data places this research firmly at the intersection of statistics, cognitive science, measurement, and scientific communication. In addition, the focus on multiple simultaneous measurement methods within an experiment separates this project from almost all previous graphical research studies, which typically use one evaluation method per experiment. This project will develop methodology for measuring the functional cognition underlying data driven decision making using visual aids. The results from this research will facilitate integration of conflicting historical results, which will contribute to a robust set of empirical evidence that can be leveraged to produce more nuanced, task focused design guidelines for statistical graphics.

Experiential learning activities will connect graphics research to critical concepts within statistics courses at the undergraduate level as well as in K-12 activities provided during graduate coursework for STEM educators. In addition, incorporating research summaries into general visualization resources will not only connect data visualization creators with research, but improving these resources will also improve teaching materials for statistical computing and will involve undergraduates in research and outreach in graphics and science communication. Ultimately, proposed activities have the potential to significantly improve how

scientists communicate scientific results to each other as well as to the general public, increasing public trust in science and facilitating public decision making based on experimental data and results.

Relation to the PI's Career Trajectory and Department Goals: This project is a natural evolution of the PI's work to date, repurposing methods and approaches from psychology and psychophysics, integrating them with modern web-based toolkits, and leveraging these new tools to study the perception of statistical graphics. The objectives in this proposal will support the UNL statistics department's new undergraduate programs in statistics and data science, and will contribute to wider university objectives to integrate experiential learning into undergraduate courses and provide undergraduates with research opportunities.

2 Background

The first studies experimentally examining the effectiveness of statistical graphics took place approximately 100 years ago; since then, the quantity of charts created, the methods available for creating charts, and the technology available for measuring and evaluating comprehension have evolved in remarkable ways. [18] provides a comprehensive review of studies that experimentally examine the use of statistical graphics as well as the underlying research in cognitive psychology topics such as perception, memory, attention, and executive function which influence our ability to use statistical graphics effectively.

Narrow Empirical Support, Broad Guidelines What is remarkable given the ubiquity of statistical graphics in scientific communication is that even after 100 years of empirical graphics research, we still have relatively little empirical evidence to support some common design guidelines and heuristics; where there are empirical studies, they often conflict or have been over-extrapolated from the design and goal of the original experiments. For example, Tufte's data-ink ratio [19] has been thoroughly tested [16, 17, 20–22], but results have been decidedly mixed, suggesting that the data-ink ratio is too simplistic; even so, it is still part of the common vernacular and makes its way into many different design guidelines [23]. Another common recommendation is to locate the most important variables along position axes (e.g. x and y in a scatterplot) rather than encoding quantitative information in color; this is because [7] found higher levels of accuracy in these comparisons, but accuracy of numerical estimation is not the only important way people use charts [24]. In fact, it is relatively uncommon for individuals to directly estimate one specific numerical quantity from a chart: for these tasks, a table would be much more appropriate [25].

Need for Integrated Testing Methods At a fundamental level, we know that graphics are useful for communicating scientific results and for exploring our data; whether the target audience is ourselves, peers, or the general public, graphics are an invaluable tool. So why do we assess graphics based solely on measures like estimation accuracy or response time [26], and then extrapolate the results to tasks and situations that do not revolve around estimation accuracy or speed? What is needed instead is a testing framework focused on the user's level of interaction and purpose for interacting with a chart. Lam et al. [27] divides evaluation scenarios into several user-focused task-based methods for both visualization and data analysis, assessing the utility of several methods for testing these empirically, but stops short of actually performing experiments evaluating the same graphics using multiple different methods. This component of the proposed work is essential because it provides experimental control that is not present when aggregating results across experiments: the same participants, data (or data generating model), and testing conditions can be used across multiple testing methods. In this work, we propose a comprehensive, multi-modal experimental framework for evaluating graphics. This will provide a better alternative to the patchwork testing of individual questions with highly specific methods by empirically assessing how specific charts (or design decisions) function under different tasks and measurement methods.

Need to Understand Input Method Choice Impacts There are multiple factors that must be considered and evaluated to achieve the broader goal of empirically testing design guidelines: the measurement methods and

variables used to assess charts are of obvious interest, but other factors are also important. Measurement of numerical information that has passed through the human brain in one form or another can be complicated by the method used to obtain and record the information. Consider the relatively simple case where a participant is asked to estimate the length of a specified bar in a bar chart: the experimenter must determine how this estimate is recorded. Modern UI design toolkits provide multiple options: the user can directly enter a number in a text box or indicate the number on a slider (with or without anchor points). The former requires translation into an explicitly numerical domain, where the latter requires that the participant map the chart onto a spatial domain but does not require explicit formation of a numerical estimate. Direct entry is subject to rounding effects that increase with participant uncertainty [28, 29]; while these effects can be mitigated [30] through modeling, it might be preferable to use a continuous slider input, which might not trigger rounding. Unfortunately, slider inputs are not entirely simple either: they can contain anchor points (or not) that participants may latch on to; the inclusion of these additional annotations may reduce cognitive load, but may provide the opportunity for additional anchoring effects that must be considered and possibly modeled. Most research in this area has examined sliders as inputs for categorical variables[31–35] and suggests that using sliders instead of radio button inputs changes the observed distribution of responses in important ways; while the comparison to radio buttons is not relevant to continuous data, the results of these studies suggest that there is a need to explicitly examine the effects of input methods on participant responses both in the context of visualization evaluation studies and more broadly. This is just one example of the series of decisions experimenters make when eliciting and recording data from participants that do not directly relate to the hypotheses under investigation but which may well impact the results.

Empirical Evaluation of Design Guidelines Validating a toolbox of methods for testing graphics at different levels of user engagement and assessing the impact of measurement decisions will provide a better foundation through which to address the fundamental goal of this research: **using comprehensive empirical testing to validate common design guidelines**. Many books and papers provide design guidelines along with examples, redesigns, and sometimes, supporting references to empirical studies [19, 27, 36–49]; [50] summarizes the structures and types of guidelines in many of these sources. There have also been empirical assessments of broad themes common to different sets of guidelines: [23] experimentally evaluated two themes (“declutter” and “focus”) using several different assessment methods, finding that focused designs were preferred over decluttered designs, which were preferred over cluttered designs. What is lacking is a series of tests of design guidelines across the different levels of user engagement; each specific experiment referenced above examined one type of user engagement using one measurement method. Another major gap in the existing research is an assessment of how well different guidelines serve different groups of individuals. We know that disorders such as dyslexia, dyscalculia, and ADHD affect perception, numeracy, and other processes involved in graph comprehension [51–53]. Designers already consider audience and accessibility [54] but have little empirical support assessing graph design choices in these populations. It is important that our design guidelines specifically address subpopulations in an inclusive way, so that everyone can benefit from scientific results.

At a fundamental level, we have a lot to learn about visualization design: the design guidelines that we promote as a discipline are built on fairly limited studies that measure accuracy or response time, instead of examining the multiple different levels at which a user might engage with the chart and the underlying data. We have not sufficiently examined how groups with processing disorders and cognitive differences are affected by our design guidelines; when we consider accessibility, much of the time this is limited to discussions of colorblindness. This project is designed to build a foundation for the next generation of empirical graphical testing by developing a robust set of measurement methods, assessing the impact of different experimental design factors, and leveraging this foundation to examine design guidelines experimentally and inclusively.

3 Preliminary Studies

In previous work [55], we have seen that simultaneously collecting quantitative and qualitative data provides the opportunity to gain rich and nuanced insight into how participants respond to graphical tests. A significant proportion of participants evaluating a visual hypothesis test committed a Type III error: the right answer to the wrong question [56]. This study’s results inspired a desire to obtain a more nuanced insight into participants’ responses which is reflected throughout more recent work.

Use of Log Scales with Exponential Data In a more recent series of studies, we expanded this approach, examining the use of log and linear scales to assess exponential time series data across multiple different user tasks: perception, estimation, and prediction. This series of studies, inspired by the COVID pandemic and the lack of empirical research available at that time assessing the effectiveness of log scales, used three different graphical testing methods: statistical lineups, which test whether users can perceive a difference, direct numerical estimation, which assessed whether users could read data off of a chart and use it to perform estimation tasks, and “you-draw-it”, which explored whether users can predict exponential growth. The “you-draw-it” task is a modernized form of hand-drawn regression lines [57] and one example of a direct-annotation method which can be used to provide quantitative information and predictions without requiring participants to convert graphical information to a numerical, real-world domain. We ran this three-part experiment on the same set of participants, and are in the process of publishing the results [58, 59], though initial results from each part of the experiment were published as dissertation chapters [60]. Most empirical visualization studies only use one testing method to assess a design decision, but graphics are *used* for many different purposes; it is important that we test graphics comprehensively, so that empirical guidelines that are appropriate for many different levels of user interaction can be developed.

Phrasing of Estimation Questions One challenging part of the estimation task in this series of studies was how to phrase the estimation questions and record participants’ responses. We asked participants to answer five different types of questions requiring estimation of quantities off of an exponentially increasing time series of points. Easy questions required estimation of the conditional value of y given x (or vice versa), two intermediate questions required a calculation on either the additive or multiplicative scale, and a third intermediate question required estimating the time until the population doubled in size. In addition, participants were asked an open-ended question (“describe the data shown in this graph”) before being asked to estimate values. Figure 2 shows the calculations required for one of the intermediate difficulty questions; participant results are shown in Figure 3. In addition to requiring the numerical input value, we provided participants with a scratchpad and basic calculator applet which allowed us to see how some participants solved the problem in greater detail, providing ways to assess logical and estimation errors for a subset of participants who used the scratchpad; methods for integrating the analysis of this additional layer of user data with the direct measures of accuracy are under active development.




Figure 2: Steps to estimate additive population change.




Figure 3: Distribution of participant estimates.

Manipulating Input Type In another study, we assessed the probability of perceived guilt or innocence of a defendant based on the type of testimony presented by a forensic examiner. To establish a baseline, we began with a calibration study examining the different ways we could record participant input, using free response, forced binary choice, categorical and numerical input sliders, and numerical inputs for numerator and denominator that calculate a probability of guilt; results in Figure 4 show that the results are different for different input types, with blank numerical slider inputs biasing results more towards 0.5 and ratio inputs showing evidence of rounding effects. Clearly, the input method has an impact on the observed results.




Figure 4: Assessing defendant guilt probability using different input methods.




Figure 5: Three renderings of bar charts: 2D (left), 3D digital render (middle), and 3D printed (right).

Examining 2D vs. 3D Design Guidelines The final set of recent preliminary data supporting the importance of this research is a study reexamining [7] in light of modern 3D graphical rendering and 3D printing technology. We wondered whether physical 3D printed bar charts might be less prone to estimation errors than the fixed-angle charts used in [7]. We created charts shown in Figure 5 rendered using modern 2D graphics software, 3D digital renderings [61], and 3D-printed graphics [62]. Our initial investigation found few differences between 2D, 3D digital, and 3D printed charts in comparison accuracy; one explanation for this is simply the limited power of the small sample size in our pilot study, but an alternate explanation is that the 3D virtual rendering environment is not really comparable to the fixed-angle 3D plots used in the original study. To assess this possibility, we are expanding the study to assess an additional 3D fixed-angle projection condition that does not allow for realistic manipulation, which is more similar to the 3D renderings used in the original study. Misapplied depth perception has been implicated in other graphical mis-perceptions [63, 64], and it is entirely possible that 3D charts that are interactive can be accurately perceived while artificial 3D fixed-angle projections into 2D space lead to inaccurate perceptions. If this is the case, the guidelines to avoid 3D graphics may be entirely misguided given the interactive rendering environments available today. This is another reason that it is important to revisit previous graphical studies in light of new technology, graphical software, and testing platforms.

While this study's results are primarily relevant to the third research objective of this proposal, the supporting

literature, which contains conflicting results, also contains conflicting estimation procedures, in addition to differing on input data and underlying population of interest. [17] had participants “position the cursor [along a number line] so that the horizontal line is divided in proportion to the apparent sizes of the elements”, which is essentially estimating the proportion $A/(A + B)$, while [7] asked participants to “judge what percentage the smaller was of the larger”, which is A/B , using a numerical estimate (rather than a slider). This difference in input methodology and estimation quantity may explain the conflicting findings between the two papers; more importantly, this is a factor that must be investigated both to assist with the interpretation of past studies and to inform the design of future studies.

4 Research Plan

This project will lay a foundation for robust experimental evaluation of statistical graphics by examining simultaneously developing and validating methods focused on practical evaluation of chart use. In addition, we will empirically evaluate design guidelines to identify for nuanced, user-focused guidelines that have empirical support and address accessibility. The results of these studies will directly tie into outreach activities that will inform data visualization practitioners about best practices based on empirical results.

While related, each of the below objectives can be completed independently from each other. The project is designed to allow results from the first two objectives to enrich our approach to the third, but there are already sufficient methods in the literature for testing graphics to allow us to complete a task-focused evaluation of design guidelines. In addition, while a critical examination of methods for numerical input in graphics studies will be useful, it is not essential to empirically assess design guidelines.

4.0.1 Research Objective 1: Create a framework for comprehensive testing across multiple levels of user engagement The first research objective for this project is to create a framework for comprehensive graphical testing across multiple levels of user engagement. Our overall hypothesis is that by combining multiple methods of user testing within the same experiment, we can gather information which spans multiple levels of user engagement with acceptably small impact on participant cognitive load.

Method Combination Rationale We will conduct a series of experiments which incorporate multiple testing methods into empirical assessments of statistical graphics. Many methods commonly employed for testing graphics can be combined in the same experiment; think-aloud protocols can be combined with eye-tracking and other assessment methods to provide qualitative information about the user experience in combination with more quantitative assessments [65–67]. There are two fundamental limits to the combination of multiple methods: method incompatibility and what a single participant can reasonably be asked to do in a single experiment. For instance, statistical lineups involve multiple sub-plots, of which only one is composed of real data; this is incompatible with direct numerical estimation, because the framework for statistical inference under a randomization test necessarily removes the focus from the “real” data. We can also expect that asking participants to complete too many tasks with a single plot will result in poorer results than optimizing the methods to maximize information gain while minimizing participant effort. However, because this type of multi-method research is relatively rare (other than collection of open-ended opinions after quantitative data is recorded), we do not know where this limit is.

Participant Considerations and Sample Size As the primary goal of these experiments is to assess the measurement methodology, here we focus on describing the set of experiments and methodological comparisons; we will use data and graphical design comparisons from past experiments in the field or generate new data when necessary to push the limits of the measurement methodology. In general, we will conduct in-person experiments with a target participant sample size of 50 undergraduate students; this sample size will likely adjust as the PI gains experience with eye-tracking studies and the sample size needed for statistical power using the appropriate analysis methods for eye-tracking data. Online experiments will typically be

conducted using a platform such as Prolific, with a target sample size of 300 participants; we have successfully conducted previous multiple-method studies with sufficient power at this sample size. Explicit power calculations are reasonable for studies that can be evaluated with a statistical model or hypothesis test, however, with multiple testing and evaluation methods, some of which are qualitative, direct power calculations are less useful. Compounding this problem, we do not have any idea about relevant effect sizes, and these would be expected to change with chart type and the particulars of each experiment. Instead, we rely on past experience and have planned for as many participants as possible while limiting experiment costs and data collection time; this approach has worked successfully for the preliminary studies.

Eye Tracking Metrics In experiments where eye trackers are utilized, we will assess dwell time (time spent on each fixation area), both in total and on the first run, first fixation time for each fixation area, run count, and order of interest areas, both across and between participants. As the PI gains experience with eye tracking, additional metrics may be incorporated where these metrics can reasonably be expected to provide valid insight based on the experimental design.

Augment Lineups The first collection of experiments will assess expansions and augmentations of the statistical lineup protocol. **Part A1** will examine whether there is value in adding contextual information (axis scales, labels, titles) to lineups, expanding lineups beyond basic perception and grouping. Lineup studies typically do not include contextual information that would require participants to evaluate the plots using domain knowledge; instead, lineups in most studies lack axis labels and even titles [55, 68–70]; participants are encouraged to pick the plot which is the most different (which does not require understanding any data context). We will manipulate axis scales (which are usually controlled) to determine whether viewers use this information; we will also analyze user explanations to see if information in the plot and axis titles are referenced. While lineups have been used with eye tracking before [71], the technology used in those studies samples at a low rate and does not allow for collection of measures such as fixation length, time to return, and other quantities of interest. During **Part A2**, we will examine the lineup perception and decision-making process using eye tracking, with and without cognitive load, mimicking conditions where people use graphics in daily life with distractions. **Part A3** will expand upon part A2, asking participants to directly annotate [72] interesting features in a lineup using JavaScript-based web tools while in an eye-tracker. There is the possibility that this additional task will add too much cognitive load, as well as that the additional motion required for the annotation will disrupt the eye tracking results; both of these outcomes provide useful information. **Part A4** will validate the use of lineups with direct annotation, establishing if there is added value in including direct interaction with lineups in a more typical setting for visual inference studies (online).

Augmenting Single-Plot Studies As visual inference with lineups is qualitatively different than experiments examining a single plot, the second collection of experiments (A5-A9) will focus on methods for examining single plots, which allows us to test graphics in ways that directly mimic how they are used for decision support. **Part A5** will combine eye tracking, numerical estimation, and direct annotation: users will answer a set of questions requiring estimation of data from the chart, but the direct annotation component of the task will be varied across three levels (no annotation, annotation without numerical feedback, annotation with numerical feedback). This will allow us to assess the flow of attention during the estimation process as well as the effect that direct annotation has on the participants. Providing numerical feedback from the direct annotation will allow us to assess how much of the participant’s estimation accuracy is due to the transformation from spatial to numeric information; this is a more natural source of information than the “scratchpad” used in [60, Ch 4]. Think-aloud protocols, which ask participants to talk through the process of making a decision, have been proposed as an alternative to eye tracking for usability studies [65]; this is intriguing for experimental evaluation of graphics because think-aloud tasks can be performed through a web browser with minimal experimenter labor using APIs to automate transcription [73] and response coding [74]. In **Part A6** we will examine the overlap between direct annotation and think-aloud protocols using an

online platform; automatic transcription APIs will be validated using manual transcription performed by undergraduate research assistants.

One major focus of this CAREER program is exploring how people use charts to support real-life decision making. **Part A7** adds forced-choice questions to the battery of methods for examining graphics, examining numerical estimation, forced-choice questions, and open-ended responses, with the potential to include or substitute the use of direct annotation or think-aloud methods based on the results of previous experiments. Participants will be directly asked to make a decision based on data and real-world consequences, such as “is X product safe for consumer use” or “do levels of Y meet the threshold for regulatory action” based on a scenario and sample data. Participants will be asked to estimate a relevant numerical quantity that should inform the decision making process and then use open-ended responses to explain their reasoning on the forced-choice decision task. Follow up experiments may be used to explore the effect of uncertainty [75, 76] and other important factors on this decision-making process, but the primary goal of this experiment is to compare empirical results for the different measures used to assess this real-world decision-making process. Graphics also support inferential processes in the visual domain (distinct from visual inference using lineups). **Part A8** (in-person, eye-tracking) and **Part A9** (online, direct annotation) will examine the process of using graphics to support visual statistical inference calculations; these experiments will also include forced-choice real-world decisions supported by these inference calculations.

Visual vs. Statistical Inference We have distinguished between visual inference and statistical inference, but the primary difference between them is that in visual inference, the null model is embedded in the lineup generation process, where in statistical inference, the null model is embedded in the scenario description. The cognitive demands of the two inferential procedures are different: in visual inference, the participant must infer the null model; in statistical inference, the participant must work out the graphical and real-world interpretation of the model. The final planned experiment, **Part A10**, directly compares results from these two tasks through a head-to-head comparison of lineups and graphical inference, where both tasks are observed through direct annotation or think-aloud protocols. Participants will be provided with multiple scenarios and will be given either a visual inference (lineup) or a statistical inference (single graph) task that requires evaluation of the same hypothesis. We will examine not only the power of each method in a statistical sense, but also the richness of the additional information provided through annotation or think-aloud protocols.




Figure 6: Methods used in each proposed experiment along with targeted level of engagement from Figure 1.

Figure 6 provides a high-level pictographic summary of the different methods which will be used in each proposed experiment contributing to this aim. Taken together, the results of the proposed experiments will validate these methods for observing and evaluating how users leverage graphs for decision support by examining each stage of engagement while accounting for different tasks. While we have provided limited details about data sets and types of graphs tested using these methods, we will leverage past studies extensively to construct scenarios that balance the desire to assess real-world processes with the need for experimental control.

Expected Results and Significance: If successful, the lineup augmentation experiments will validate lineups for assessing contextual information, leverage eye-tracking to examine attention and feature comparison during lineup evaluation, and explore use of direct annotation with lineups. Taken together, these methods

will provide rich ways to gain additional information from lineup studies conducted in person or online. The single-plot augmentation experiments will allow us to assess the flow of attention during the estimation process, examine the information provided by direct annotation and think-aloud protocols, and explore the different components that contribute to estimation accuracy. We will also be able to examine the inferential process and compare the relative benefits of lineups, eye tracking, and direct annotation methods within this context. If these experiments are not all successful, however, we will still gain a better understanding of the cognitive demands of lineup and single plot evaluation, and we will be able to determine what combination of measurement methods best covers the range of user tasks. Taken together, these experiments will establish the limits of using multiple graphical evaluation methods in parallel when assessing charts experimentally.

The whole of these proposed experiments is greater than the sum of the individual experimental outcomes. If successful, the methodological developments of these 10 experiments as well as any follow-up experiments will result in an R or python package which implement Shiny modules for including direct annotation capabilities in graphical testing (x-axis estimates, y-axis estimates, drawn regression lines, and interval estimation), recording these annotations and think-aloud audio inputs as data, and transcribing audio inputs to text. Additional functions for analysis of eye-tracking data and use of Shiny apps with eye trackers may also be included depending on the functionality currently available in the eye-tracking lab software stack. Development of this software will provide graduate and undergraduate statistics students with the opportunity to learn open-source software development practices and to contribute back to the community.

In addition to making these methods available for other experimenters through open-source software, we will be able to compare the types and quality of information gained using each method through statistical and qualitative analyses. Each experiment will also include questions designed to assess the cognitive load of participants through user reflection questions, to establish any limits on concurrent measurement methodology imposed by working memory and attention resource constraints.

Potential Pitfalls and Alternative Strategies: As this aim is specifically designed to examine the limits of the use of multiple testing methods simultaneously in graphics studies, most experiments are set up so that success and failure are both informative. However, there are a few components of this plan which contain potential obstacles.

First, I have not previously used eye tracking methods to explore how we use graphics. As a result, I have enlisted Dr. Michael Dodd at UNL, an expert in eye tracking, attention, and cognition, to mentor me as I become familiar with eye tracking equipment and methodology (see letter). This collaboration will also allow me to access the undergraduate psychology participant pool, which will ensure that I can recruit students for the eye tracking studies, as these cannot be conducted over the internet.

Another obstacle that may impact the results is that the direct annotation software framework does not yet exist for many of the types of annotations required for the described experiments. Currently, direct annotations can be used to draw trend and smooth lines and extrapolate beyond provided data points [59], but additional functionality will have to be implemented to allow participants to highlight individual data points or regions of the plot, select positions along the x or y axis, and indicate regions for inferential purposes. This functionality exists in other interactive software [72, 77], which should ensure that we can borrow from those implementations to create a similar interactive toolkit in Shiny. Some of the desired features are in the process of being added to the `youdrawitR` package under development through Google Summer of Code 2023. I expect that additional functionality can be added during this proposal's review cycle, but if not, the schedule allows for time to implement the necessary features before they are needed. In addition, if direct annotation is not effective during Part A6, additional methods for assessing inferential processes in online usability testing may be explored in Part A9.

Finally, while there are packages for audio recording using JavaScript, I am not aware of any dedicated Shiny implementation, so we will need to write code to interface between an appropriate JavaScript library and Shiny. I have experience connecting similar JavaScript libraries to Shiny (including the JavaScript code used to implement the `youdrawitR` package under development), so this is not expected to be a significant obstacle, but in previous studies, there have been issues with browser permission conflicts causing Shiny to crash. We typically address potential issues like this during the pilot study before an experiment is officially deployed, but we will need to take special care that both the participant recruitment and the Shiny application are set up properly to ensure that we can successfully record this information.

4.1 Research Objective 2: Assess the impact of measurement methods on experiments evaluating statistical graphics.

The second research objective of this CAREER proposal is to thoroughly examine the impact of experimental design factors, such as question phrasing and user input, on the results of graphical testing experiments. The history of experiments evaluating the effectiveness of graphics is filled with sequences of studies that approach a problem from different perspectives while producing mixed results [4, 5, 7, 17]. What is fundamentally lacking is a systematic examination of the different measurement methods and prompts that can influence the results of a study without being the focus of the experiment. This decision space is extremely large: Hullman et al [75] diagrammed 384 different paths taken by 82 uncertainty visualization papers through different goals, measures, input types, analysis methods, and other design decisions. While such explorations are useful, this aim does not just seek to record the different languages of the world; instead, our goal is to assemble a Rosetta stone by which we can compare and interpret historical studies while guiding the design of future visualization evaluation studies. In this objective, we examine the impact of different ways of obtaining numerical estimates from participants, as well as the impact of different methods for prompting participants to provide a specific estimate.

Integration with Education Plan The experiments laid out under this aim do not cover the full space of input options or ways to phrase estimation questions, however, we aim to provide details for the initial studies, with the expectation that additional follow up studies will be necessary to better understand the reasons for observed effects. This portion of the research is tightly integrated with the education plan; to conduct a thorough review of the different testing practices in the literature, I will involve undergraduate students both during the summer and during the course of the academic year. During the academic year, undergraduate research assistants will examine studies that may influence design guidelines, differences in research methodology across studies, the ultimate conclusions, and track how those conclusions were interpreted when referenced in later studies, as part of Section 5.4. This systematic exploration will inspire the summer studies which will be completed in years 3-5; I have selected two critical needs for examination during years 1 and 2. Summer research students (hereafter, ‘new researchers’) will be early undergraduates recruited through the Undergraduate Creative Activities and Research Experience (UCARE) program or advanced high-school students recruited through the Young Nebraska Scholars (YNS) program.

Experiment B1 will examine input methods for continuous estimates. Continuous numerical estimates are more complicated than one might expect: in some problems, there is a defined $[A, B]$ input range that is relevant, while in other problems, estimates may be located along the entire real line (though typically, there is a range within that where the experimenter expects most values to fall). We sometimes want participants to generate high-precision estimates, but on other occasions we need them to estimate quantities over several orders of magnitude (e.g. multiplicative or “by a factor of” estimation) where precision on a log scale is more important than on a linear scale. Providing participants with appropriate cues that indicate which characteristics apply to the problem at hand is important, but we do not want to waste valuable participant cognitive

resources on understanding and manipulating the user interface. This first series of experiments will be conducted by 1-2 new researchers and will examine the factorial combination of input range, desired type of precision, and use of different input technologies. We will start with the assessment of segmented scales, unsegmented scales, numerical range inputs that can assess uncertainty, numerical estimates (e.g. typing in 98.7 to a text input field), and direct annotations on charts that we would expect to lessen cognitive load. The new researchers will design scenarios across the different conditions described above (defined range, whole real line, order of magnitude precision, linear precision) and develop simulated data appropriate for testing the different input measures. We will execute the designed experiment and participants will clean, process, visualize, and model the data to assess the relative benefits of each input method.

Experiment B2 will examine the impact of question phrasing for comparative judgments and fractional estimation, such as those in [7, 17]. Students will complete an assessment of the different studies that have examined this question and will assemble a list of commonly used methods for assessing comparative judgments. We will then work together to design and execute an appropriately controlled experiment that allows us to compare the accuracy of these methods on both a raw accuracy scale and using appropriate psychophysical models (e.g. Stephens' law as used in [17] compared to the corrected log2 midmeans method in [7]).

Incorporating New Researchers *Experiment B3, Experiment B4, and Experiment B5* will be selected by the new researchers each summer from a curated list assembled from the study summaries generated during academic-year undergraduate research. Students will be able to pick a topic of interest, and I will work directly with the students to design and execute the study; this will provide them with some agency in the research process and will give them much greater insight into how research occurs. This “scaffolded” approach [78] focuses on inquiry and the quest for understanding, and students learn the skills necessary to complete the tasks because they are interested, rather than as a prerequisite to doing an interesting project. This process is how I train Masters students: I am involved in every step of the experimental design process to ensure the design is valid, but experiencing that process teaches critical thinking skills that will be useful throughout their future careers. Topics will be selected to be accessible to new researchers and of limited complexity so that they can be reasonably completed over 10-12 weeks of summer.

Future Directions At least one potential topic for subsequent years' explorations may include the effect of other cognitive load manipulations (distractions, working memory tasks, etc.) to simulate graphical estimation and decision-making under the more chaotic conditions where we typically use graphics in daily life. Experiment A2 will briefly explore this within the context of lineup studies in an eye tracker, but cognitive loading manipulations are not common in most empirical studies of real-world chart usability and comprehension; if A2 is successful, then further exploration may be warranted.

While I have not fully described the implementation details of the two studies which are detailed here, this is primarily because I hope to involve new researchers, providing them with the agency to collaborate on the experiment design and influence the course of the investigation.

In addition, I anticipate experiment B3, B4, and B5 will be designed as outgrowth of the literature review conducted as part of Section 5.4. These summer projects will be inspired by undergraduate research, and designed and implemented by new researchers.

Expected Results and Significance: When combined with the methodological research in the first objective and the design guideline based research discussed in the next section, these studies form a critical part of the foundational research necessary to critically assess historical studies while accounting for their methodological differences. In addition, because this is basic research that is essential to interpreting conflicting studies, it provides a gentle introduction to the scientific process for new researchers, leveraging a domain that most people find interesting at a basic level (“how do we make decisions?”) in a scientific field that is accessible to almost everyone (data visualization). While this is basic research, it has all of the messiness

of the scientific process baked in: the whole goal of these studies is to assist with interpreting conflicting historical results. As such, it not only forms a critical component of the research aims of this project, but also is a critical part of the education plan.

Potential Pitfalls and Alternative Strategies: Even if this portion of the project does not produce results which clarify historical studies, we will still gain greater insight into the ideal design of inputs for user testing, which will facilitate better study design in the future.

4.2 Research Objective 3: Empirically validate common chart design guidelines, measuring the impact of design decisions on task performance.

The third research aim of this project is to empirically validate common chart design guidelines, measuring the impact of design decisions on task performance. While there is an incredibly large body of design guidelines, we will primarily focus on guidelines that are found across multiple common lists. This component of the project will primarily take place after the multimodal task-based research methods have been evaluated, in part because we want our evaluation of these guidelines to be as nuanced as possible, considering multiple possible user objectives and modes of engagement, as well as different types of users.

Accessibility Graphics studies do not often specifically examine subpopulations that are not neurotypical - those with ADHD, visual acuity deficits, or processing disorders such as dyslexia are of particular interest because these issues would be expected to have an impact on the ability to read and make decisions on charts and graphics. In part, this oversight is because it is difficult to obtain a sufficiently large population to test, particularly if it is necessary to also assess the severity of the condition (this is particularly challenging as many people with these disorders do not have a formal diagnosis, so even screening participants recruited from the general population may not be effective). For all of the studies proposed here, we will test both general populations (either online or by recruiting from the psychology or introductory statistics participant pools) and neurodiverse subpopulations with conditions like ADHD, dyslexia, or visual impairments.

Hypotheses We expect that overall, many of the commonly repeated design guidelines will bear up in practice; after all, while some of these guidelines do derive primarily from experience rather than systematic evaluation, practitioners do have the ability to introspect and determine why a particular graph is less effective; this introspection is an important part of the design and evaluation of graphics, but it is also easily affected by personal preferences and individual visual quirks that may not generalize to the wider population. We also expect that there may be some differences between results from a general population and results from neurodiverse subpopulations that we intend to specifically target.

Participant Recruitment We will work with Disability Services to recruit participants who are receiving academic accommodations for conditions expected to impact numeracy, executive function, or visual processing. We will also recruit individuals for online studies using message boards specific to relevant conditions.

In **experiment C1**, we will examine guidelines that address the use of a third dimension in statistical graphics through multiple experiments integrated into educational objective 1. In **experiment C2**, we will experimentally evaluate guidelines that address the use of additional annotations beyond those strictly necessary to represent the data (sometimes called ‘chartjunk’), focusing not on completely minimalist graphs, but on the impact of design choices such as dual-encoding that have been hypothesized to provide more visually discriminable signal for all users and better accessibility for users with visual or cognitive impairments [55]. In **experiment C3**, we will examine the effectiveness of different ways to address overplotting, comparing solutions such as alpha-blending, binning, and density estimates to determine which solutions are most appropriate in which contexts and for which user tasks. In **experiment C4**, we will experimentally assess the effect of plot aspect ratio, revisiting the bank to 45° guideline in light of interactive and adjustable modern graphics where the aspect ratio may change at the user’s discretion. In **experiment C5**, we will conduct

a series of smaller studies, using multimodal evaluation methods to revisit the relative merits of different representations of the same data (e.g. pie vs. bar, violin plot vs. boxplot vs. beeswarm plot). In **experiment C6**, we will examine guidelines relating to ribbons, stacked bars, and the line-width illusion, looking specifically for users' awareness (or lack thereof) of the difficulty of estimating these quantities. In **experiment C7**, we will experimentally evaluate guidelines relating to polar transformations, including guidelines recommending against the use of spider or radar charts, pie charts, and circular bar charts.

Expected Outcomes and Significance: Through these experiments, we will add to the body of literature empirically assessing design guidelines, specifically contributing studies which address multiple levels of user engagement via multiple measurement methods.

Potential Pitfalls and Alternative Strategies: One of the potential pitfalls of this evaluation process is the plan to study individuals with visual or cognitive dysfunction: it may be difficult to get a large enough sample size of individuals with these conditions to obtain sufficient statistical power to detect differences from the wider population. If we do not have enough power to detect a difference between the subpopulations of interest and the general population, that is still a result; we can examine qualitative responses for any indications of low power and report the fact that we did not see any differences between the two populations, which will allow designers to be less concerned with accessibility along that guideline until different information is published. While it may be difficult to get sufficient sample size to achieve statistical significance for these effects, we hope that by using a combination of evaluation methods, as well as both quantitative and qualitative analyses, we can at least identify trouble spots and areas for more precise investigation; this will still provide more guidance to designers than is presently available.

5 Education Plan

5.1 Education and Mentorship Philosophy

Graphics are a uniquely unassuming method of presenting statistical and scientific information to the public: even individuals with no scientific training can typically read and understand a bar or line chart and use that information to draw conclusions from the data. Immediately after graduating with my Ph.D., I took a position doing data science in the power industry, working with engineers and business analysts to increase their use of available data across the board, from plant sensors to economic projections. Many people I met were intimidated by my statistics background and my Ph.D., but visibly relaxed when I would explain that my expertise was in data visualization. Data visualizations are less scary than the raw data or statistical models represented in the data visualization, not only to my former coworkers, but more generally.

I left industry for academia in part because I started designing and teaching corporate training courses in data wrangling and visualization; in doing so, I discovered that I really enjoyed teaching. I had not previously pursued an academic position because my initial teaching experiences were less enjoyable, but with this realization, I realized that the barrier that kept me out of academia initially was gone! I enjoyed both teaching and research; moreover, I missed interacting with students, mentoring, doing self-directed research, having an impact on the next generation of students, and creating knowledge.

This proposal leverages statistical graphics research to demonstrate statistical concepts and improve data-driven decision making through educational activities targeted at undergraduate introductory statistics students, K-12 educators taking graduate courses for continuing education, and data visualization practitioners.

5.2 Education Objective 1: Develop and implement experiential learning activities in graphics for undergraduate introductory statistics courses.

The first educational objective targets students in undergraduate introductory statistics classes; these classes, which are often part of the core curriculum or required for STEM students, can be seen by students as something to ‘get through’ rather than as courses offering vital (and interesting) information. At UNL, our introductory courses follow the 2016 ASA GAISE recommendations [79], which emphasize statistical thinking over computations and rote memorization, as well as the importance of hands-on activity-based learning in statistics classes. Even with the incorporation of these guidelines, many students still struggle to make the connection between statistical concepts and the real-world implications when evaluating or designing scientific studies, interpreting data, or thinking critically about claims made in the media. To this end, we will incorporate experiential learning into the introductory statistics courses at UNL by introducing a semester-long project. Students will participate in a statistical graphics experiment, and will think critically about how that experience connects to the material being taught in class at the time through guided written reflections. At the end of the course, students will read a 2-page extended abstract submitted as a conference publication and will watch a 15-minute conference presentation recording, encouraging them to compare and reflect upon how the results of research are presented in different venues and for different audiences. This component will reinforce concepts learned in class [80–82], but it will also introduce students to the idea of researching statistical graphics and to the idea that not all graphs or charts are equally useful for communicating results. In the first year, we will examine different aspects of 2D and 3D charts; the addition of 3D printed charts means that we cannot conduct this research as easily online, but it also has pedagogical benefits. Subsequent semesters will involve different graphics experiments but we will prioritize hands-on studies that require in-person participation where possible. A tentative plan is shown in Figure 7, but experiments will primarily be drawn from those proposed as part of research objective 3, because these experiments are interesting, relatively high level, and connect graphical design to statistical data in a way that will hopefully be clear to participants in the experiments.

The PI and graduate student funded on the project will work together to coordinate and implement this objective; a pilot of the full experiential learning semester project is underway in Summer 2023. We have budgeted for a 3D printer and supplies to produce relevant 3D charts to support this research; a bias towards physical charts allows us to require in-person courses to physically show up at office hours, which should reduce barrier to attending office hours later in the semester [83].

Expected Outcomes and Significance: Student written reflections will draw connections between concepts learned in class and the experience of participating in the experiment. Students will also have to critically assess the claims made in the written report and presentation, leveraging their statistical training to question the presented study results and identify limitations of the methodology. We expect to publish data generated from the evaluation process in a statistics education journal to contribute the discipline’s understanding of the effect of experiential learning activities in undergraduate statistics education.

Evaluation: The success of this objective will be evaluated through the addition of questions on to the end of course evaluations, as well as through feedback solicited from course instructors. We will also systematically examine student reflections, identifying connections between course concepts and experiment participation as well as critical assessments of scientific claims.

5.3 Education Objective 2: Create graduate course modules for K-12 educators that connect ongoing research to engaging, hands-on classroom activities for teaching statistics, math, and science.

Audience and Motivation: The second objective has both a primary and a secondary audience: the primary audience is K-12 teachers taking continuing education credits through the Nebraska Math and Science Sum-

mer Institutes (NMSSI), and the secondary audience is their students. The goal of the Nebraska Math and Science Summer Institutes is to offer teachers of math and science intellectually rich graduate coursework that will enhance their ability to offer their students challenging courses and curricula[84]. Graphics provide a useful way to introduce students to statistical concepts such as regression and hypothesis testing through interactive activities that allow comparison between visual and statistical procedures [55, 58]; as such, graphics are a gentle introduction to statistical concepts that can make STEM subjects less intimidating.

Course Module: I will develop two modules for an existing ‘special topics’ courses; the first will introduce probabilistic concepts through statistical shoe print forensics; the CSI theme tends to get students interested, but the problem they solve is one with much broader societal impact that touches on questions with not-yet-implemented statistical solutions. The second module will discuss data visualization design choices through the lens of perception and science communication; this module will be updated each summer to incorporate new results from this project as well as new developments in the field.

Short Course: In the final two years of the proposal period, I will develop a short two-week course which focuses on the mathematical and statistical concepts underlying generative data art: that is, the use of programming and mathematical theory to generate art from data. This course will include discussions of more traditional data visualization, but ultimately it is designed to target a secondary audience of students who are not interested in or are actively intimidated by STEM, but are interested in artistic expression. By motivating the learning process through the desire to create art, we can introduce scientific programming, the collection and use of data, randomization, and mathematical functions[85]; we can connect color theory to perception and discuss the implications for scientific data visualization, and we can emphasize the beauty present in even the messiest data. These courses will be included in the NMSSI summer offerings and will be taught with the assistance of a graduate student; we will both benefit from a greater understanding of the challenges in K-12 education and through the interaction with K-12 educators [86].

Expected Outcomes and Significance: These courses will introduce new mathematical and scientific concepts to K-12 educators, who will take the material learned in these courses and modules and apply it within their classrooms to enrich K-12 students’ education.

Evaluation: NMSSI short courses include daily feedback, which will provide the opportunity to address any issues which arise during pilot testing very quickly. This objective will be formally evaluated through end-of-course surveys and follow-up surveys which allow us to assess whether the activities in the courses and modules were eventually used in K-12 classrooms and whether the material learned in the course has changed the teacher’s pedagogical approach when teaching adjacent material in class. These surveys can be implemented through NMSSI infrastructure which is already in place. The follow-up surveys will also provide an opportunity to provide additional materials and resources, and may also provide contact that leads to collaborations with K-12 educators.

5.4 Education Objective 3: Improve the penetration of visualization research beyond academia by incorporating summaries of empirical studies in resources used by data scientists, industry analysts, and researchers in STEM disciplines.

The final education objective also has two audiences: the primary audience is individuals who use the From Data to Viz site [87] and the R or Python graph gallery sites [88, 89] hosted by Yan Holtz. The secondary audience is statistics and data science undergraduate students who will be recruited to serve as research assistants to support this educational objective. These students will systematically catalog and evaluate empirical studies of statistical graphics, enumerating the design space of each study and assessing its conclusions based on the collected data. In addition, students will also track how previous studies are cited and described in the literature, checking for the tendency to broaden the conclusions of a study in the interests of describing

it more concisely. Ultimately, this research will be used to compile short summaries of relevant empirical research about each chart topic; students will then contribute these summaries to the website using pull requests. This objective will improve connections between the empirical research and people doing data visualization and analysis, but it will also expose undergraduate statistics and data science students to systematic research, help them develop better scientific communication skills, and emphasize the importance of using good visualization practice. These skills will be valuable whether students take jobs in industry or pursue graduate school in STEM fields.

Connection to Research: This objective also connects tightly to research objectives 2 and 3: the systematic literature reviews will be used to identify potential topics for summer research projects that will assess the impact of measurement methods while providing important context by which to interpret historical research. In addition, the systematic literature review will inform experiments directly assessing design guidelines: by examining not only the experimental results, but how those experiments were interpreted in later studies, we will be able to trace the evolution of design guidelines from very specific experiment interpretations to much stronger, more general statements such as “pie charts should never be used”.

Expected Outcomes and Significance: If successful, this education objective will result in greater contact between practitioners (individuals creating data visualizations in industry or academia) and empirical graphics research; in theory, this should help those practitioners produce better graphics which communicate more clearly with the public. In addition, undergraduate statistics and data science students will gain an appreciation for principles of good statistical graphics, empirical testing and data analysis, and the complexity of collecting your own data; this is often left out of statistics classes and represents an important gap between statistics and the practice of data science.

Evaluation: The impact of this educational objective can be assessed through web-based analytics which will allow us to track how often a page is viewed and how often viewers click on links to empirical studies; this should allow us to get a ballpark assessment of whether the research summaries are useful and connect people to relevant empirical research. The undergraduate researchers will assess their development each semester by completing a short research skills inventory and identifying areas for growth over the next semester. These records will be used to measure the effectiveness of the undergraduate research skills development component of this objective.

6 Intellectual Merit

This work will expand our understanding of graphical perception and communication by empirically and systematically examining chart design through comprehensive, task-based testing. The proposed studies will be used to generate a framework relating evaluation methods to user engagement with graphics, establish the impact of different experimental design decisions on results, and promote integration of multiple evaluation methods to provide a holistic assessment of visualization effectiveness. Additionally, this project will prioritize inclusion of individuals with cognitive differences, ensuring that design guidelines account for accessibility concerns. The results of the systematic examination of different experimental design and testing methods will not only ground design guidelines in empirical results, but if successful, the experiments will also help reconcile the results from historical studies with conflicting results. While there are task-based taxonomies for selection of chart types, a systematic framework for selecting testing methods based on levels of engagement and critical tasks is innovative; we expect that this framework will facilitate well-rounded experiments that examine chart design and use from multiple perspectives, providing nuanced results focused on audience use of graphics. An additional impact is the methodological and measurement groundwork laid to support the development of empirical guidelines: these tools and evaluations will be made available to other researchers in the form of an R or python package that will make it easier to design

and implement graphical user studies. The education activities proposed in this project are closely tied to the research objectives, providing avenues for dissemination of research results as well as inclusion of audiences in graphics research. As a result, education and research activities will combine to support new pedagogical research in experiential learning for statistics. This new research will examine the use of statistical graphics as an entry-point to quantitative subjects for individuals who are not traditionally interested in pursuing STEM careers. Previous collaborative research projects have established new and re-imagined old methods for testing statistical graphics; when combined with training and experience in statistics at the intersection of computer science, psychology, and communication, I am well equipped to complete this project supported by collaborations with researchers in cognitive psychology and statistical education.

7 Broader Impacts

Data visualization is an essential part of science communication; as a result, there are broader impacts woven through every thread of this project's tapestry. The broadest impact of this project is the development of empirically driven guidelines for chart creation that are robust, nuanced, and are designed with accessibility in mind: these guidelines will help scientists, journalists, and data analysts communicate more clearly so that people can make better data-driven decisions. The educational objectives, which are closely tied to the research objectives, will result in empirical graphics research being presented to K-12 students, undergraduates, graduate students, and professionals. In addition, this project will bring in high schoolers interested in STEM, undergraduate students (both in statistics and data science, and those interested in STEM more generally), and graduate students, introducing these students to research in the communication of statistical information and the perception of charts and graphs as well as reinforcing principles of scientific reasoning and statistical thinking. Through contact with this diverse set of students, many of whom may eventually go on to careers in other STEM fields, this project will help to emphasize the importance of carefully creating data visualizations for science communication.

8 Timeline

9 Results from Prior NSF Support

Susan Vanderplas is currently serving as a co-investigator on NSF-SES #1952007: SCC-IRG Track 2: Overcoming the Rural Data Deficit to Improve Quality of Life and Community Services in Smart & Connected Small Communities led by PI Kimberly Zarecor, Iowa State University (October 1, 2020 - September 30, 2023); \$1,532,000.00 has been awarded to date. Three papers have been published [90–92], and two more papers are currently submitted. The project has funded four graduate students and seven REU students. **Broader Impact:** Research on rural communities is underrepresented in the research literature. We are working with rural communities in Iowa who are serving as sites to test innovative data science tools. The **intellectual merit** of the project falls contextually within the research areas of rural demography and quality of life, smart shrinkage, and secondary data utilization. We explore how data science provides new insights into the relationships between subjective and objective measures of quality of life and test new ways to collect, analyze, and visualize community-level data. 1952007 - \$1,500,000 - October 1, 2020 - September 30, 2024.

Overcoming the Rural Data Deficit to Improve Quality of Life and Community Services in Smart & Connected Small Communities

	Summer	Fall	Spring	Summer	Fall	Spring	Summer	Fall	Spring	Summer	Fall	Spring	Summer	Fall	Spring
Multi-method Measurement Validation	A3	A1 A2 A3	A1 A2 A3	A6	A4 A5 A6	A7	A9	A7 A8 A9	A7 A8 A9	A10	A10		Toolkit Dev	Pilot Testing	Data Collection
Input Experiments	B1			B2			B3			B4			B5		
Design Guidelines	C1			C2			C3	C4		C5	C6		C7		
Experiential Learning Reflections	3D printed graphs			Chartjunk			Overplotting			Categorical Charts			Polar Coords		
NMSSI Courses and Modules	Hands-on, Shoes off Statistics			Analyzing Data Visually			Analyzing Data Visually			Data Art			Data Art		
Design Guideline Evaluation	numeric vars			categorical vars			categorical-numeric combinations			spatiotemporal			networks		

Figure 7: Timeline of planned activities and experiments.

References

1. Cairo A (2016) The truthful art: Data, charts, and maps for communication.
2. Cairo A (2019) How charts lie: Getting smarter about visual information.
3. Huff D (1954) How to lie with statistics.
4. Croxton FE, Stryker RE (1927) Bar Charts Versus Circle Diagrams. *Journal of the American Statistical Association*, 22(160):473–482. <https://doi.org/10.2307/2276829>
5. Eells WC (1926) The Relative Merits of Circles and Bars for Representing Component Parts. *Journal of the American Statistical Association*, 21(154):119–132. <https://doi.org/10.2307/2277140>
6. Wickham H (2013) Graphical criticism: Some historical notes. *Journal of Computational and Graphical Statistics*, 22(1):38–44. <https://doi.org/10.1080/10618600.2012.761140>
7. Cleveland WS, McGill R (1984) Graphical perception: Theory, experimentation, and application to the development of graphical methods. *Journal of the American Statistical Association*, 79(387):531–554. <https://doi.org/10.1080/01621459.1984.10478080>
8. Mackinlay J (1986) Automating the design of graphical presentations of relational information. *ACM Transactions on Graphics*, 5(2):110–141. <https://doi.org/10.1145/22949.22950>
9. Franconeri SL, Padilla LM, Shah P, Zacks JM, Hullman J (2021) The science of visual data communication: What works. *Psychological Science in the Public Interest*, 22(3):110–161. <https://doi.org/10.1177/15291006211051956>
10. Lu M, Lanir J, Wang C, Yao Y, Zhang W, Deussen O, Huang H (2022) Modeling Just Noticeable Differences in Charts. *IEEE Transactions on Visualization and Computer Graphics*, 28(1):718–726. <https://doi.org/10.1109/TVCG.2021.3114874>
11. Rensink RA, Baldridge G (2010) The Perception of Correlation in Scatterplots. *Computer Graphics Forum*, 29(3):1203–1210. <https://doi.org/10.1111/j.1467-8659.2009.01694.x>
12. Borkin MA, Bylinskii Z, Kim NW, Bainbridge CM, Yeh CS, Borkin D, Pfister H, Oliva A (2016) Beyond memorability: Visualization recognition and recall. *IEEE Transactions on Visualization and Computer Graphics*, 22(1):519–528. <https://doi.org/10.1109/TVCG.2015.2467732>
13. Keller C, Siegrist M (2009) Effect of Risk Communication Formats on Risk Perception Depending on Numeracy. *Medical Decision Making*, 29(4):483–490. <https://doi.org/10.1177/0272989x09333122>
14. Abdul-Rahman A, Chen M, Laidlaw DH (2020) A survey of variables used in empirical studies for visualization. *Foundations of data visualization*, :161–179. https://doi.org/10.1007/978-3-030-34444-3_7
15. Bolte F, Bruckner S (2020) Measures in visualization space. *Foundations of data visualization*, :39–59. https://doi.org/10.1007/978-3-030-34444-3_3
16. Carswell CM (1992) Choosing specifiers: An evaluation of the basic tasks model of graphical perception. *Human factors*, 34(5):535–554. <https://doi.org/10.1177/001872089203400503>
17. Spence I (1990) Visual psychophysics of simple graphical elements. *Journal of Experimental Psychology: Human Perception and Performance*, 16:683–692. <https://doi.org/10.1037/0096-1523.16.4.683>
18. Vanderplas S, Cook D, Hofmann H (2020) Testing statistical charts: What makes a good graph? *Annual Review of Statistics and Its Application*, 7(1):61–88. <https://doi.org/10.1146/annurev-statistics-031219-041252>
19. Tufte E (2001) The visual display of quantitative information.
20. Kelly JD (1988) The Data-Ink Ratio and Accuracy of Information Derived from Newspaper Graphs: An Experimental Test of the Theory. *Visual Communication Division of the Association for Education in Journalism and Mass Communication*,
21. Gillan DJ, Richman EH (1994) Minimalism and the Syntax of Graphs. *Human Factors*, 36(4):619–644. <https://doi.org/10.1177/001872089403600405>
22. Gillan D, Sorensen D (2009) Minimalism and the Syntax of Graphs: II. Effects of Graph Backgrounds

- on Visual Search. *Human Factors and Ergonomics Society Annual Meeting Proceedings*, 53:1096–1100. <https://doi.org/10.1518/107118109X12524443344998>
23. Ajani K, Lee E, Xiong C, Knaflitz CN, Kemper W, Franconeri S (2022) Declutter and Focus: Empirically Evaluating Design Guidelines for Effective Data Communication. *IEEE Transactions on Visualization and Computer Graphics*, 28(10):3351–3364. <https://doi.org/10.1109/TVCG.2021.3068337>
 24. Bertini E, Correll M, Franconeri S (2020) Why Shouldn't All Charts Be Scatter Plots? Beyond Precision-Driven Visualizations. *2020 IEEE Visualization Conference (VIS)*, :206–210. <https://doi.org/10.1109/VIS47514.2020.00048>
 25. Gelman A, Wainer H, Briggs WM, Friendly M, Kwan E, Wills G (2011) Why Tables Are Really Much Better Than Graphs [with Comments and Rejoinder]. *Journal of Computational and Graphical Statistics*, 20(1):3–40. <https://doi.org/10.1198/jcgs.2011.09166>
 26. Hullman J, Adar E, Shah P (2011) Benefitting InfoVis with Visual Difficulties. *IEEE Transactions on Visualization and Computer Graphics*, 17(12):2213–2222. <https://doi.org/10.1109/TVCG.2011.175>
 27. Lam H, Bertini E, Isenberg P, Plaisant C, Carpendale S (2012) Empirical Studies in Information Visualization: Seven Scenarios. *IEEE Transactions on Visualization and Computer Graphics*, 18(9):1520–1536. <https://doi.org/10.1109/TVCG.2011.279>
 28. Ruud PA, Schunk D, Winter JK (2014) Uncertainty causes rounding: An experimental study. *Experimental Economics*, 17(3):391–413. <https://doi.org/10.1007/s10683-013-9374-8>
 29. Honda H, Kagawa R, Shirasuna M (2022) On the round number bias and wisdom of crowds in different response formats for numerical estimation. *Scientific Reports*, 12(1):8167. <https://doi.org/10.1038/s41598-022-11900-7>
 30. Wang B, Wertenlecker W (2013) Density estimation for data with rounding errors. *Computational Statistics & Data Analysis*, 65:4–12. <https://doi.org/10.1016/j.csda.2012.02.016>
 31. Thomas M, Kyung EJ (2019) Slider Scale or Text Box: How Response Format Shapes Responses. *Journal of Consumer Research*, 45(6):1274–1293. <https://doi.org/10.1093/jcr/ucy057>
 32. Liu M, Conrad FG (2019) Where Should I Start? On Default Values for Slider Questions in Web Surveys. *Social Science Computer Review*, 37(2):248–269. <https://doi.org/10.1177/0894439318755336>
 33. Funke F (2016) A Web Experiment Showing Negative Effects of Slider Scales Compared to Visual Analogue Scales and Radio Button Scales. *Social Science Computer Review*, 34(2):244–254. <https://doi.org/10.1177/0894439315575477>
 34. DeCastellarnau A (2018) A classification of response scale characteristics that affect data quality: A literature review. *Quality & Quantity*, 52(4):1523–1559. <https://doi.org/10.1007/s11135-017-0533-4>
 35. Couper MP, Tourangeau R, Conrad FG, Singer E (2006) Evaluating the Effectiveness of Visual Analog Scales: A Web Experiment. *Social Science Computer Review*, 24(2):227–245. <https://doi.org/10.1177/0894439305281503>
 36. (1915) Joint committee on standards for graphic presentation. *Quarterly Publications of the American Statistical Association*, 14(112):790–797. <https://doi.org/10.1080/15225445.1915.10503668>
 37. Brewer CA (1994) Guidelines for use of the perceptual dimensions of color for mapping and visualization. *Color hard copy and graphic arts III*, 2171:54–63. <https://doi.org/10.1117/12.175328>
 38. Kosslyn SM (2006) Graph design for the eye and mind.
 39. Kelleher C, Wagener T (2011) Ten guidelines for effective data visualization in scientific publications. *Environmental Modelling & Software*, 26(6):822–827. <https://doi.org/10.1016/j.envsoft.2010.12.006>
 40. Shneiderman B (1996) The eyes have it: A task by data type taxonomy for information visualizations. *Proceedings 1996 IEEE Symposium on Visual Languages*, :336–343. <https://doi.org/10.1109/VL.1996.545307>
 41. Craft B, Cairns P (2005) Beyond guidelines: What can we learn from the visual information seeking mantra? *Ninth International Conference on Information Visualisation (IV'05)*, :110–118. <https://doi.org/10.1109/IV.2005.28>

42. Carr DA (1999) Guidelines for Designing Information Visualization Applications. *Proceedings of the 1999 Ericsson Conference on Usability Engineering*,
43. Munzner T (2014) Visualization Analysis and Design. <https://doi.org/10.1201/b17511>
44. Munzner T (2009) A nested model for visualization design and validation. *IEEE Transactions on Visualization and Computer Graphics*, 15, 6:921–928. <https://doi.org/10.1109/TVCG.2009.111>
45. Brehmer M, Munzner T (2013) A multi-level typology of abstract visualization tasks. *IEEE transactions on visualization and computer graphics*, 19(12):2376–2385. <https://doi.org/10.1109/TVCG.2013.124>
46. Card SK, Mackinlay J (1997) The structure of the information visualization design space. *Proceedings of VIZ '97: Visualization Conference, Information Visualization Symposium and Parallel Rendering Symposium*, :92–99,. <https://doi.org/10.1109/INFVIS.1997.636792>
47. Steele J, Iliinsky N (2010) Beautiful visualization: Looking at data through the eyes of experts.
48. Yau N (2013) Data points: Visualization that means something.
49. Wong DM (2010) The wall street journal guide to information graphics: The dos and don'ts of presenting data, facts, and figures.
50. Kandogan E, Lee H (2016) A Grounded Theory Study on the Language of Data Visualization Principles and Guidelines. *Electronic Imaging*, 28:1–9. <https://doi.org/10.2352/ISSN.2470-1173.2016.16.HVEI-132>
51. Cheng D, Xiao Q, Chen Q, Cui J, Zhou X (2018) Dyslexia and dyscalculia are characterized by common visual perception deficits. *Developmental Neuropsychology*, 43:497–507. <https://doi.org/10.1080/87565641.2018.1481068>
52. Chity N, Harvey J, Quadri S, Pete S, Stein S (2012) Thinking Differently. Assistive Technology as a Complement to the Learning Style of Post-Secondary Students with ADHD: Recommendations for Design Opportunities.
53. Hokken MJ, Krabbendam E, van der Zee YJ, Kooiker MJG (2023) Visual selective attention and visual search performance in children with CVI, ADHD, and Dyslexia: A scoping review. *Child Neuropsychology*, 29(3):357–390. <https://doi.org/10.1080/09297049.2022.2057940>
54. Bako HK, Liu X, Battle L, Liu Z (2023) Understanding how Designers Find and Use Data Visualization Examples. *IEEE Transactions on Visualization and Computer Graphics*, 29(1):1048–1058. <https://doi.org/10.1109/TVCG.2022.3209490>
55. VanderPlas S, Hofmann H (2017) Clusters Beat Trend!? Testing Feature Hierarchy in Statistical Graphics. *Journal of Computational and Graphical Statistics*, 26(2):231–242. <https://doi.org/10.1080/10618600.2016.1209116>
56. Kimball AW (1957) Errors of the Third Kind in Statistical Consulting. *Journal of the American Statistical Association*, 52(278):133–142. <https://doi.org/10.1080/01621459.1957.10501374>
57. Mosteller F, Siegel AF, Trapido E, Youtz C (1981) Eye Fitting Straight Lines. *The American Statistician*, 35(3):150–152. <https://doi.org/10.1080/00031305.1981.10479335>
58. Robinson EA, Howard R, VanderPlas S (2022) Eye Fitting Straight Lines in the Modern Era. *Journal of Computational and Graphical Statistics*, 0(0):1–8. <https://doi.org/10.1080/10618600.2022.2140668>
59. Robinson EA, Howard R, VanderPlas S (2023) “You Draw It”: Implementation of Visually Fitted Trends with R2d3. *Journal of Data Science*, 21(2):281–294. <https://doi.org/10.6339/22-JDS1083>
60. Robinson EA (2022) Human Perception of Exponentially Increasing Data Displayed on a Log Scale Evaluated Through Experimental Graphics Tasks.
61. Murdoch D, Adler D (2023) Rgl: 3D visualization using OpenGL.
62. Marius Kintel (2023) OpenSCAD documentation. OpenSCAD. <https://openscad.org/documentation.html>
63. VanderPlas S, Hofmann H (2015) Signs of the sine illusion—why we need to care. *Journal of Computational and Graphical Statistics*, 24(4):1170–1190. <https://doi.org/10.1080/10618600.2014.951547>
64. Hofmann H, Vendettuoli M (2013) Common angle plots as perception-true visualizations of categorical

- associations. *IEEE Transactions on Visualization & Computer Graphics*, (12):2297–2305. <https://doi.org/10.1109/TVCG.2013.140>
65. Guan Z, Lee S, Cuddihy E, Ramey J (2006) The validity of the stimulated retrospective think-aloud method as measured by eye tracking. *Proceedings of the SIGCHI conference on Human Factors in computing systems - CHI '06*, :1253. <https://doi.org/10.1145/1124772.1124961>
 66. Kulhavy, Pridemore, Stock (1992) Cartographic Experience and Thinking Aloud about Thematic Maps. *Cartographica*, 29(1):1–9. <https://doi.org/10.3138/H61J-VX35-J6WW-8111>
 67. Ratwani RM, Trafton JG, Boehm-Davis DA (2008) Thinking graphically: Connecting vision and cognition during graph comprehension. *Journal of Experimental Psychology: Applied*, 14(1):36. <https://doi.org/10.1037/1076-898X.14.1.36>
 68. Hofmann H, Follett L, Majumder M, Cook D (2012) Graphical tests for power comparison of competing designs. *IEEE Transactions on Visualization and Computer Graphics*, 18(12):2441–2448. <https://doi.org/10.1109/TVCG.2012.230>
 69. Loy A, Follett L, Hofmann H (2016) Variations of Q-Q Plots: The Power of Our Eyes! *The American Statistician*, 70(2):202–214. <https://doi.org/10.1080/00031305.2015.1077728>
 70. Majumder M, Hofmann H, Cook D (2013) Validation of visual statistical inference, applied to linear models. *Journal of the American Statistical Association*, 108(503):942–956. <https://doi.org/10.1080/01621459.2013.808157>
 71. Yifan Zhao, Cook D, Hofmann H, Majumder M, Chowdhury NR (2013) Mind Reading: Using an Eye-Tracker to See How People are Looking at Lineups. *International Journal of Intelligent Technologies & Applied Statistics*, 6(4):393–413. <https://doi.org/10.6148/IJITAS.2013.0604.05>
 72. Ren D, Brehmer M, Bongshin Lee, Hollerer T, Choe EK (2017) ChartAccent: Annotation for data-driven storytelling. *2017 IEEE Pacific Visualization Symposium (PacificVis)*, :230–239. <https://doi.org/10.1109/PACIFICVIS.2017.8031599>
 73. Hannun A, Case C, Casper J, Catanzaro B, Diamos G, Elsen E, Prenger R, Satheesh S, Sengupta S, Coates A, Ng AY (2014) Deep Speech: Scaling up end-to-end speech recognition. <https://doi.org/10.48550/arXiv.1412.5567>
 74. da Silva Franco RY, Santos do Amor Divino Lima R, Monte Paixão R do, Resque dos Santos CG, Serique Meiguins B (2019) UXmood—A Sentiment Analysis and Information Visualization Tool to Support the Evaluation of Usability and User Experience. *Information*, 10(12):366. <https://doi.org/10.3390/info10120366>
 75. Hullman J, Qiao X, Correll M, Kale A, Kay M (2019) In Pursuit of Error: A Survey of Uncertainty Visualization Evaluation. *IEEE Transactions on Visualization and Computer Graphics*, 25(1):903–913. <https://doi.org/10.1109/TVCG.2018.2864889>
 76. Hofman JM, Goldstein DG, Hullman J (2020) How Visualizing Inferential Uncertainty Can Mislead Readers About Treatment Effects in Scientific Results. *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems*, :1–12. <https://doi.org/10.1145/3313831.3376454>
 77. Sievert C (2020) Interactive web-based data visualization with r, plotly, and shiny. <https://plotly-r.com>
 78. Perrella A, Dam H, Martin L, MacLachlan JC, Fenton N (2020) Between Culture and Curricula: Exploring Student and Faculty Experiences of Undergraduate Research and Inquiry. *Teaching & Learning Inquiry*, 8(2):90–113. <https://doi.org/10.20343/teachlearninqu.8.2.7>
 79. GAISE College Report ASA Revision Committee (2016) Guidelines for Assessment and Instruction in Statistics Education (GAISE) College Report 2016.
 80. Rogers RR (2001) Reflection in Higher Education: A Concept Analysis. *Innovative Higher Education*, 26(1):37–57. <https://doi.org/10.1023/A:1010986404527>
 81. King T Development of Student Skills in Reflective Writing.
 82. Moussa-Inaty J (2015) Reflective writing through the use of guiding questions. *International Journal of Teaching and Learning in Higher Education*, 27(1):104–113.

83. Guerrero M, Rod AB (2013) Engaging in Office Hours: A Study of Student-Faculty Interaction and Academic Performance. *Journal of Political Science Education*, 9(4):403–416. <https://doi.org/10.1080/15512169.2013.835554>
84. NMSSI Nebraska Math and Science Summer Institutes. *Center for Science, Mathematics, and Computer Education*,
85. Newman G (2017) How might Generative Art be a Proposition for Cross Curricular Learning in Schools. *Electronic Visualisation and the Arts (EVA 2017)*, <https://doi.org/10.14236/ewic/EVA2017.29>
86. Knowlton S, Fogleman J, Reichsman F, de Oliveira G (2015) Higher Education Faculty Collaboration With K-12 Teachers as a Professional Development Experience for Faculty. *Journal of College Science Teaching*, 44(4):46–53. <https://www.jstor.org/stable/43631864>
87. Holtz Y, Healy C (2023) Find the graphic you need. *From Data To Viz*,
88. Holtz Y (2023) The R Graph Gallery – Help and inspiration for R charts. *The R Graph Gallery*,
89. Holtz Y (2023) Python Graph Gallery. *The Python Graph Gallery*,
90. Zhang X, Fang M, Liu Z, Yang H, Liu J, Zhu Z (2022) NET-FLEET: Achieving linear convergence speedup for fully decentralized federated learning with heterogeneous data. *Proceedings of the Twenty-Third International Symposium on Theory, Algorithmic Foundations, and Protocol Design for Mobile Networks and Mobile Computing*, :71–80. <https://doi.org/10.1145/3492866.3549723>
91. Bradford D, VanderPlas S (2022) Exploring Rural Shrink Smart Through Guided Discovery Dashboards. *Journal of Data Science*, 21(2):193–204. <https://doi.org/10.6339/22-JDS1080>
92. Batista R, Zhu Z, Peters D, Zarecor K (2023) Predicting resident satisfaction with public schools in small town Iowa. *Stat*, 12(1):e517. <https://doi.org/10.1002/sta4.517>