```
In [4]: #Experiment no.10
In [5]: #Aim :To perform and analysis of SVM

In [6]: #Name:Sakshi Rambhau Wankhade
     #Roll No.:72
     #Sec:A
     #Subject:ET-1
     #Date:30-09-2025
```

### **Importing the Libraries**

```
In [7]: import pandas as pd
import numpy as np
```

## Data acquisitionuing Pandas

In [8]:	import os														
In [9]:	os.getcwd()														
Out[9]:	'C:\\Users\\ADMIN\\DSS_practical'														
In [10]:	os.chdir('C:\\Users\\ADMIN\\DSS_practical')														
In [11]:	<pre>data=pd.read_csv("heart.csv")</pre>														
In [12]:	<pre>data.head()</pre>														
Out[12]:		age	sex	ср	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	thal	ti
	0	52	1	0	125	212	0	1	168	0	1.0	2	2	3	
	1	53	1	0	140	203	1	0	155	1	3.1	0	0	3	
	2	70	1	0	145	174	0	1	125	1	2.6	0	0	3	
	3	61	1	0	148	203	0	1	161	0	0.0	2	1	3	
	4	62	0	0	138	294	1	1	106	0	1.9	1	3	2	
	4					-						-		•	)
In [13]:	da	data.tail()													

Out[13]:		age	sex	ср	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	ca	tha
	1020	59	1	1	140	221	0	1	164	1	0.0	2	0	2
	1021	60	1	0	125	258	0	0	141	1	2.8	1	1	3
	1022	47	1	0	110	275	0	0	118	1	1.0	1	1	2
	1023	50	0	0	110	254	0	0	159	0	0.0	2	0	2
	1024	54	1	0	120	188	0	1	113	0	1.4	1	1	3
	4													Þ

#### In [14]: data.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1025 entries, 0 to 1024
Data columns (total 14 columns):

	(			, -
#	Column	Non-I	Null Count	Dtype
0	age	1025	non-null	int64
1	sex	1025	non-null	int64
2	ср	1025	non-null	int64
3	trestbps	1025	non-null	int64
4	chol	1025	non-null	int64
5	fbs	1025	non-null	int64
6	restecg	1025	non-null	int64
7	thalach	1025	non-null	int64
8	exang	1025	non-null	int64
9	oldpeak	1025	non-null	float64
10	slope	1025	non-null	int64
11	ca	1025	non-null	int64
12	thal	1025	non-null	int64
13	target	1025	non-null	int64
dtype	es: float64	4(1),	int64(13)	

memory usage: 112.2 KB

In [15]: data.describe()

Out[15]:		age	sex	ср	trestbps	chol	fbs	r
	count	1025.000000	1025.000000	1025.000000	1025.000000	1025.00000	1025.000000	1025.0
	mean	54.434146	0.695610	0.942439	131.611707	246.00000	0.149268	0.5
	std	9.072290	0.460373	1.029641	17.516718	51.59251	0.356527	0.5
	min	29.000000	0.000000	0.000000	94.000000	126.00000	0.000000	0.0
	25%	48.000000	0.000000	0.000000	120.000000	211.00000	0.000000	0.0
	50%	56.000000	1.000000	1.000000	130.000000	240.00000	0.000000	1.0
	75%	61.000000	1.000000	2.000000	140.000000	275.00000	0.000000	1.0
	max	77.000000	1.000000	3.000000	200.000000	564.00000	1.000000	2.0
	4							•
In [16]:	data.s	hape						
Out[16]:	(1025,	14)						
In [17]:	data.s	ize						
Out[17]:	14350							
In [18]:	data.n	dim						
Out[18]:	2							

# Data preprocessing\_data cleaning\_missing value treatment

In [19]: #check missing value by record
 data.isna()

Out[19]:		age	sex	ср	trestbps	chol	fbs	restecg	thalach	exang	oldpeak	slope	
	0	False	False	False	False	False	False	False	False	False	False	False	Fá
	1	False	False	False	False	False	False	False	False	False	False	False	Fá
	2	False	False	False	False	False	False	False	False	False	False	False	Fá
	3	False	False	False	False	False	False	False	False	False	False	False	Fá
	4	False	False	False	False	False	False	False	False	False	False	False	Fá
	•••				•••				•••		•••		
	1020	False	False	False	False	False	False	False	False	False	False	False	Fá
	1021	False	False	False	False	False	False	False	False	False	False	False	Fá
	1022	False	False	False	False	False	False	False	False	False	False	False	Fá
	1023	False	False	False	False	False	False	False	False	False	False	False	Fá
	1024	False	False	False	False	False	False	False	False	False	False	False	Fá
	1025 rd	ows × 1	14 colu	mns									
	4												
In [20]:	data.	isna()	.any()										
Out[20]:	age sex cp trest chol fbs reste		False False False False False False	e e e e									

Ir 0ι restecg False thalach False False exang oldpeak False slope False ca False thal False False target dtype: bool

In [21]: data.isna().sum()

#### **Independent and Dependent Variables**

```
In [22]: x=data.drop("target",axis=1)
    y=data["target"]
```

### Splitting of DataSet into train and test

```
In [23]: #splitting the data into training and testing data sets
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2 ,random_state=42)
```

# Support Vector Classifier/Machine (SVC/SVM)