

ss3sim: An R package for generalized stock-assessment simulation with Stock Synthesis

Sean C. Anderson^{1*} Athol Whitten²
Curry Cunningham² Felipe Hurtado Ferro²
Kelli Johnson² Carey McGilliard³ Cole Monnahan²
Kotaro Ono² Juan Valero^{2,4} Roberto Licandeo⁵
Melissa Muradian² Cody Szuwalski² Katyana Vertpre⁶
(authorship and order to be discussed)

¹Department of Biological Sciences, Simon Fraser University, Burnaby BC, V5A 1S6, Canada

²School of Aquatic and Fishery Sciences, University of Washington, Box 355020, Seattle, WA 98195-5020, USA

³NOAA

⁴

⁵UBC?

⁶?

1 Introduction

Paragraph 1: What is stock assessment simulation? Why is it increasingly critical?

- stock assessment simulation is...
- stock-assessment simulation is a critical component to evaluating stock assessment methods and understanding their strengths and weaknesses.
- ...
- important because it lets us test our assessments on known truths
- further, it lets us explore truths we are interested in and match (or mismatch) truths and assessments
- refs: Hilborn and Walters (1992) among others; recent papers on stock-assessment simulation

2. Paragraph 2: What is SS3, why is it important, why simulate with it?

- Stock synthesis is a modelling framework... Integrated analysis — models population dynamics using a wide range of data (Maunder and Punt, 2012)
- SS3 is the 3rd version of the software using this framework
- SS software ref: Methot and Wetzel (2012)
- ADMB software ref: Fournier et al. (2012)
- Importance of integrated analysis with SS as an example: Maunder and Punt (2012)
- most widely used now world wide (?) and especially on West Coast of United States
- facilitates rapid, reproducible analyses... focus on peer-review of the science not the modelling code
- allows a separation of research from stock assessment that informs management (Methot and Wetzel, 2012)
- been instrumental to investigating new stock assessment concepts: e.g. Piner et al. (2011), Methot and Taylor (2011)
- been used in XX stock assessments world wide (~60 as of 2012 - ask Rick) and involved in many more currently
- Piner et al. (2011) example of stock-assessment simulation research with SS3
- Methot and Taylor (2011) example of stock-assessment research with SS

Methot and Wetzel (2012):

A comprehensive modeling framework such as SS enhances communication, efficiency, and education in the fishery assessment community (Methot, 2009). Communication is enhanced by creating a familiarity among users, reviewers, and clients regarding terminology and approach. Reviewers who are already familiar with SS can quickly focus on key issues for the assessment being reviewed, rather than spend time learning the features of a novel assessment model.

Therefore two benefits to simulating with SS: (1) much of the model has already been built (research can then progress rapidly and with less chance of errors) and checked and (2) the results are directly applicable to the tools used by stock assessment scientists — in fact, used by all Western US assessments.

Third paragraph: However, there are many complications to conducting large-scale, rapid, and reproducible simulations.

- complications range from data, file, and folder management
- avoiding coding errors
- repeatedly manipulating operating models and estimation models to ask specific questions
- porting models and questions across stocks and species

- reproducible, understandable, and documented
- barrier to research
- R (R Core Team, 2013) is the standard, but existing solutions are GUI and therefore not as flexible, scriptable, and repeatable.

In this paper we introduce `ss3sim`, a software package for the popular statistical programming language R that facilitates large-scale, rapid, and reproducible stock-assessment simulation with the widely-used SS framework. We begin by outlining the general philosophy of `ss3sim`, and describing its functions. Then, to demonstrate how a researcher might conduct a stock-assessment simulation with `ss3sim`, we work through an example starting at a research question and ending with plots and interpretation of the output. Our example includes considerations for setting up operating and estimation models, choosing a folder structure, model testing, and output manipulation and plotting. We conclude by discussing how `ss3sim` complements other stock assessment simulation software and outlining research questions our accessible and general SS simulation framework could address.

2 The `ss3sim` framework

2.1 Terminology

- operating model
- estimation model
- scenario
- case
- iteration
- a simulation = all scenarios and iterations
- SS the framework vs. `SS3` the binary of version 3 of SS

2.2 General philosophy

- Reproducible: documented in code or plain-text control files
- Flexible: specify your own OM and EM using all the possibilities of `SS3`
- Rapid: use `SS3`, which relies on ADMB; build on the existing SS and `r4ss` (Taylor *et al.*, 2013) framework
- Allow researchers to reuse control files as much as possible across scenarios to make the simulation easy to understand and less error prone
- Easy to deploy across multiple researchers, multiple computers, or multiple cores
- Leave a trace throughout of what has happened - log files etc.
- Make visualization easy so users are likely to use it to understand their models and detect errors quickly

- Minimize book keeping etc. so that researchers can concentrate on the science

2.3 General structure

- start with an OM and EM
- Specify how you want to affect the truth and your assessment of the truth (possibly in a time varying manner)
- ss3sim carries that out in SS3 by manipulating and running the models in R
- SS is controlled by the user through a series of plain-text configuration files
- ss3sim works, in general, by converting simulation arguments (e.g. a given natural mortality trajectory) into manipulations of these configuration files at the appropriate stage in conjunction with running appropriate models

2.4 Low-level generic ss3sim functions

See Table 1 for description of functions. See Figure 1 for the functions fit into the general structure. ss3sim functions are divided into three types of functions:

1. Functions that manipulate SS configuration files. These manipulations generate an underlying “truth” (operating models) and control our assessment of those models (estimation models).
2. Functions that conduct simulations. These functions generate a folder structure, call manipulation functions, run SS3 as needed, and save the output. `run_ss3sim` `copy_models` `run_ss3model`
3. Functions for analyzing and plotting simulation output.

2.5 High-level tailored ss3sim functions

- an example framework
- because it relies on manipulation of these configuration files, it’s important the config files match a specific format
- general framework, because you start with your own OM and EM, and a wide variety of questions are then available through manipulations of ..., ...

3 An example simulation with ss3sim

3.1 Setting up the SS models

- the (simple) research question
- setting up the OM and EM SS models
- things to keep in mind
- running through SS to format as `.ss_new` files and renaming

3.2 File and folder setup

- required files
- Why we chose a flat-file structure
- see vignette

3.3 Translating research questions into configuration files

- E.g. time-varying M

3.4 Deterministic model testing

- reduce recdevs, reduce sigma R, bias correction
- what to plot, what to look for, how good is OK?

3.5 Output analysis and visualization

- examples using the included functions
- brief take home of what we'd conclude

4 Discussion

Other sections? how we validated it; benefit of using one well tested and well-understood model (but disadvantages too) - benefit to playing with all the switches and understanding one framework (SS) well versus having many tools that we superficially understand

4.1 How ss3sim complements other generic stock-assessment simulation software

- focus on “generic” software, e.g. not software that just works for salmon simulation

4.1.1 r4ss

- Taylor et al. (2013)
- r4ss has functions to facilitate aspects of simulations, mostly focused on reading and plotting output for stock assessment
- ss3sim uses r4ss functions for some reading, writing, and bias adjustment

4.1.2 flr

- Kell et al. (2007) for FLR and Hillary (2009) for simulation in FLR
- statistical catch-at-age only?
- not integrated analysis, not SS
- but particularly relevant to Europe

4.1.3 “Hooilator”

- <http://fisherysimulation.codeplex.com>, Windows only, GUI..., works on bootstrapped data only, therefore isn't as flexible as ss3sim. Used in:
 1. Lee et al. (2012)
 2. Piner et al. (2011)
 3. Lee et al. (2011)

4.1.4 Others?

4.2 The need for balance between generalizing and tailoring in simulation software

- maybe?
- why we developed generic low-level functions and higher level functions
- but researchers are free to develop their own higher level functions
- because in an open-source MIT(?) licensed R package, users are free to modify functions as needed

4.3 Maybe lessons learned? From Athol's work

- importance of version control
- benefits to developing analysis within an R package
- importance of model testing
- importance of rapid visualization of output, example `shiny` or `manipulator`

4.4 Research opportunities with ss3sim

5 Acknowledgements

- funding: Fulbright Canada, NSERC, Simon Fraser University, ...
- discussions and advice: André Punt, Richard Methot, Ian Taylor, James Thorson, ...

6 Figure captions

Figure 1: Flow diagram of ss3sim

Figure 2: Panels with output from the example

7 Tables

Table 1: User-facing ss3sim functions and a description of their purpose.

Function name	Description
<code>change_f</code>	Changes the fishing mortality
<code>change_m</code>	Adds time-varying natural mortality features
<code>change_growth</code>	Adds time-varying growth features
<code>change_sel</code>	Adds time-varying selectivity
<code>change_e</code>	Controls what and how parameters are estimated
<code>change_lcomp</code>	Controls how length composition data are sampled
<code>change_agecomp</code>	Controls how age composition data are sampled
<code>change_index</code>	Controls how the fishery and survey indices operate
<code>change_rec_devs</code>	Substitutes recruitment deviations
<code>change_retro</code>	Controls the number of years to discard for a retrospective analysis
<code>run_ss3sim</code>	Master function that runs an ss3sim simulation
<code>run_fish600</code>	Wrapper function that facilitates one particular simulation setup

<code>get_results_all</code>	Extract results from a series of scenarios
<code>get_results_scenario</code>	Extract the results for a single scenario
<code>plotting functions!!</code>	Plot the output...

Table X: Comparison with related software? - maybe a table with the possible columns: software, reference, platform (e.g. R, GUI...), Short description/comparison, examples of papers using it

8 References

- Fournier, D. A., Skaug, H. J., Ancheta, J., Ianelli, J., Magnusson, A., Maunder, M. N., and Nielsen, A.*et al.* 2012. AD Model Builder: using automatic differentiation for statistical inference of highly parameterized complex nonlinear models. *Optimization Methods and Software*, 27: 233–249.
- Hilborn, R. W., and Walters, C. 1992. *Quantitative Fisheries Stock Assessment: Choice, Dynamics, and Uncertainty*. Chapman and Hall, London.
- Hillary, R. 2009. An introduction to FLR fisheries simulation tools. *Aquatic Living Resources*, 22: 225–232.
- Kell, L. T., Mosqueira, I., Grosjean, P., Fromentin, J.-M., Garcia, D., Hillary, R., and Jardim, E.*et al.* 2007. FLR: an open-source framework for the evaluation and development of management strategies. *ICES Journal of Marine Science*, 64: 640–646.
- Lee, H.-H., Maunder, M. N., Piner, K. R., and Methot, R. D. 2011. Estimating natural mortality within a fisheries stock assessment model: An evaluation using simulation analysis based on twelve stock assessments. *Fisheries Research*, 109: 89–94.
- Lee, H.-H., Maunder, M. N., Piner, K. R., and Methot, R. D. 2012. Can steepness of the stock-recruitment relationship be estimated in fishery stock assessment models?. *Fisheries Research*, 125–126: 254–261.
- Maunder, M. N., and Punt, A. E. 2012. A review of integrated analysis in fisheries stock assessment. *Fisheries Research*, 142: 61–74.
- Methot, R. D., and Taylor, I. G. 2011. Adjusting for bias due to variability of estimated recruitments in fishery assessment models. *Canadian Journal of Fisheries and Aquatic Sciences*, 68: 1744–1760.
- Methot, R. D., and Wetzel, C. R. 2012. Stock Synthesis: A biological and statistical framework for fish stock assessment and fishery management. *Fisheries Research*, 142: 86–99.

Piner, K. R., Lee, H.-H., Maunder, M. N., and Methot, R. D. 2011. A simulation-based method to determine model misspecification: examples using natural mortality and population dynamics models. *Marine and Coastal Fisheries*, 3: 336–343.

R Core Team. 2013. R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing, Vienna, Austria. <http://www.R-project.org/>.

Taylor, I., Stewart, I., Hicks, A., Garrison, T., Punt, A., Wallace, J., and Wetzel, C. 2013. r4ss: R code for Stock Synthesis. <http://code.google.com/p/r4ss/>.