




Neural Networks

Machine Learning | Enginyeria Informàtica

Santi Seguí | 2026-2027

What is a Neural Network

- It is a system **biologically inspired** that tries to emulate **human brain**.
- **Why**

What is a Neural Network


- It is a system **biologically inspired** that tries to emulate **human brain**.
- **Why** is it a good idea to try to **emulate** the **brain** when solving a recognition task?

What is a Neural Network


- It is a system **biologically inspired** that tries to emulate **human brain**.
- **Why** is it a good idea to try to **emulate** the **brain** when solving a recognition task?

The human brain is the **best system** that we know of!!

What is a neuron?




What is a neuron?




What is a neuron?

- In the human brain, a **typical neuron** collects signals from others through a host of fine structures called **dendrites**.
- The neuron **sends out spikes** of electrical activity through a long, thin stand known as an **axon**, which splits into thousands of branches.
- At the end of each branch, a structure called a **synapse** converts the activity from the axon into electrical effects that inhibit or excite activity in the connected neurons.



How the brain works (with one slide!)


- Each neuron receives inputs from other neurons
 - A few neurons also connects to receptors
 - Cortical neurons use spikes to communicate
- The effect of each input line on the neuron is controlled by a synaptic weight
 - The weights can be positive or negative
- The synaptic weight adapt so that the whole network learns to perform useful computations
 - Recognizing objects, understanding language, making plans, controlling the body.
- You have about 10^{11} neurons each with about 10^4 weights.
 - A huge number of weights can affect the computation in a very short time. Much better bandwidth than a workstation.






Perceptron

Perhaps the first AI model


The Book: Perceptrons





1 Layer Neural Net model

$$f(x) = \sigma(w^T \cdot x + b)$$



Graphical Representation

Neural Networks

1 Layer Neural Net model

Parameters



Weights Bias

$$f(x) = \sigma(w^T \cdot x + b)$$

Sigmoid Function
 $\sigma(x) = \frac{1}{(1+e^{-x})}$

ReLU Function
 $\sigma(x) = \max(0, x)$

Dot Product



Different types of Neurons

- Linear Neurons
 - These are one of the most simple neurons models computationally limited

$$y = \beta + \sum_i X - i\beta_i$$

Different types of Neurons

- McCulloch-Pitts (Binary threshold neurons):
 - First compute a weighted sum of the inputs
 - Then send out a fixed size spike of activity if the weighted sum exceeds a threshold.

$$y = \beta_0 + \sum_i x_i \beta_i$$

$$y = \begin{cases} 1, & \text{if } z \geq 0 \\ 0, & \text{otherwise} \end{cases}$$

Different types of Neurons

- Rectified Linear Neurons (ReLU)
- It computes a linear weights sum of their inputs.
- The output is a non-linear function of the total input.

$$y = \beta_0 + \sum_i x_i \beta_i$$

$$y = \begin{cases} z, & \text{if } z \geq 0 \\ 0, & \text{otherwise} \end{cases}$$

Different types of Neurons

- Sigmoid neurons
- These give a real-valued output that is a smooth and bounded function of their total input. Logistic function is typically used.

$$y = \beta_0 + \sum_i x_i \beta_i$$

$$y = \frac{1}{1 + e^{-z}}$$

Perceptron Multiclasse




Figura 4: Modelo del perceptrón para clasificación múltiple

Exercise



- Suppose we have a 3-dimensional input $x = (x_1, x_2, x_3)$ connected to a neuron with weights $w = (w_1, w_2, w_3)$ where :
 $x_1 = 2 \quad w_1 = 1$
 $x_2 = -1 \quad w_2 = -0.5$
 $x_3 = 1 \quad w_3 = 0$
and a bias $b = 0.5$.
- For each of the types of neurons discussed so far, we calculate the output y using the input x , weight w and bias b . If the activation function is:
 - Linear
 - Logistic Sigmoid
 - Binary Threshold
 - Rectified Linear

Types of Neural Networks




- Feed Forward Neural Networks
- Convolutional Neural Networks
- Recurrent Neural Networks

Feed-Forward Neural Network

- These are the commonest type of neural networks in practical applications
 - The first layer is the input and the last layer is the output
 - If there is more than one hidden layer, we call them "deep" neural networks!
- They compute a series of transformations that change the similarities between cases.
 - The activities of the neuros in each layer are non-linear functions of the activites in the layer below.



2 Layers Neural Net model



Let's play a little bit! :)

- <http://playground.tensorflow.org/>