# The Ex-Ante View of Recommender System Design

# ABSTRACT KEYWORDS

Recommender Systems, Beliefs, Decision Theory, Filter Bubbles

#### 1 INTRODUCTION

Recommender Systems (RS) have become critical for assisting consumers in navigating the large choice sets that they face in many online markets. For instance, consumers have to select from thousands of movies on Netflix, millions of products on Amazon, and billions of videos on YouTube. Consumers in many cases are not aware of most items, let alone have full information about their preferences over them and, to make matters worse, the goods in these markets are usually experience goods whose true utility can only be learned after consumption. Furthermore, consumers interact with these systems routinely and watch more than one movie on Netflix, buy more than one product on Amazon, and listen to more than one video on YouTube.

Recommender systems have been influential in shaping consumer choice in these markets with 75% of movies watched on Netflix and 35% of page-views on Amazon coming from recommendations. While there are many positive effects from these systems, there is an increasing worry that there are unintended side-effects of recommendation systems. There have been claims that YouTube's recommendation algorithm unintentionally lead to the radicalization of many individuals<sup>1</sup>, that personalized recommender systems lead consumers into *filter bubbles* where they get effectively isolated from a diversity of viewpoints or content [14], and that personalized recommender systems may also lead consumers to become increasingly homogenized at the same time [3, 6].

**Our Model and Contributions** In this paper, drawing from recent work in psychology and decision theory in economics, we provide a theoretical model for how personalized recommender systems can shape the behavior of long-lived consumers and how the insights from our model can be used to improve recommender system design as well as allow us to better understand the consequences of these systems. In our model, consumers have uncertainty about their true utility of the goods in their choice set and consume only a small fraction of the large choice set they face.

First, we focus on understanding the degree to which recommender systems can lead consumers into *filter bubbles*. Consistent

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

RecSys '19, September 16–20, 2019, Copenhagen, Denmark

© 2018 Copyright held by the owner/author(s). Publication rights licensed to ACM. ACM ISBN 978-1-4503-9999-9/18/06...\$15.00

https://doi.org/10.1145/1122445.1122456

with recent empirical work in the case of movie consumption [13], our model shows that individual consumption behavior over time naturally exhibits patterns consistent with a filter bubble effect without recommendation. The key component of our model, drawn from the results of [?], is that the utilities of similar goods are correlated. This means that when consumers consume a good and learn its true utility this gives them information about similar goods. Crucially, this not only impacts the underlying belief about the average utility of the good, but also the amount of uncertainty. This learning spill-over induces consumers to consume goods "similar" to those they consumed before leading to an increasing narrowing of consumption patterns. This effect is further exemplified when consumers are risk-averse, a concept from economic decision theory where, all else being equal, consumers have a preference for goods with lower uncertainty to those with higher uncertainty.

We then consider a stylized model of user recommendation and explore how recommendation can affect consumption patterns. We suppose each good is a sum of a common value component and an idiosyncratic component, where the idiosyncratic component is inherently unpredictable given other individual's preferences. We model existing recommendation systems as providing consumers with information on the common-value component and denote as this as partial recommendation. We consider how consumer behavior varies as we move from no recommendation to partial recommendation to omniscient recommendation, which is the optimal consumption path for consumers if they knew the true utility of all the goods in their choice set.

Consistent with [13], we find that partial recommendation increases consumption diversity. However, we also find that partial recommendation increases homogeneity amongst consumers.

Related Work. Recommender Systems

### 2 FILTER BUBBLES AND HOMOGENIZATION

In this section we further show that differentiating between the ex-ante and ex-post view allows us to not only design better RS but also better understand their consequences. To do so, we study a simple model where users have beliefs about how good each item is and can learn their valuation over the items by consuming them. However, drawing from the main idea behind content-based RS, similar items have similar valuations and consumers' beliefs about neighboring items update after consuming an item which influences future consumption decisions. For instance, in our model, if a user watches *The Matrix* and finds out that it is a good movie then they will update their beliefs positively about a similar movie such as *The Matrix Reloaded* (the sequel to *The Matrix*) but not update them much for a very different movie such as *La La Land*.

Viewing the goal of the RS as providing users with additional information they can utilize to update their beliefs, we first show that, without recommendation, users may get stuck in a "filter bubble" whereby they consume increasingly similar content and that, in this case, welfare will be negatively correlated with diversity. We show how providing information to users via recommendation can lead

 $<sup>^1\</sup>mbox{https://www.theatlantic.com/politics/archive/2018/03/youtube-extremism-and-the-long-tail/555350/}$ 

users out of this filter bubble. However, if recommendation does not properly take into account user beliefs, recommendations can lead to increasing homogenization among users and lower welfare and consumption diversity. Finally we then show that when the recommender does not know the user's beliefs about her valuation, recommendation becomes decreasingly useful as the user learns more about her own preferences.

#### 3 OUR MODEL AND PRELIMINARIES

**Expected Utility Theory** First, we review basic economic decision theory. [Duarte can do this]

**Consumers** We consider a set of consumers I where each individual  $i \in I$  faces the same finite set of N items  $\mathcal{N} = \{0, 1, ..., N-1\}$ . For simplicity, we assume that individuals only derive pleasure from item  $n \in \mathcal{N}$  the first time they consume it.

We denote by  $u_{in}$  individual i's realized utility from consuming item n. By realized utility we In particular, we consider that the realized utility derived from a given item can be decomposed in the following manner:  $u_{in} = v_{in} + \beta v_n$ , where  $v_{in}$  denotes an idiosyncratic component – i.e. consumer i's idiosyncratic taste for good n – and  $v_n$ , a common-value component. One can interpret  $v_n$  as a measure of how much good n is valued in society in general and, in a sense,  $v_{in}$  denotes how i diverges from this overall ranking. The scalar  $\beta \in [0,1]$  denotes the degree to which utilities are idiosyncratic to each individual or common across individuals. If  $\beta = 0$ , it is impossible to generate meaningful predictions of any one's individual preferences based on others, while if  $\beta \to \infty$ , every individual has the same preferences.

Stacking utilities in vector-form, we get  $(u_{in})_{n\in I} =: U_i = \beta V_i + (1-\beta)V$ , the vector of utilities associated with each good, where  $V_i = (v_{in})_{n\in I}$  and  $V = (v_n)_{n\in I}$ .

Consumer Beliefs We assume that consumers do not know the realized utilities of the goods before consuming an item. We make this assumption as our model pertains to markets where the goods are experience goods and modeling consumers as being uncertain over their preferences in these environments is common in the economics literature [add citations]. Even though consumers have access to online reviews for goods in many of the markets where recommender systems are deployed, it is prohibitively costly for consumers to acquire information on all of the goods in their choice set. Even if they did so, this information would be helpful for reducing uncertainty on the common-value component of their utility and not the idiosyncratic component. While we do not explicitly incorporate this into our model, we use it to motivate that consumers make consumption decisions under some degree of uncertainty.

Formally, consumer i starts with some beliefs about  $U_i$ , namely that the idiosyncratic and common-value parts of the utilities are independent  $-V_i \perp V$  — and that each is multivariate normal  $V_i \sim \mathcal{N}(\overline{V}_i, \Sigma_i)$  and  $V \sim \mathcal{N}(\overline{V}, \Sigma)$ , with  $\overline{V} = 0$ . We impose the normality assumption for two reasons. The first is that consumers update their beliefs using Bayesian updating and recall that the normal distribution forms a conjugate family, which allows for simple posterior updates. The second is that it allows us to incorporate an easily interpretable correlation structure between the items.

Keeping with the assumption that  $V_i$  represents idiosyncratic deviations from V, we assume that, on the population level, prior

beliefs  $\overline{V}_i = (\overline{v}_{in})_{n \in I}$  are drawn independently from a jointly normal distribution, where  $\overline{v}_{in} \sim \mathcal{N}(0, \overline{\sigma}^2)$  are i.i.d. These  $\overline{v}_{in}$  denote the prior belief that i holds about the her valuation over good n. As people are exposed to different backgrounds, their beliefs about what is good for them also varies and  $\overline{v}_{in}$  denotes this idiosyncrasy at the level of prior beliefs.

**Consumer Learning** When a consumer consumes a good n they learn the realized utility for that good. In our model we incorporate the idea that learning the utility of good n gives a consumer information about similar items. This is drawn from recent empirical evidence in [?] that consumers learn how to navigate large choice sets using similarity-based generalization. We assume that learning about the utility of good n reveals more about the utility associated to items that are closer to it, which captures the idea that trying a product provides more information about similar products than about dissimilar ones.

In order to have a well-defined notion of similarity we need to define a distance function between goods, which we define as  $d(n, m) := \min\{|m-n|, N-|m-n|\}$  where m and n are the index of the items in N. This distance function has several nice properties.

To this effect, we consider that the entry of n-th row and the (m)-th column of  $\Sigma_i$  is given by  $\sigma_i^2 \rho^{d(n,m)}$ , and that of  $\Sigma$  is given by  $\sigma^2 \rho^{d(n,m)}$ . The scalar  $\rho \in [0,1]$  the covariance structure: a higher  $\rho$  implies that learning the utility of n is more informative about products nearby. Informativeness, for any  $\rho \in (0,1)$ , is decreasing in distance.

We assume the user makes T choices and therefore can only consume up to T items, where T is but a small fraction of N. This captures the idea that users are faced with an immense choice set but that ultimately they end up experiencing (and learning) about just a small fraction of it. Each period t=1,...,T, the consumer chooses the best product that she has not yet tried  $(n_i^t)$  given the information that past consumption offers  $(C_i^{t-1}=(n_i^1,...,n_i^{t-1}))$  and that that the RS offers (R), i.e.  $n_i^t \in \arg\max_{n \in I \setminus C_i^{t-1}} \mathbb{E}\left[u_{in} \mid C_i^{t-1}, R\right]$ , with ties broken uniformly at random.

We are going to analyze three outcomes: how diverse consumer choices are, how similar are the choices that different individuals make and the resulting welfare. The first will be measured by  $D_i = \frac{1}{N} \frac{1}{T(T-1)} \sum_{n,m \in C_i^T: n \neq m} d(n,m)$ , the average normalized pairwise distance between the consumed products, a natural measure of diversity in this environment that is utilized in the literature [18]. The second will be measured by a consumer homogeneity index  $H := \frac{1}{|I|(|I|-1)} \sum_{i,j \in I: i \neq j} d_J(C_i^T, C_j^T)$ , where  $d_J$  denotes the Jaccard index and  $H \in [0,1]$  which is similar to the approach to measuring homogeneity utilized in [3]. Note that a higher H indicates more homogeneity. Consumer i's welfare will just be the average of realized utilities, to control for the effect of T,  $W_i = \frac{1}{T} \sum_{n \in C_i^T} u_{in}$ .

Finally, we are going to study three different cases: (i) no recommendation, (ii) omniscient recommender and (iii) partially informed recommender where the recommender observes utilities accrued, but does not know consumer i's starting beliefs  $\overline{U}_i$ . In the first case, users choose their items myopically, that is, using a greedy algorithm, and pick the item that has maximum expected utility given beliefs at time t. Upon consuming that item and learning its value, the users update their beliefs about their valuation of

Rec Policy	Welfare	Diversity	Homogeneity
No Rec	$0.42 \pm 0.002$	$0.19 \pm 0.0003$	$0.001 \pm 0$
Partial Rec	$1.25 \pm 0.005$	$0.22 \pm 0.0002$	$0.174 \pm 0.004$
Omniscient Rec	$2.24 \pm 0.006$	$0.24 \pm 0.0001$	$0.035 \pm 0.002$

Table 1: Mean Welfare, Diversity, and Homogeneity for N=1000, T=25, I=50, S=50. Reported intervals are 95% confidence intervals.

other items and iterate this process T times. In the second case, the recommender knows exactly  $V_i$  and V and can therefore recommend the best item for each consumer. In the third case, the recommender knows V but does not know neither  $V_i$  nor, crucially, users' beliefs  $\overline{V}_i$ . The recommendation will be that the consumer ichooses  $r_{it} \in \arg \max_{n \in I \setminus C_i^T} u_n$ , but we assume the recommender provides full information about V. For instance, the recommender could display the whole distribution of utilities reported by other users or even its average, which is a good proxy for the common value component.<sup>2</sup> Note that it is not necessarily optimal for the user to follow the recommendation, that is, to pick the item with the highest common-value component  $v_n$ . Consumer's beliefs about her valuation of each item become crucial in this case: knowing V may change the original ranking, but given this new information the consumer may find it best to pick an item other than the one recommended.

**Simulation Details.** We will simulate P populations of I users and compare their consumption choices under different recommendation system regimes. We simulate over a grid of parameter values for  $\sigma$ ,  $\sigma_i$ ,  $\rho$ ,  $\rho_i$ ,  $\beta$  and report results for P = 50, I = 50, N = 1000, T = 25.

Results. Table 1 shows aggregate results for welfare, diversity, and homogeneity. The omniscient recommendation case leads to the optimal consumption path for a consumer since she consumes the T items with the highest utility. Compared to this case, both partial recommendation and no recommendation not only lead to lower welfare but also have lower diversity. In fact, the no recommendation case leads to the lowest levels of consumption diversity since users do not explore the space of products sufficiently and do excessive amounts of local search as can be seen in Figure 1. Figure 1 shows how "local" consumption choices are by looking at what fraction of consecutive consumption choices are close to each other with the definition of close being less than distance of 10. The partial recommendation case leads to higher consumption diversity and higher welfare, but also significantly higher homogeneity.

In our model, filter bubble effects occur simply because of the correlation structure between the utility and beliefs of products. It highlights the fact that the correlation structure induces users to consume increasingly narrow content when they get no guidance from recommendation whereas the "optimal" consumption path

given by the omniscient policy does not exhibit this. The results of our model are consistent with the empirical results found in [13] who show that filter bubble effects can arise even amongst users who do not utilize recommendations.

Furthermore, [13] also find that recommendation can lead to an increase in consumption diversity. As Table 1 shows, our model is consistent with this effect but it depends on the nature of recommendation. If recommendations only provides information on the common-value component (partially informed recommender) then welfare and consumption diversity increase when contrasted to the no recommendation case, but homogenization increases dramatically. Knowing the common-value component leads users to have more information on where to explore in the product space. However, the fact that this information is about the common-value component and the same across all individuals leads them to explore the same sections of the product space and leads to substantially higher homogeneity among users. If recommendation takes into account user beliefs on the idiosyncratic component of utility (omniscient recommender), then welfare and consumption diversity can further increase and homogeneity will decrease.

Low consumption diversity is not necessarily bad by itself. Figure 4 shows that, in the no recommendation case, welfare and consumption diversity are negatively correlated. This is primarily because content diversity in the no recommendation case can arise from the fact that the user consumes a bad product and is forced to jump around the product space looking for "good" products. However, if a user finds a high utility product right away, then staying in this neighborhood may yield higher utility due to the correlation of utilities. The problem is that, even when the user finds a "good" product, this may only be "locally" good and the user will then excessively consume items around it due to having more information about these than more "different" ones, i.e. farther away.


Finally, the value of recommendation in the partial recommendation case decreases over time as users learn more about the idiosyncratic component of their own preferences (i.e. as t increases). Figure 3 shows that recommendation compliance decreases as t increases. Additionally, Figure 2 shows how homogeneity and welfare change as  $\beta$  increases. Most interestingly, when  $\beta$  is high so that the common-value component is small, recommendation can be harmful to users. The information from recommendation still leads to large user homogeneity even though the optimum would be for there to be almost none and leads to lower welfare than under no recommendation.


## 4 THE VALUE OF THE EX-ANTE VIEW

In this section we illustrate the differences between the ex-post and ex-ante view and show how it is useful for thinking about the design of RS. Our first point is trivial to state - since users do not know the true consumption values of the items, without any further information they may make *ex-post* sub-optimal consumption decisions, but *ex-ante* optimal given the information available to them at the moment of choice. Consider the following stylized example. The choice set of the individual is  $\Omega = \{x_1, x_2, x_3\}$  and the ex-post utility values are given by  $u(x_1) = 1$ ,  $u(x_2) = 2$ ,  $u(x_3) = 3$ .

However, when users are making decisions they have unobservable *beliefs* about the ex-post utility value of the items and make

 $<sup>^2</sup>$  The best item that could recommended with such information if the item with highest common value component. However, in that case, recommending only a single item generates costly updating to the consumer and provides little guidance as to what she should indeed pick as the common value might be of little importance when compared to the idiosyncratic component. Therefore, we assume that the RS reports the whole V, which results in higher expected welfare in choices and is not costly to implement.  $^3\mathrm{Due}$  to space constraints we omit simulations for different values of T but, unless otherwise noted, our results are robust to changes to T as long as T is not too large (close to N) or too small (close to 0).








Figure 3: Recommendation Effectiveness

decisions given these beliefs. As users obtain more information, their beliefs converge to the ex-post utility values but, generally, users do not have enough information and so have beliefs over the space of possible ex-post utility values. In this example we suppose these beliefs are simple so that users view each good as simple lotteries: for  $n = 1, 2, 3, u(x_n) = n + \varepsilon_n$ ,  $\varepsilon_1 \sim \mathcal{N}(2, 1)$ ,  $\varepsilon_2 \sim \mathcal{N}(0, 1)$ ,  $\varepsilon_3 \sim \mathcal{N}(-5, 2)$ .

After uncertainty is unresolved, the user would consume  $x_3$ , but an expected utility maximizing consumer (without further information) would choose  $x_1$ .<sup>4</sup>

This observation, while seemingly trivial, has important implications. The fact that the user would choose C over A reveals that C prefers A given her current beliefs<sup>5</sup> and allows the system designer to get some information about a user's beliefs. Why are user beliefs important objects for designers of RS to understand and utilize?

Beliefs are useful for understanding how users interact and get value from RS. In particular, users use RS to get *information* about the set of items and update their beliefs about the value of the items. For instance, in the example, a RS could recommend to a user  $x_3$  over  $x_2$  and  $x_1$  and that user will use this to update her beliefs about  $x_3$ . It is an empirical question that we leave for future work precisely how and to what extent users update their beliefs from recommendation and what factors of RS deisgn influence this.<sup>6</sup>




Figure 2: Welfare and Homogeneity




Figure 4: Diversity vs Welfare under No Recommendation

Better understanding user beliefs is important for improving the performance of RS that optimize for metrics that move away from accuracy such as serendipity [8]. Serendipity-based RS attempt to provide recommendations that "have the quality of being both unexpected and useful" [9] but it is hard to know what items are both unexpected and useful [8]. Understanding why a user has not consumed a good depends on the beliefs that the user has and this is important for designing serendipitious recommendations. For instance, in the example, the user does not consume  $x_3$  because she expects the good to turn out worse than the other two. However, if given more information, she would prefer to consume it over  $x_1$ and  $x_2$ . Moreover, when the user can use her known valuation of an item to make inferences on how good another item is, consumption is path-dependent, as beliefs guide consumption and consumption affects beliefs about other goods. For instance, learning the value of  $x_1$  says something about how good  $x_2$  is. As a result, understanding the beliefs of users helps us understand why users have not consumed certain items and, in particular, which items a user may find useful given more information about it. This poses an important problem: designing systems that elicit not only ex-post valuations but also ex-ante beliefs about valuations, as only by knowing these can RS be effective in steering users' choices. In particular, choice has to be perceived as guided by ex-ante utility, whereas ratings by the ex-post realized utility.

Understanding the choices that individuals will make in addition to what they will end up liking are complementary problems but require different viewpoints. [7, 15] argue that choice-based approaches alone can help in designing better RS, though they argue for these approaches because they do a better job at providing more accurate recommendations. We argue that the two problems should

<sup>&</sup>lt;sup>4</sup>We ignore an important component of decision-making under uncertainty, risk attitudes, by focusing on risk-neutral consumers. A risk-averse user may choose to consume a good with lower expected ex-post payoff but lower ex-ante variance compared to another good. While risk-aversion is important for decision-making under uncertainty, especially in the context of RS, it is not our main focus here.

<sup>&</sup>lt;sup>5</sup>This is a statement of *revealed preference* which has been studied heavily in economic decision theory (see e.g. [10]).

<sup>&</sup>lt;sup>6</sup>There has been some work in this direction in understanding when recommendations are persuasive [4, 5] as well as the effect of their delivery on effectiveness [12].

be considered separately – though they may interact in interesting and useful ways.<sup>7</sup>

RS are designed to give users *information* that is useful to help them make decisions. On the one hand, predicting a user's ex-post preferences is useful to know what items the user would like to consume. On the other hand, predicting what items a user will actually consume (without recommendation) can help reason about what information may actually be useful to give her. Furthermore, in designing RS to avoid filter bubble and homogenization effects, having accurate choice predictions allows mitigating such adverse effects to become a first-order component of design. In particular, by predicting both choice and ratings, RS can provide information to users that leads them to useful items but prevents them from falling into a filter bubble.

Solving this choice prediction problem requires data on the choices that individuals make and the sets that they choose them from in addition to the traditional ratings or behavioral data that is collected. In the example given previously the fact that the consumer chooses  $x_1$  from the set  $\{x_1, x_2, x_3\}$  would be the data that is useful for the choice prediction problem, as would the consumer's ex-ante beliefs about her valuation of the goods.

#### 5 CONCLUSION

We have argued that incorporating user choice under uncertainty should be a first-order component of RS design. By collecting appropriate data about user choices and user beliefs, RS can be built to better understand what choices users are likely to make and thus what information would be useful to give them as opposed to simply predicting what items a user will like. This approach can not only aid in designing more useful RS, but can also be utilized to better understand and prevent recently documented adverse effects of RS such as filter bubbles and homogenization.

#### **REFERENCES**

- Gediminas Adomavicius and Alexander Tuzhilin. Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions. IEEE Transactions on Knowledge & Data Engineering, (6):734-749, 2005.
- [2] Dirk Bergemann and Stephen Morris. Information design: A unified perspective. Journal of Economic Literature, 57(1):44-95, 2019.
- [3] Allison JB Chaney, Brandon M Stewart, and Barbara E Engelhardt. How algorithmic confounding in recommendation systems increases homogeneity and decreases utility. In Proceedings of the 12th ACM Conference on Recommender Systems, pages 224–232. ACM, 2018.
- [4] Paolo Cremonesi, Franca Garzotto, and Roberto Turrin. Investigating the persuasion potential of recommender systems from a quality perspective: An empirical study. ACM Transactions on Interactive Intelligent Systems (TiiS), 2(2):11, 2012.
- [5] Ulrike Gretzel and Daniel R Fesenmaier. Persuasion in recommender systems. International Journal of Electronic Commerce, 11(2):81–100, 2006.
- [6] Kartik Hosanagar, Daniel Fleder, Dokyun Lee, and Andreas Buja. Will the global village fracture into tribes? recommender systems and their effects on consumer fragmentation. *Management Science*, 60(4):805–823, 2013.
- [7] Hai Jiang, Xin Qi, and He Sun. Choice-based recommender systems: a unified approach to achieving relevancy and diversity. *Operations Research*, 62(5):973–993, 2014
- [8] Denis Kotkov, Shuaiqiang Wang, and Jari Veijalainen. A survey of serendipity in recommender systems. Knowledge-Based Systems, 111:180–192, 2016.

- [9] Andrii Maksai, Florent Garcin, and Boi Faltings. Predicting online performance of news recommender systems through richer evaluation metrics. In *Proceedings* of the 9th ACM Conference on Recommender Systems, pages 179–186. ACM, 2015.
- [10] Andreu Mas-Colell, Michael Dennis Whinston, Jerry R Green, et al. Microeconomic theory, volume 1. Oxford university press New York, 1995.
- [11] Sean M McNee, John Riedl, and Joseph A Konstan. Being accurate is not enough how accuracy metrics have hurt recommender systems. In CHI'06 extended abstracts on Human factors in computing systems, pages 1097–1101. ACM, 2006.
- [12] Emerson Murphy-Hill and Gail C Murphy. Recommendation delivery. In Recommendation Systems in Software Engineering, pages 223–242. Springer, 2014.
- [13] Tien T Nguyen, Pik-Mai Hui, F Maxwell Harper, Loren Terveen, and Joseph A Konstan. Exploring the filter bubble: the effect of using recommender systems on content diversity. In Proceedings of the 23rd international conference on World wide web, pages 677–686. ACM, 2014.
- [14] Eli Pariser. The filter bubble: How the new personalized web is changing what we read and how we think. Penguin, 2011.
- [15] Paula Saavedra, Pablo Barreiro, Roi Duran, Rosa Crujeiras, María Loureiro, and Eduardo Sánchez Vila. Choice-based recommender systems. In RecTour@ RecSys, pages 38–46, 2016.
- [16] Saul Vargas and Pablo Castells. Rank and relevance in novelty and diversity metrics for recommender systems. In Proceedings of the fifth ACM conference on Recommender systems, pages 109–116. ACM, 2011.
- [17] Qian Zhao, Martijn C Willemsen, Gediminas Adomavicius, F Maxwell Harper, and Joseph A Konstan. Interpreting user inaction in recommender systems. In Proceedings of the 12th ACM Conference on Recommender Systems, pages 40–48. ACM. 2018.
- [18] Cai-Nicolas Ziegler, Sean M McNee, Joseph A Konstan, and Georg Lausen. Improving recommendation lists through topic diversification. In Proceedings of the 14th international conference on World Wide Web, pages 22–32. ACM, 2005.

<sup>&</sup>lt;sup>7</sup>In particular, some results in [7, 15] may be driven by the fact that user choice embeds ratings information that may not have been observed by the recommender but is observed by the user. Ratings, reviews, friends, there are many sources of information affecting a person's beliefs and choices that are unobservable by RS. Other consumption choices, e.g. movies seen in the cinema, change beliefs about for instance how good a director is, which affect beliefs about other movies and guide choices on a streaming platform that is unable to observe these data.