

Draft

STA 210 - Project

Ginger and Stats - Aimi Wen, Rakshita Ramakrishna, Nathan Nguyen

```
library(tidyverse)
library(tidymodels)
library(tidytext)
library(patchwork)
library(stringr)

chocolate <- read_csv("../data/chocolate.csv")
```

Exploratory Data Analysis

Data description

Analysis approach

Shape of Ratings (already done)

...


Cocoa Percent (Aimi)

```
chocolate$cocoa_percent <- as.numeric(gsub('[,%]', '', chocolate$cocoa_percent))


chocolate$rating <- as.character(chocolate$rating)

ggplot(data= chocolate, aes(x= cocoa_percent)) + geom_histogram()
```

`stat_bin()` using `bins = 30`. Pick better value with `binwidth`.



```
ggplot(data= chocolate, aes(x= cocoa_percent, y= rating)) + geom_boxplot()
```



```
chocolate$rating <- as.numeric(chocolate$rating)
```

Ingredients (Nathan)

```
chocolate <- chocolate %>%
  mutate(lecithin = case_when(
    grepl("L", ingredients) ~ 1,
    T ~ 0
  ),
  vanilla = case_when(
    grepl("V", ingredients) ~ 1,
    T ~ 0
  ),
  cocoa = case_when(
    grepl("C", ingredients) ~ 1,
    T ~ 0
  )
```

```

),
salt = case_when(
  grepl("Sa", ingredients) ~ 1,
  T ~ 0
),

lecithin = as.factor(lecithin),
vanilla = as.factor(vanilla),
cocoa = as.factor(cocoa),
salt = as.factor(salt)
)





```

```

pL <- ggplot(chocolate, aes(lecithin)) +
  geom_bar()
pV <- ggplot(chocolate, aes(vanilla)) +
  geom_bar()
pC <- ggplot(chocolate, aes(cocoa)) +
  geom_bar()
pSa <- ggplot(chocolate, aes(salt)) +
  geom_bar()

(pL + pV)/(pC + pSa)

```




```
chocolate <- chocolate %>%
  mutate(
    num_ingres = if_else(is.na(ingredients), "0", str_sub(ingredients, 1, 1))
  )
```

```
chocolate %>%
  drop_na(
    ingredients
  ) %>%
  count()
```

```
# A tibble: 1 x 1
      n
<int>
1 2443
```

```
ggplot(chocolate, aes(num_ingres))+
  geom_bar()+
  labs(
    title = "Distribution of number of ingredients",
    x = "Number of ingredients"
  )
```




Most Memorable Characteristic (Aimi)

```
tidy_chocolate<- chocolate %>%
  unnest_tokens(word, most_memorable_characteristics)

tidy_chocolate %>%
  group_by(word) %>%
  summarize( n= n(),
             rating= mean(rating) ) %>%
```

```
ggplot(aes(n, rating)) +
  geom_hline(yintercept= mean(chocolate$rating)) +
  geom_jitter(color= "blue", alpha= 0.5) +
  geom_text(aes(label= word),
            check_overlap= TRUE,
            vjust= "top",
            hjust= "left") +
  scale_x_log10()
```



Country Bean of Origin vs Specific Bean Origin (Rakshita)

Company Location (Rakshita)

The data dictionary can be found [here](#).

Review Date (Nathan)