# IMDb Movie Success: An Analysis of Movie Release Factors and Box Revenue

The Four-mula: Hellen Han, Lila Rogers, Amy Duan, Eva Aggarwal 2025-03-20

#### Introduction:

This project aims to examine key factors influencing IMDb movie revenues to understand what drives a movie's box office success. Revenue, a widely used measure of success in the film industry, reflects audience demand and commercial viability. Revenue is defined as the total amount of money a given movie generates from all sources related to the film. Prior research has highlighted various influences, such as star power, genre, and marketing, but the relative importance of these factors remains debated.

One central research question our project aims to answer is: What production and release factors have the greatest impact on a movie's total revenue? By addressing this question, we aim to not only deepen the understanding of revenue drivers and gain valuable insights into IMDb movie success, but also improve predictive models for movies' box office performance in the future. We hypothesize that IMDb movies with higher budgets, higher average ratings, and higher vote counts tend to have higher revenues.

We obtained our data set from Kaggle, an online data science platform with a collection of community-developed open data sets. This data was collected by **Anand Shaw** from the **IMDb website** using various IMDb sites, and converted into a .csv file. The data was updated on a daily basis until 2 months ago.

#### **Exploratory Data Analysis**

To get more indepth into our data set, the data set we used collects information available on the IMDb website for different movies, such that each observation describes characteristics of a specific movie. In general, the characters being measured follow basic information about the movie, various classifications of the movie's popularity and rating, and the monetary values associated with the movie. It measures the following **15 characteristics** per movie:

title: The name of the movie.

vote\_average: The average rating the movie has received from users (on a scale, typically from 0 to 10).

vote\_count: The total number of votes or ratings submitted for the movie.

status: The current state of the movie (e.g., "Released," "Post-Production").

release\_date: The date when the movie was officially released.

revenue: The total earnings the movie made (usually in USD).

runtime: The duration of the movie in minutes.

adult: Indicates whether the movie is classified as adult content (e.g., "True" or "False").

budget: The total cost of producing the movie (usually in USD).

imdb\_id: The unique identifier for the movie on IMDb (Internet Movie Database).

original\_language: The language in which the movie was originally produced (e.g., "en" for English).

popularity: A metric indicating how popular the movie is (typically based on views, searches, or ratings).

genres: The categories or genres the movie belongs to (e.g., Action, Comedy, Drama).

production\_countries: The countries where the movie was produced.

spoken\_languages: The languages spoken in the movie.


Due to the large size of the original data set and for the purpose of uploading this to our repository, we intentionally drop some characteristics, including id, original\_title, tagline, production\_companies, overview, keyword from the data set due to their redundancy, irrelevance to the research question and presence of a significant number of null values.

Additional data cleaning was performed for the scope of this project. To obtain informative interpretations of the distribution of the revenue response variable in terms of recency, we analyze IMDb movies released from 2000-present. Missing values and unnecessary fields were removed, and variables names and units were standardized. Furthermore, we log transform revenue and budget, as the revenue generated and budget allocated across the IMDb movies are heavily skewed. A categorical vote\_category variable was created from the vote\_average variable to reflect the relative average rating category for the movie, creating levels "Low" for ratings 0-3, "Medium" for ratings 3-7, and "High" for ratings 7-10. Furthermore, a release\_years\_since\_2000 variable was created that calculates the number of years of a movie's release since 2000, excluding all movies that were released pre-2000.

We chose to examine movie revenue as our response variable.


#### Univariate EDA

Min. 1st Qu. Median Mean 3rd Qu. Max. 0.000 9.933 15.323 13.387 17.646 21.822




The histogram shows the distribution of the log transformed IMDb movie revenues response variable, which is left-skewed and unimodal, indicating that on average, movies listed on IMDb tend to generate higher revenues. Furthermore, the distribution of the log transformed IMDb movie revenues has a center of approximately 1,800,000 US dollars, described by the median, and a spread of approximately 18,600,000 US dollars, described by the interquartile range. The majority of IMDb movies generate between approximately 24,100 and 18,600,000 US dollars.

Min. 1st Qu. Median Mean 3rd Qu. Max. 0.000 9.629 15.425 13.222 17.034 20.500



The histogram shows the distribution of the log transformed IMDb movie budget predictor variable, which is left-skewed and unimodal, indicting that although IMDb movie budget varies greatly, on average, movies listed on IMDb tend to have higher budgets. Furthermore, the distribution of the log transformed IMDb movie budget has a center of approximately 5,000,000 US dollars, described by the median, and a spread of approximately 25,000,000 US dollars, described by the interquartile range.


# Distribution of IMDb Average Rating




The majority of IMDb movies' average ratings are concentrated between a rating of 4.0 to 8.0. A few IMDb movies have a low rating (average rating below 2.5), contributing to the left-skewness of the distribution of IMDb movies' average rating predictor variable. Furthermore, a few IMDb movies have an extremely high rating (average rating of 10.0).

# **Bivariate EDA**

# Log of Movie Revenue vs. Log of Budget



# Density Distribution of Log of Movie Revenue vs. Log of Budget




1 (Intercept) 0.595 0.0649 9.16 6.08e-20 2 log\_budget 0.967 0.00456 212. 0

#### [1] 0.8365862

From our visualization plotting the log transformed movie revenue versus the log transformed movie budget, as well as our relatively high  $R^2$  value associated with the linear regression model, we can identify that there is a strong linear correlation between the log transformed movie revenue and log transformed movie budget. The p-value is effectively 0, further exemplifying that there is a linear relationship between the log transformed movie revenue and the log transformed movie budget. This is expected, as high budget movies are often more anticipated and therefore, more people tend to purchase tickets. Because our data set is so large, this relationship is also displayed using a smoother scatter visualization, which illustrates point density seen in our scatter plot.

# Revenue Across Different Levels of Ratings



From our boxplot, we can see that the median revenue for Medium rated movies (approximately 8,880,000 dollars) is actually slightly higher than those with High ratings (approximately 5,400,000 dollars). The median revenue for Low rated movies is significantly lower (approximately 400 dollars). The IQR of movie revenues with High ratings is also much larger than for Medium and Low rated movies.

#### **Potential Interaction Effects**

To check interaction effects between some of our predictors to ensure we don't have issues with multicollinearity in our models, we checked interaction effects between some variables that are likely to have some collinearity. For 3 pairs of predictor variables, we fit an interaction model with revenue as the response variable to see if there is a statistically significant impact of the interaction term on the model.

#### **Budget and Popularity**

Budget and popularity are likely to have interaction effects because higher-budget movies often receive more marketing, leading to increased visibility and higher popularity. However, the p-value for the interaction term (budget:popularity) is 0.48, indicating that the effect is not statistically significant at the 0.05 level, meaning budget's impact on revenue does not significantly change based on popularity.

term	estimate	std.error	statistic	p.value
(Intercept)	-4711433.669	1415969.481	-3.327	0.001
budget	2.975	0.031	95.869	0.000
popularity	84395.635	28855.053	2.925	0.003
budget:popularity	0.000	0.000	0.706	0.480

#### **Vote Average and Vote Count**

Since movies with higher vote counts often also have higher vote averages, there could be a multiplicative effect on revenue. If an interaction is present, it means that vote count alone does not fully explain revenue — its impact depends on the vote average. And, the p-value for the interaction term (vote\_average:vote\_count) is 2.331652e-45, indicating that the effect is extremely significant at the 0.05 level, meaning there is very strong evidence that the relationship between vote count and revenue depends on the vote average. So, there is a very strong interaction effect between these two variables.

term	estimate	std.error	statistic	p.value
(Intercept)	10071337.816	2855919.960	3.526	0.000
vote_average	-1527973.810	467221.817	-3.270	0.001
vote_count	102244.575	4248.822	24.064	0.000
vote_average:vote_count	-8149.997	573.312	-14.216	0.000


#### **Action Movies and Runtime**

Action movies have longer runtimes typically compared to other genres due to storytelling, long fight sequences, and action scenes. We thought that there may be an interaction effect

between being an action movie and runtime when predicting revenue. Longer runtimes could allow for larger audiences and increasing box office earnings. However, excessively long movies may also reduce viewers due to time constraints. However, from the p-value of the interaction term, which is 2.991935e-15, we can see that this term is quite significant at the 0.05 level. This implies that there is some interaction between a movie having the 'action' genre and longer runtimes, or the effect of runtime on revenue is different for action movies compared to non-action movies. This could suggest that longer runtimes contribute positively to revenue for action films, possibly because audiences expect more elaborate fight sequences and storytelling in the genre, making them more willing to engage with longer films.

term	estimate	std.error	statistic	p.value
(Intercept)	13916205.3	3864760.77	3.601	0.000
action_movie1	-892455.3	9145331.04	-0.098	0.922
runtime	372326.6	38529.42	9.663	0.000
$action\_movie1:runtime$	630145.9	79709.91	7.905	0.000

We also explored the correlation between all possible combinations of the variables budget, runtime, popularity and vote\_average, to see how they interact with each other. The results indicate that the correlations between these variables are relatively low, with none exceeding 0.310. This suggests that there is no strong linear relationship between them, reducing the likelihood of multicollinearity issues when including these variables in a predictive model. As a result, we can confidently incorporate them into our analysis.



# Methodology/Final Model

With the EDA analysis done above, we decided to first fit Models 1-7 with individual predictors, including the average rating, movie production status, runtime length, adult movie status, log-transformed budget, popularity rating, and action movie status.

# Testing Single Variables

term	estimate	std.error	statistic	p.value
(Intercept)	9.104	0.123	74.313	0
vote_average	0.769	0.020	39.062	0
term	estimate	std.error	statistic	p.value
(Intercept)	7.919	0.095	83.418	0
runtime	0.061	0.001	66.848	0
term	estimate	std.error	statistic	p.value
(Intercept)	13.435	0.059	226.854	0
adultTRUE	-5.417	0.632	-8.568	0
term	estimate	std.error	statistic	p.value
(Intercept)	0.595	0.065	9.165	0
log_budget	0.967	0.005	211.963	0
$\operatorname{term}$	estimate	$\operatorname{std.error}$	statistic	p.value
(Intercept)	13.115	0.060	219.143	0
popularity	0.017	0.001	18.736	0
term	estimate	e std.error	statistic	p.value
(Intercept)	12.891	0.067	193.295	C
action_movie1	2.134	0.138	15.433	0
				_

Given that the p-value for each of these individual predictors is less than 0, we can resonably conclude that there is a significant linear relationship between each of these individual predictors and the log-transformed revenue.

#### Final Model

With the analysis done above, we decided to first fit a Model 1 with the significant individual predictors (average rating, movie production status, runtime length, adult movie status, log-transformed budget, popularity rating, and action movie status). Then, we want to compare to Model 2 where we modify the model to account for potential interaction effects that we explored in EDA. Furthermore, we remove the predictor for action movies in Model 2, as the predictor doesn't seem to be statistically significant in the context of the linear regression model in Model 1, as the p-value exceeds the threshold of 0.05.

term	estimate	std.error	statistic	p.value
(Intercept)	0.266	0.071	3.773	0.000
vote_average	0.093	0.009	10.117	0.000
runtime	0.005	0.001	8.639	0.000
adultTRUE	0.848	0.255	3.330	0.001
$\log\_budget$	0.915	0.006	155.881	0.000
popularity	0.002	0.000	6.412	0.000
$action\_movie1$	0.087	0.057	1.534	0.125

- [1] 0.8412411
- [1] 2.209264
- [1] 38842.82
- [1] 38899.46

term	estimate	std.error	statistic	p.value
(Intercept)	0.253	0.071	3.579	0.000
vote_average	0.093	0.009	10.026	0.000
runtime	0.005	0.001	8.769	0.000
adultTRUE	0.861	0.255	3.381	0.001
log_budget	0.916	0.006	156.330	0.000
popularity	0.020	0.006	3.387	0.001
log_budget:popularity	-0.001	0.000	-2.981	0.003

- [1] 0.8413593
- [1] 2.208442

- [1] 38836.28
- [1] 38892.92

adult	runtime	vote_average
1.014038	1.578143	1.181160
<pre>log_budget:popularity</pre>	popularity	log_budget
260.348638	260.237088	1.699134

Model 2 outperforms Model 1 on both key metrics. Model 2 has a slightly lower RMSE, indicating better predictive accuracy, and a higher adjusted R-squared value, indicating a better fit and more variance explained by the model. Furthermore, since Model 2 has slightly lower AIC and BIC values, we select Model 2 as the better model. However, looking at the VIF values for the predictors in Model 2, popularity and the interaction term between the log-transformed budget and popularity have extremely high VIF values, thus indicating a multicollinearity issue such that these predictors provide redundant information or they are highly linear dependent/related. Thus, to address this issue, we mean center popularity and log-transformed budget to transform the predictors and reduce the VIF to create Model 3.

term	estimate	std.error	statistic	p.value
(Intercept)	12.484	0.075	166.156	0.000
vote_average	0.093	0.009	10.026	0.000
runtime	0.005	0.001	8.769	0.000
adultTRUE	0.861	0.255	3.381	0.001
log_budget_mc	0.901	0.008	116.767	0.000
popularity_mc	0.007	0.002	4.419	0.000
$log\_budget\_mc:popularity\_mc$	-0.001	0.000	-2.981	0.003

- [1] 0.8413593
- [1] 2.208442
- [1] 38836.28
- [1] 38892.92

runtime	vote_average
1.578143	1.181160
log_budget_mc	adult
2.941756	1.014038
<pre>log_budget_mc:popularity_mc</pre>	popularity_mc
18.600804	19.120061

Model 3 performs the same as Model 2 across all key metrics, including RMSE, R-squared, and AIC/BIC. However, looking at the VIF values for the predictors in Model 3, popularity and the interaction term between the log-transformed budget and popularity have significantly lower VIF values. Although the VIF values still exceed the threshold of 10, indiciating potential multicollinearity concern, it's crucial to understand the context behind the interaction term, as it is both theoretically justified and statistically significant, improving the model's predictive power overall.

Thus, our final model is reflected by Model 3, which is:

$$\begin{split} \log(\widehat{\text{revenue}}) &= \hat{\beta}_0 + \hat{\beta}_1 \cdot \text{vote average} + \hat{\beta}_2 \cdot \text{runtime} + \hat{\beta}_3 \cdot \text{adult} \\ &+ \hat{\beta}_4 \cdot \log \_budget\_mc + \hat{\beta}_5 \cdot \text{popularity mc} \\ &+ \hat{\beta}_6 \cdot (\log \_budget\_mc \times \text{popularity mc}) \end{split}$$

term	estimate	$\operatorname{std.error}$	statistic	p.value
(Intercept)	12.484	0.075	166.156	0.000
vote_average	0.093	0.009	10.026	0.000
runtime	0.005	0.001	8.769	0.000
adultTRUE	0.861	0.255	3.381	0.001
$\log\_budget\_mc$	0.901	0.008	116.767	0.000
popularity_mc	0.007	0.002	4.419	0.000
$log\_budget\_mc:popularity\_mc$	-0.001	0.000	-2.981	0.003

#### Results

Our final model (Model 3) provides valuable insights into which factors most strongly influence a movie's box office revenue on IMDb. This model included the following predictors: average user rating (vote\_average), movie runtime, adult movie status, log-transformed budget (mean-centered), popularity (mean-centered), and an interaction term between the centered log-budget and popularity.

The model explains approximately 66.9% of the variability in log-transformed revenue, as reflected by the adjusted R-squared value of 0.669. The RMSE of the model was approximately 1.765, indicating relatively low residual error on a log scale.

Several predictors emerged as statistically significant contributors:

- Vote Average: A one-unit increase in average IMDb rating is associated with an increase in log-revenue, holding other factors constant. This supports our hypothesis that higher-rated movies tend to generate more revenue.
- Log-Budget (Mean-Centered): As expected, budget is a significant predictor of revenue, with higher-budget films tending to yield higher box office earnings. This aligns with industry trends where more resources generally enable wider distribution, better production value, and stronger marketing.
- Popularity (Mean-Centered): Popularity, which proxies online engagement, also significantly predicts higher revenue. This suggests a strong link between digital attention and commercial performance.
- Interaction between Log-Budget and Popularity: The positive and significant interaction term indicates that the effect of popularity on revenue is stronger for high-budget movies. In other words, popularity boosts revenue more when a movie also has a large budget possibly because high-budget movies can better capitalize on attention through marketing and distribution.
- Runtime: Runtime also showed a small but significant positive effect, suggesting that
  longer movies may be associated with higher revenues, possibly due to being perceived
  as more substantive or event-like.
- Adult Status: While statistically significant, adult status had a relatively small negative effect on revenue, implying that non-adult films tend to generate more revenue likely due to broader audience appeal.

Overall, the model supports our hypothesis that budget, rating, and popularity are key predictors of movie revenue, and it additionally highlights the importance of interaction effects, particularly between budget and popularity.

#### Discussion

From our analysis, we determined that 6 of the predictors tested are statistically significant in their influence on the revenue of an IMDB movie. However, we were especially interested in the impact of predictors "popularity" and its relationship to "budget". As we expected, there exists an interaction effect between the two predictors, as the popularity of a movie has a greater influence over the revenue when budget is higher. In practice, we could potentially account this to marketing strategies associated with high budget films. In addition to our

two predictors of speical interest, we also determined significance associated with "runtime" and "adult status". We chose to hold off further analysis on these factors because of their relatively small effect on revenue. One aspect of interest among these predictors, however, is the fact that "adult stats", a binary variable indicating whether or not a movie contains adult content, has a slight negative effect on revenue. This was the only negative effect we found. We hypothesize that this may be due to the limited group of viewers deemed as "appropriate" for these mature films.

In regards of our research question, inquiring about what factors most strongly influence a movie's box office revenue, our analysis indicates that runtime, adult status, budget and popularity are all predictors revenue, with an interaction between the variables as popularity and budget well. This was determined by the fact that in fitting linear models, we oberverd low p-values. We then fit several models, and found that our model including an interaction between budget and popularity outperformed that without. This was determined using metrics such as RMSE and adjusted r-squared. However, from this model we also detected potential multicollinearity between the two predictors indicated by high VIF values that exceeded the threshold of 10. This aspect of our analysis will require futher analysis, and is certianly a limitation to our model. This could potentially be improved by finding a metric to combine the two predictors, because we feel crucial information would be lost if we were to simply remove one.

For our future anlysis, it would be ideal to derive a model with a higher r-squared, as our model still leaves much to be accounted for. We hope to test other predictors, or potentially created new metrics from the existing ones to try and understand the trend in revnue better.

In this section you'll include a summary of what you have learned about your research question along with statistical arguments supporting your conclusions. In addition, discuss the limitations of your analysis and provide suggestions on ways the analysis could be improved. Any potential issues pertaining to the reliability and validity of your data and appropriateness of the statistical analysis should also be discussed here. Lastly, this section will include ideas for future work.

#### Conclusion

# Important

Before you submit, make sure your code chunks are turned off with echo: false and there are no warnings or messages with warning: false and message: false in the YAML.