Maximum likelihood estimation

Recap: maximum likelihood estimation

Definition: Let $\mathbf{Y} = (Y_1, \dots, Y_n)$ be a sample of n observations, and let $f(\mathbf{y}|\theta)$ denote the joint pdf or pmf of \mathbf{Y} , with parameter(s) θ . The *likelihood function* is

$$L(\theta|\mathbf{Y}) = f(\mathbf{Y}|\theta)$$

Definition: Let $\mathbf{Y} = (Y_1, \dots, Y_n)$ be a sample of n observations. The maximum likelihood estimator (MLE) is

$$\hat{\theta} = \operatorname{argmax}_{\theta} L(\theta|\mathbf{Y})$$

Continuing $N(\theta,1)$ example

Example: $Uniform(0,\theta)$

Let $Y_1, \ldots, Y_n \stackrel{iid}{\sim} Uniform(0, \theta)$, where $\theta > 0$. We want the maximum likelihood estimator of θ .

Discuss with your neighbors what the MLE of θ might be. Hint: focus on finding and sketching the likelihood function $L(\mathbf{Y}|\theta)$

Example: $N(\theta,\sigma^2)$

Invariance of the MLE

Maximum likelihood estimation for logistic regression

$$Y_i \sim Bernoulli(p_i)$$

$$\logigg(rac{p_i}{1-p_i}igg) = eta_0 + eta_1 X_{i,1} + \dots + eta_k X_{i,k}$$

Suppose we observe independent samples $(X_1,Y_1),\ldots,(X_n,Y_n).$ Write down the likelihood function

$$L(eta|\mathbf{X},\mathbf{Y}) = \prod_{i=1}^n f(Y_i|eta,X_i)$$

for the logistic regression problem.