

Combinations

STAT 330 - Iowa State University

In this lecture students will learn about combinations. The combination number gives us the number of ways to choose k objects from n when we have an unordered sample, without replacement. We will use the combination number to find probabilities.

Combination

Unordered Without Replacement

Select k objects out of n objects with *no replacement* where *order does not matter*.

$$\Omega = \{\{x_1, \dots, x_k\} : x_i \in \{1, \dots, n\}, x_i \neq x_j\}$$

To derive $|\Omega|$ for this scenario, we can go back to how it was derived for permutations (where order mattered).

- **Step 1:** Select k objects from n (order doesn't matter)
- **Step 2:** Order the objects (there is $k!$ ways to order objects)

$$P(n, k) = (\text{number of ways to select } k \text{ objects unordered}) \cdot k!$$

$$\text{Number of ways to select } k \text{ objects unordered} = \frac{P(n, k)}{k!} = \frac{n!}{(n-k)!k!}$$

$\boxed{1, 2, 3} \Rightarrow 2$ $(1, 2), \cancel{(2, 1)}, (1, 3), \cancel{(3, 1)}, \frac{6}{2} = \textcircled{3}$
 $(2, 3), \cancel{(3, 2)}$

Combination

Definition

A **combination** is a subset of k objects from n objects. This is another name for **unordered without replacement** scenario.

Theorem

total # in box
we choose
 $C(n, k)$, called the **combination number**, is the number of combinations of k objects chosen from n .

$$C(n, k) = \boxed{\binom{n}{k}} = \frac{n!}{(n-k)!k!}$$

- $C(n, k)$ or $\binom{n}{k}$ is read " n choose k "

Combination Example

Example 7: Lottery (pick-five)

The lottery picks 5 numbers from $\{1, \dots, 49\}$ without replacement as the “winning numbers”. You choose 5 numbers and win if you pick at least 3 of the winning numbers.

1. What is the probability you match all 5 winning numbers?
2. What is the probability you win?

Easiest way to do combination problems is to draw a picture of the problem by visualizing a box of items you are selecting from. Break the box into sections according to the problems.

Here, we break the box into “winning” and “non-winning” numbers.

$\{1, \dots, 149\}$

5	44
win	non-win

Draw 5 cards from
a 52 card deck


Q.) At least 2 hearts

H	Non-H
13	39

Combination Example

1. What is the probability you match all 5 winning numbers?

2.) *Event:* To match all 5 winning numbers – we need to choose 5 numbers from “winning” and group, and 0 numbers from the “non-winning” group. This is done in ...



$$|A| = \binom{5}{5} \cdot \binom{44}{0} = \frac{5!}{(5-5)!5!} \frac{44!}{(44-0)!0!} = \frac{5!}{0!5!} \frac{44!}{44!0!} = \frac{5!}{1 \cdot 5!} \frac{44!}{44! \cdot 1} = 1$$

3.) *Sample Space:* How many total ways are there to choose 5 numbers from 49 numbers (all possibilities). This is done in ...

$$|\Omega| = \binom{49}{5} = \frac{49!}{(49-5)!5!} = \frac{49!}{44!5!} = \underline{\underline{1,906,884}}$$

$$\mathbb{P}(\text{match all}) = \frac{\binom{5}{5} \cdot \binom{44}{0}}{\binom{49}{5}} = \frac{1}{1,906,884} = \boxed{0.000005}$$

Combination Example


2. What is the probability you win? (Recall that you win if you match at least 3 "winning" numbers.)

$$\mathbb{P}(\text{win}) = \mathbb{P}(\text{match at least 3}) =$$

$$\mathbb{P}(\text{match 3}) + \mathbb{P}(\text{match 4}) + \mathbb{P}(\text{match 5})$$

$$\frac{\binom{5}{3} \cdot \binom{44}{2}}{\binom{49}{5}} + \frac{\binom{5}{4} \cdot \binom{44}{1}}{\binom{49}{5}} + \frac{1}{\binom{49}{5}}$$

$$\approx \boxed{.005}$$



Combination Example

Counting Summary

<u>Method</u>	<u># of Possible Outcomes</u>
<i>Ordered with replacement</i>	n^k
<i>Ordered without replacement</i>	$P(n, k) = \frac{n!}{(n-k)!}$
<i>Unordered without replacement</i>	$C(n, k) = \binom{n}{k} = \frac{n!}{(n-k)!k!}$

Recap

Students should be familiar with combinations and the combination number. They should be able to apply it to probability questions under unordered without replacement samples.