

# Project Title: System Verification and Validation Plan for Software Engineering

Team 15, ASLingo

Andrew Kil

Cassidy Baldin

Edward Zhuang

Jeremy Langner

Stanley Chan

April 4, 2024

# 1 Revision History

Date	Version	Notes
Oct 31, 2023	Jeremy	Added in draft for sect 4.1 system tests for functional requirements
Nov 1, 2023	Stanley	Added sections 3, 3.1, and 3.2
Nov 1, 2023	Jeremy	Updated sec 4.1 with goals of each and added in new item for new FR
Nov 2, 2023	Cassidy	Updated sec 4.2 with tests for non-functional requirements
Nov 2, 2023	Stanley	Added design verification plans
Nov 2, 2023	Andrew	Updated Sections 3.4-3.7
Nov 3, 2023	Edward	Added all of Section 2
Nov 3, 2023	Andrew, Cassidy, Jeremy, Stanley	Added Reflections
Nov 3, 2023	Cassidy	Added section 1 and usability survey questions
Nov 3, 2023	Edward	Added Reflection
Nov 3, 2023	Jeremy	Added in sect 4.3 table matrices
Jan 23, 2024	Cassidy	Addressed git issue #49 regarding NFRT2 - PT3 and PR3
Jan 23, 2024	Cassidy	Addressed git issue #52 regarding traceability to FR5, added test case
April 2, 2024	Andrew	Added functional unit tests, removed unused testing
April 3, 2024	Cassidy	Updated FR and NFR tests, changed tables, updated usability questions
Apr 4, 2024	Jeremy and Cassidy	Removed auth tests and refactored current tests to proper requirement changes

## **Contents**

## **List of Tables**

## 2 Symbols, Abbreviations, and Acronyms

Table 1: Naming Conventions and Terminology

Term, Abbreviation, or Acronym	Description
A	Shorthand for Assumption
ASL	Shorthand for American Sign Language. It is a form of sign language primarily used in the US and in parts of Canada
ASLingo	The commercial name for the project
CV	Refers to Computer Vision, the field of technology that involves processing visual input to achieve various means.
CR	Shorthand for 'Cultural Requirements', a subsection of Non-Functional Requirements.
HSR	Shorthand for 'Health and Safety Requirements', a subsection of Non-Functional Requirements.
FR	Shorthand for Functional Requirements
LR	Shorthand for 'Legal Requirements', a subsection of Non-Functional Requirements.
LFR	Shorthand for 'Look and Feel Requirements', a subsection of Non-Functional Requirements.
MSR	Shorthand for 'Maintainability and Support Requirements', a subsection of Non-Functional Requirements.
OER	Shorthand for 'Operational and Environmental Requirements', a subsection of Non-Functional Requirements.

OpenCV	Refers to the Open Computer Vision Library library available for free to developers in order to develop Computer Vision applications.
PR	Shorthand for 'Performance Requirements', a subsection of Non-Functional Requirements.
SR	Shorthand for 'Security Requirements', a subsection of Non-Functional Requirements.
UHR	Shorthand for 'Usability and Humanity Requirements', a subsection of Non-Functional Requirements.

## 3 General Information

### 3.1 Summary

As a machine learning-based image recognition web app, ASLingo has many areas to be tested. The overall software will be broken down into modules. There will be a front-end, a back-end, and a machine learning model which all need to be separately tested, along with physical hardware and compatibility. End-to-end testing may be required as well, which the team will determine down the line.

### 3.2 Objectives

This document aims to outline the testing plan for ASLingo in order to create a functional and reliable product for users that aligns with the specified requirements. The team seeks to build confidence in stakeholders and users that the software is correct and meets or exceeds the initial intended goals, resulting in an overall satisfactory user experience.

### 3.3 Relevant Documentation

Below is a list of the relevant documentation referenced within the Verification and Validation Plan.

The [Development Plan](#) outlines the roles of each team member and the areas that each member will focus on. This breakdown of team responsibilities allows the team to assign testing roles accordingly. This document also contains the tools that the team plans on using for testing.

The [Software Requirements Specification](#) lists the functional and non-functional requirements which will aid in testing by formulating a testing plan to meet each requirement. Non-functional requirements should be tested such that the fit criteria are met.

The [Hazard Analysis](#) identifies failure modes to determine the implementation strategies to mitigate them. These will be used as a part of the testing plan to ensure that the failures are covered.

The [Module Guide](#) divides the software into modules. The team will build the testing plan around the modules.

The [Module Interface Specification](#) further decomposes the software's modules into specific access routines. The team will build the testing plan such that each function and routine works as intended.

## 4 Plan

The following section aims to outline and describe the team's verification and validation plan over the course of the project. Parts of the project that are planned to be tested and verified will be the SRS, Design, and VnV Plan documents, as well as the codebase of the overall project.

### 4.1 Verification and Validation Team

Name	Roles and Responsibilities
Stanley Chan	Frontend verification, Computer Vision verification, SRS Verification
Andrew Kil	Frontend end-to-end testing, Computer Vision verification, Design Verification
Cassidy Baldin	Fullstack end-to-end testing, frontend manual testing, SRS Verification
Edward Zhuang	Backend performance testing, Computer Vision unit testing, SRS Verification
Jeremy Langner	Fullstack unit testing, frontend manual testing, VnV Plan Verification
McMaster SLC	Providing feedback during project development

### 4.2 SRS Verification Plan

SRS Verification will be done through in-group reviews performed by designated SRS verifiers (as mentioned in the VnV team table) and through TAs and peer reviewers from other groups.

SRS verifiers in the group will first review the SRS before the submission date, then the group will collectively iron out any potential issues that may arise from TA and peer review feedback.

### 4.3 Design Verification Plan

Design verification will also be done in-group before each respective milestone. Peer reviewers and TAs will provide additional feedback after the deadline. Verification goals for the design includes, but is not limited to; accessibility, user experience, error handling, etc.

We will also perform iterative testing in between milestones with the McMaster Sign Language Club. This is to ensure that new features added to the design are user friendly and intuitive to use from the perspective of the average user. As such, we will designate members of the McMaster Sign Language Club as the primary personas for our user interface design, in an effort to develop a user experience as human-centered as possible.

To summarize, the basic verification workflow for our design will be as follows:

**Before a milestone deadline:**

- In-group verification

**After a milestone deadline:**

- TA feedback
- Peer review feedback

**Periodically between milestones:**

- McMaster SLC iterative stakeholder testing

### 4.4 Verification and Validation Plan Verification Plan

The current approach to validate our Verification and Validation plan is to rely on third party reviews from other teams as well as mutation testing to verify whether our tests work as intended. The mutation tests will aim to accomplish the following:

- ☐ Did the test manage to detect the mutation and behave accordingly? (I.e. pass/fail when it should)



- ☐ Did the test's behaviour stay consistent with its behaviour prior to the mutation's introduction, and if so, was this expected?
- ☐ Did the test accomplish provide sufficient information to act upon the failure induced by the mutation, and if so, would this be enough in the event of a non-controlled failure?

## 4.5 Implementation Verification Plan

The current implementation verification plan is a combination of both static and dynamic testing. We plan to utilize static methods like regular code walkthroughs and inspections before merges with the main branch at the end of project milestones. These reviews should be performed by at minimum 2-3 team members. Dynamic testing methods include the fundamental system tests mentioned in the following section ?? for both functional and non-functional-requirements of the final product. Should any issue arise through either avenue of of implementation verification, the team as a whole should work on and approve the final solution that is developed as a result.

## 4.6 Automated Testing and Verification Tools

As already mentioned prior in the Development Plan, Back-end Unit Testing plans to make use of the Pytest Unit Testing Framework with the 'pytest-cov' plugin to provide code coverage metrics. Front-end Unit Testing Plans to make use of Jest for both Unit Testing and for Code Coverage Metrics, utilizing its built in '-coverage' tool upon runtime.

For code verification, this was also mentioned previously in the Development plan. We plan to follow PEP8 Python coding standard and use the 'Flake8' linter to help enforce and check if our upholds said standard. As for the JavaScript front-end, we plan to follow the Airbnb Style Guide. Additionally, as this was not discussed within the Development Plan, the use of the 'ESLint' linter to help enforce such standards.

## 4.7 Software Validation Plan

The software will be validated utilizing a mix of Black Box/Usability Testing and White Box Testing. The Black Box/Usability Testing will be conducted by external groups to our core team, ideally by members of our stakeholder

group i.e. the McMaster University Sign Language Club as they are the closest to our target demographic of individuals who are interested in learning sign language. This will give us the most accurate test data for the end-users who will be using the final product. The Black Box Testing sessions will solely consist of instruction to form a specific hand sign, their formation of the hand sign for input and a resulting correct or not output.

White Box Testing will be performed internally by team members throughout the course of development. Post every milestone, at minimum 2 members will run through the system and test for the key functionality that was added in the milestone. Since team members are the ones who have the intimate understanding of the core functionality of the system, it only makes sense for use to be the ones who perform the testing.

## **5 System Test Description**

### **5.1 Tests for Functional Requirements**

#### **5.1.1 ASL Learning Progression**

##### **1. FRT1-LP1**

Goal: User performs ASL signs

Control: Manual

Initial State: The user is in an ASL course prompt question and has a functioning webcam approved by application

Input: User displays hand signs

Output: The system output error if cannot recognize hands in camera view otherwise recognized sign

Test Case Derivation: System needs to be able to recognize ASL hand signs for user learning/practice

How test will be performed: Manual test with user testing hand signs within exercise page

Functional Requirement: FR1, FR2, FR4

##### **2. FRT1-LP2**

Goal: Complete a quiz

Control: Manual

Initial State: The user is on the exercises page

Input: User clicks on a quiz

Output: The system starts the quiz for user to complete

Test Case Derivation: Users should be able to test themselves on their ASL knowledge

How test will be performed: Manual test

Functional Requirement: FR5, FR6, FR7

### 3. FRT1-LP3

Goal: Get user sign feedback

Control: Manual

Initial State: User is currently working on an ASL prompt question

Input: User attempts appropriate sign

Output: The system determines if their sign action is accurate and displays message conveying the accuracy

Test Case Derivation: Users shall be able to see within a quiz if they are doing the sign correct

How test will be performed: Manual user testing will occur with knowledge of ASL signs

Functional Requirement: FR1, FR2, FR3

## **Web Application**

### 1. FRT2-U1

Goal: Access web application

Control: Manual

Initial State: User has a modern web browser.

Input: User enters the web app url into url textbox.

Output: System loads ASLingo homepage

Test Case Derivation: Users need to access web app for functionality.

How test will be performed: Manual test with user entering input.

Functional Requirement: FR1

## Hardware

### 1. FRT3-HW1

Goal: Access web camera

Control: Manual

Initial State: User has working built in or external webcam and recognized by their operating system.

Input: User begins quiz which begins with a camera verification

Output: System displays camera output or error if it cannot recognize camera.

Test Case Derivation: Users need to access web camera for functionality.

How test will be performed: Manual test with user starting quiz using working webcam.

Functional Requirement: FR1

### 2. FRT3-HW2

Goal: Monitor web camera useability

Control: Manual

Initial State: User has working built in or external webcam and recognized by their operating system.

Input: User is currently within a quiz and camera error arises

Output: System displays camera output or error if it cannot recognize camera

Test Case Derivation: Users need to access web camera for functionality

How test will be performed: Manual test with user currently in quiz that initiates camera error

Functional Requirement: FR1

## 5.2 Tests for Nonfunctional Requirements

### 5.2.1 Usability Requirements

#### User Testing

## 1. NFRT1 - UT1

Goal: The user is able to start the application with little to no prior training.

Type: Dynamic, Manual

Initial State: The user is given a link to the where the application is being hosted.

Input: The user should be able to open and start the application without needing to ask for help or training first.

Output/Result: The user is able to successfully open the application to start the learning process without prior training given by the testing team.

How test will be performed: A sampling of representative users will attempt to open and start the application and will pass the test if they can complete this task with no prior training. They will then score their user experience in the survey found in Appendix ???. The test should result in an overall average of users scoring 75% or higher for this part of the survey.

Non-Functional Requirement: UHR1

## 2. NFRT1 - UT2

Goal: The user is able to understand how to use complete a quiz with little to no prior training.

Type: Dynamic, Manual

Initial State: The user opens the web application and is ready to start learning ASL.

Input: The user will start trying to learn ASL using the various learning tools in the application with no prior training.

Output/Result: The mechanics of the application should not hinder the user's progress of learning, and the user should feel as though the learning tools are intuitive and easy to navigate. The user should be able to successfully complete their first quiz without being confused by the mechanics of the application.

How test will be performed: A sampling of representative users will attempt to use the application and will pass the test if they can complete

their first quiz without needing to ask for help with how the application works. They will then score their user experience in the survey found in Appendix ???. The test should result in an overall average of users scoring 75% or higher for this part of the survey.

Non-Functional Requirement: UHR1

### 3. NFRT1 - UT3

Goal: The user is able to understand how to use the application with various hearing abilities and little to no prior training.

Type: Dynamic, Manual

Initial State: The user signs into the application to learn ASL.

Input: The user will attempt to complete the first introductory lesson regardless of their level of hearing ability.

Output: The user should be able to successfully complete the introductory lesson without needing to be able to hear the instructions to complete the introductory tasks required of them.

How test will be performed: A sampling of representative users with various hearing abilities will attempt to use the program and will pass the test if they can successfully complete the first lesson of the program. They will then score their user experience in the survey found in Appendix ???. The test should result in an overall average of users scoring 75% or higher for this part of the survey.

Non-Functional Requirement: UHR2

### 4. NFRT1 - UT4

Goal: The system should show the user if their input needs to be adjusted.

Type: Manual, Static

Initial State: The application prompts the user with a question during a lesson.

Input: The user attempts to perform a sign in response to the application's prompt but their camera is not set up properly.

Output: The application should register that it cannot be confident in determining if the sign the user is displaying is accurate, so it should

prompt the user to fix their camera settings before they are allowed to continue.

How test will be performed: A user will try to respond to the prompt by signing in front of the application, but with the user out of the focus of the camera. The application should not be able to determine if the user's sign is correct or not and should prompt the user to adjust their camera settings. This test will be performed multiple times with various input and camera conditions to ensure the requirement has been tested effectively. The developers will verify that the user is given feedback where appropriate.

Non-Functional Requirement: UHR3

## **5.2.2 Performance Requirements**

### **Performance Testing**

#### **1. NFRT2 - PT1**

Goal: The application should respond to user input within 1 second.

Type: Functional, Dynamic, Manual

Initial State: The application prompts the user with a question during a lesson.

Input: The user should respond to the application's prompt.

Output: The system should register the user's input and respond to the user quickly.

How test will be performed: A user will respond to the prompt given by the application. The generated output must take less than 1 second to be produced. This test will be performed multiple times, and the run time for 95% of these tests must be less than 1 second for the test to pass.

Non-Functional Requirement: PR1

#### **2. NFRT2 - PT2**

Goal: The application should be able to accurately determine if the user has signed the correct response to the prompt 95% of the time.

Type: Dynamic, Manual

Initial State: The application prompts the user with a question during a lesson.

Input: The user should sign in response to the application's prompt.

Output: The application should register the user's signed input and determine if they have signed the required action correctly.

How test will be performed: A user will respond to the prompt by signing in front of the application. The application should then determine if the user has signed the correct respond or not, and output a message telling the user what the application determined. This test will be performed multiple times, and the application should correctly identify if the user is correct or not 95% of the time.

Non-Functional Requirement: PR2



### 5.3 Traceability Between Test Cases and Requirements

Functional Requirements to System Test Requirements

System Test	FR Req.						
	1	2	3	4	5	6	7
FRT1-LP1	X	X		X			
FRT1-LP2					X	X	X
FRT1-LP3	X	X	X				
FRT2-U1	X						
FRT3-HW1	X						
FRT3-HW2	X						

System Test	UHR			PR	
	1	2	3	1	2
NFRT1-UT1	X				
NFRT1-UT2	X				
NFRT1-UT3		X			
NFRT1-UT4			X		
NFRT2-PT1				X	
NFRT2-PT2					X

## 6 Unit Test Description

### 6.1 Unit Testing Scope

The scope of the unit tests is focused on the data processing module, which is the module that we've built ourselves. The other modules are reliant on external libraries, hence the onus is on the developers of those libraries.

### 6.2 Tests for Functional Requirements

#### 6.2.1 Data Processing Module

1. test\_normalize\_features

Type: Automatic

Input: Sample data for flattened fake landmark features

Output: Normalized landmark data according to the largest landmark coordinate value

Test Case Derivation: Normalization calculation for the input data was done manually by hand, so it was compared to these expected values.

How test will be performed: pytest

2. test\_process\_features

Type: Automatic

Input: Sample data for un-flattened fake landmark features

Output: All the landmark coordinates should be shifted relative to the first landmark coordinate or if specified in a parameter, the given coordinate

Test Case Derivation: Shift calculation was done manually by hand, so it was compared to these expected values.

How test will be performed: pytest

## 7 Appendix

### 7.1 Usability Survey Questions

#### User Experience Survey

1. Please rate your own level of ASL proficiency on a scale of 1-10  
[ 1 = I know absolutely nothing, 10 = I sign at a high level]
2. From Strongly Disagree to Strongly Agree, rate the following sentence:  
It was very easy to get right into a testing session with little to no hassle
3. From Strongly Disagree to Strongly Agree, rate the following sentence:  
The User Interface is very friendly and it is easy to identify where everything is
4. From Strongly Disagree to Strongly Agree, rate the following sentence:  
During a Quiz, its very easy to understand what to do and how to complete it
5. From Strongly Disagree to Strongly Agree, rate the following sentence:  
While signing, it is very easy to see what sign I am making and whether to make adjustments or not
6. From Strongly Disagree to Strongly Agree, rate the following sentence:  
After completing a Quiz, I receive useful feedback
7. From Strongly Disagree to Strongly Agree, rate the following sentence:  
At my current level of ASL knowledge, it is easy to use the application
8. How would you rate your overall experience with ASLingo on a scale of 1-10  
[ 1 = Terrible, 10 = Fantastic]

### 7.2 Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Lifelong Learning. Please answer the following questions:

1. What knowledge and skills will the team collectively need to acquire to successfully complete the verification and validation of your project? Examples of possible knowledge and skills include dynamic testing knowledge, static testing knowledge, specific tool usage etc. You should look to identify at least one item for each team member.
  - (a) Andrew Kil: Black Box  
I'll be mainly focusing on Dynamic Testing Methods like Usability testing for when we bring it to the general user base. Being able to successfully elicit feedback from our test groups (i.e. the McMaster Sign Language Club) is a vital step in bridging the gap between developers and the market that the system is designed for.
  - (b) Cassidy Baldin: Pytest, Jest and Linters  
I will be mainly working on the back and front end of the project, so the skills I will need to acquire to test both of these aspects are the use of pyTest and Jest to ensure the project is working as intended. I also have little experience using different linters for these frameworks, so this will also be an aspect I will have to learn for this project.
  - (c) Edward Zhuang: Pytest and ML Model Testing  
As my focus is on the backend and the OpenCV component, I will be responsible for testing these parts. Our team agreed to use Pytest as our Python unit testing framework, so I'll have to learn that. As well, I will focus on training and testing the machine learning model so that it is suitable for a functional product. I have a bit of experience with model testing in the past, but not for image recognition, so I will need to learn the ins and outs of that.
  - (d) Jeremy Langner: Manual & Automated Testing  
Knowledge of when to use manual vs automated testing is necessary for VnV plan since the system tests for Functional requirements have to be clearly separated. This can be done by practicing how to understand the specific requirement and corresponding use

case and then applying basic software testing principles to ensure what is testable manually and what can be done with automation frameworks and how. Typically any requirements with manual interaction or system integration will require manual testing and any coding or business logic requirements can be done with automation.

(e) Stanley Chan: Jest Framework

Since I'll mainly be working on the frontend component of the project, I'd like to focus on learning some JavaScript testing libraries, specifically Jest. As I also want to be involved partly in the computer vision aspect, I'd like to familiarize myself with linters for both JavaScript and Python to standardize code practices throughout the project.

2. For each of the knowledge areas and skills identified in the previous question, what are at least two approaches to acquiring the knowledge or mastering the skill? Of the identified approaches, which will each team member pursue, and why did they make this choice?

(a) Andrew Kil: Black Box

The main approach I will take to learn the necessary skills to carry out the Usability trials is through online resources found through the internet. Naturally the standard of professionalism I have for these resources would be held to at the very least those who have ran Usability testing sessions for a successful project that was brought to market. Another approach is to attempt to seek out and consult those previously mentioned individuals those online solicitation for more sound advice. Of the two aforementioned methods, I will most likely be pursuing the former due to its ease of access as well as time efficiency.

(b) Cassidy Baldin: Pytest, Jest and Linters

To acquire these skills, I will combine the use of online written tutorials, videos by experts in these frameworks, as well as talking to others I know who have hands on experience with these tools

to understand how they work and how to use them efficiently. I will also be able to rely on some of my previous experience with testing tools from other courses to learn these new ones.

(c) Edward Zhuang: Pytest and ML Model Testing

There are many online Pytest tutorials that demonstrate how to unit test Python software, which I will use to learn it. As for testing machine learning models, I already have some previous experience. On top of that, there are tutorials on YouTube that show how to effectively train and test machine learning models, which I will use.

(d) Jeremy Langner: Manual & Automated Testing

Learning how to understand requirements has been learned with SFWRENG 3RA3 and with many subsequent courses but also comes up in many online coding problems or problem solving skills learned in real world/industry. Software testing principles have been learned in class in SFWRENG 3S03 and can also be learned thorough various online sources like Guru99, GeeksForGeeks, JavaTPoint etc. The difficulty with this project will be the large intergation between our systems which will be great practice

(e) Stanley Chan: Jest Framework

Documentation and other online resources will be the main source of learning specific syntax and practices regarding testing libraries and linters. Additionally, material from previously taken courses like 3S03: Software Testing will be put into practice for concepts like code coverage, white box testing, etc.