Honors Pre Calculus Notes

anastasia

Fall 2022 & Spring 2023

Contents

1	Functions, Rates, and Patterns 1.1 What is a Function?
2	Algebra and Geometry2.1 Algebra and Geometry32.2 Complex Geometry and Roots32.3 Conic Sections32.4 Using Matrices to Find Models32.5 Using Statistical Regression to Fit a Function to Bivariate Data3
3	Exponentials and Logarithms43.1 Exponent Properties43.2 A Special Number43.3 The Natural Logarithm Function as the Inverse of e^x 43.4 Growth and Decay43.5 Using Functions Defined by Patterns in Application4
4	Trigonometry4.1Working with Identities54.2Trigonometric Foundations54.3The Trigonometric Functions Off the Unit Circle54.4Angular and Linear Speed54.5Back to Identities54.6The Roller Coaster5
5	Limits and Rates of Change of Functions65.1 First, Some Background - Rational Functions65.2 Limits65.3 Approximating Rates of Change65.4 The Derivative6
6	Other Coordinate Systems 7 6.1 A Nonstandard Exploration of the Rate of Change of Functions 7 6.2 More Information Needed 7 6.3 Applications of Parametric Equations 7 6.4 Vectors 7 6.5 The Golf Shot 7 6.6 The Polar Coordinate System 7 6.7 Classic Polar Relations 7 6.8 Complete Numbers 7

1 Functions, Rates, and Patterns

- 1.1 What is a Function?
- 1.2 Functions and Types of Functions
- 1.3 A Qualitative Look at Rates
- 1.4 Sequences and Triangular Differences
- 1.5 Functions Defined by Patterns

Problems

- 1. Reflect on your informal work in trying to describe what a function is and consider the various group definitions of function presented. Now revise the definition you originally created for describing a function in order to develop a more refined definition. Explain your reasons for refining your definition.
- 2. Why is it or is it not important to have a precise definition of the term function? Also, which of the supplied function definitions do you like best, and why?
- 3. In general, is it true that f(g(x)) = g(f(x))? State your conclusion as a property of the composition of functions.
- 4. See if you can identify the component functions f(x) and g(x) for $f[g(x)] = \log(2x 5)$.
- 5. One property of invertible functions is that if f is invertible, then $f^{-1}(f(x)) = x$ and $f(f^{-1}(x)) = x$. Can you verify this property?
- 6. Report on where, in your mathematical careers so far, you have encountered and work specifically with sequences, and in what capacity.
- 7. Try applying triangular differences for the sequence generated by n^2 , n, and $n^2 3n$. Do you notice any patterns? What about $2n^2 + 4n$ or $5n^2 + 2n 5$?

2 Algebra and Geometry

- 2.1 Algebra and Geometry
- 2.2 Complex Geometry and Roots
- 2.3 Conic Sections
- 2.4 Using Matrices to Find Models
- 2.5 Using Statistical Regression to Fit a Function to Bivariate Data

Problems

- 1. For $f(x) = ax^2 + bx + c$, find d + ei that will generate real values.
- 2. Using the general formula $ax^2 + bx + c = 0$, derive the quadratic formula.
- 3. Given integers a, b, and c such that 0 < a < b, and given

$$P(x) = x(x-a)(x-b) - 13$$

where P(x) is divisible by (x-c).

Find a, b, and c. Is your solution unique? Justify your answer.

- 4. Can you provide an analytic definition of a circle?
- 5. Given: Two fixed points F, G, and a fixed positive number k. The ellipse consists of all points P such that $\overline{FP} + \overline{GP} = k$.

The fixed points F and G have coordinates (-c,0) and (c,0) respectively. The points A and B are points where the ellipse intersects the positive x-axis and positive y-axis, respectively.

Verify that k=2a and $c^2=a^2-b^2$, knowing that A and B are points on the ellipse.

6. Consider $0 = Ax^2 + Cy^2 + Dx + Ey + F$. This is the general form of the equation for any of the conic sections.

How would one know which conic is represented by a given equation in this form?

Put each of the conics represented in general form into the standard form of the specific conic.

7. Find the inverse of matrix A where: $A = \begin{bmatrix} 0 & 1 & 2 \\ 1 & 0 & 3 \\ 4 & -3 & 8 \end{bmatrix}$ Based on this example, can you provide some general informal justification for why this process works?

3 Exponentials and Logarithms

- 3.1 Exponent Properties
- 3.2 A Special Number
- 3.3 The Natural Logarithm Function as the Inverse of e^x
- 3.4 Growth and Decay
- 3.5 Using Functions Defined by Patterns in Application

Problems

1. Can you prove that the logarithm properties follow directly from the laws of exponents?

4 Trigonometry

- 4.1 Working with Identities
- 4.2 Trigonometric Foundations
- 4.3 The Trigonometric Functions Off the Unit Circle
- 4.4 Angular and Linear Speed
- 4.5 Back to Identities
- 4.6 The Roller Coaster

Problems

- 1. Prove the identity $tan(\theta) = \frac{\sin(\theta)}{\cos(\theta)}$.
- 2. The domains of the $\csc(x)$, $\sec(x)$, and $\cot(x)$ trigonometric functions can also be restricted such that they are invertible. Do some research to find information about the inverses of these functions and their properties.
- 3. Find the formulas for $\sin(\varphi + \theta)$ and $\sin(\varphi \theta)$.
- 4. Find a formula for $\sin(2\varphi)$, then determine two more formulas for $\cos(2\varphi)$.
- 5. Use the results from the above two problems to find an algebraic expression for $\cos\left(\frac{8\pi}{3}\right)$. Evaluate this expression by using one of the double-angle formulas derived previously. Verify the value you just calculated with the value of the cosine of the co-terminal angle on the Unit Circle.
- 6. Use the Law of Cosines and the distance formula to derive the trigonometric expansion identity for $\cos(\alpha \beta)$.

5 Limits and Rates of Change of Functions

- 5.1 First, Some Background Rational Functions
- 5.2 Limits
- 5.3 Approximating Rates of Change
- 5.4 The Derivative

Problems

- 1. Perform the division of the ration function $f(x) = \frac{x^2 x 2}{x 1}$ and sketch a graph. Make a conjecture about the equations for the asymptotes. Confirm your conjecture by analyzing the results of the function's division.
- 2. A formal definition of the limit of a function is:

$$L=\lim_{x\to c}f(x) \text{iff for any} \epsilon>0 \text{there exists a number} \delta>0$$
 such that if $0<\mid x-c\mid<\delta \text{then}\mid f(x)-L\mid<\epsilon$

On a pair of axes, precisely draw and label a piecture that illustrates the meaning of the given formal definition of limit.

6 Other Coordinate Systems

- 6.1 A Nonstandard Exploration of the Rate of Change of Functions
- 6.2 More Information Needed
- 6.3 Applications of Parametric Equations
- 6.4 Vectors
- 6.5 The Golf Shot
- 6.6 The Polar Coordinate System
- 6.7 Classic Polar Relations
- 6.8 Complex Numbers

Problems

- 1. Given a parabola $y = x^2$, construct graphs for x(s) and y(s).
- 2. At 1:00 pm, a ship is 10 miles due east of port. At 2:00 pm, it has sailed to a point that is 20 miles east and 50 miles north of the position at 1:00 pm. Assume that the ship continues to sail in this manner as it did from 1:00 pm to 2:00 pm.
 - Write a function that will give the ship's position at any time.
- 3. Use the fact that $W = ||\vec{F}|| ||\vec{d}|| \cos \theta$, to show that a satellie orbiting earth does zero work as it travels around the earth.
- 4. Use Euler's Number $e^{i\theta} = \cos\theta + i\sin\theta$ to derive some common trigonometric identities.