

Stat 400 Homework 5

Spring 2021

Due: *Tues March 9 @ 11:59pm*

Exercise 1

Let X be a Normal random variable that has moment generating function

$$M_X(t) = e^{t+t^2}$$

(1.5 points) Find $P[-2 < X < 1]$.

Exercise 2

Let T denote the time it takes for a computer to shut down. Suppose T follows an Exponential distribution with mean 15 seconds. A computer lab has 10 independent computers that must all be shut down at the end of the day.

- a) (0.5 points) What is the probability that it takes any given computer **at least** 10 seconds to shut down?
- b) (0.5 points) What is the probability that it takes any given computer at least 1 minute to shut down?
- c) (0.5 points) What is the probability that all 10 computers successfully shut down in under a minute?

Exercise 3

Let $\theta > 0$. Suppose X has a uniform distribution on the interval $(\theta, 2\theta)$.

- a) (0.5 points) What is $E[X]$? (in terms of θ)
- b) (0.5 points) Find an expression for $Var[X]$.
- c) (1 point) Assume that there is a 20% chance that $\theta = 2$, and a 80% chance that $\theta = 2.5$. Based on this information and the above Uniform distribution, What is $P[0 < X < 4]$?

Exercise 4

Suppose Walter White runs into Tuco Salamanca according to a Poisson process with an average of 1.5 run-ins per day. Assume that the week starts on Sunday at midnight (00:00).

Hint: Sunday is equivalent to time, T in $(0 < T < 1)$

- a) (0.5 points) Walter is trying to avoid Tuco. What is the probability that he does not run into Tuco next week?
- b) (0.5 points) What is the probability that he runs into Tuco **before** (not including) Wednesday for the first time? (i.e. Sunday/Monday/Tuesday)
- c) (0.5 points) What is the probability that Walter has his third run-in with Tuco on either Thursday or Friday? (i.e., $Thursday \cup Friday$)
- d) (0.5 points) What is the probability that the 6th run-in occurs within the second week?

Exercise 5 Show your code and answer for full credit.

Refer to Question #4 part (c). You may use the math from this question to help with the code.

- a) (2 points) **Write a function in R** that will calculate the probability that the k th run-in will occur on either Thursday or Friday. This function should take 2 arguments, (k , the k th run-in, and λ), the Poisson rate), and return the probability that this run-in occurs of Thursday or Friday.

You may use the pre-built `pgamma` function

For part (a), only a function is required. There is no need to run anything.

- b) (1 point) Use the function you wrote to calculate the probability that the 3th run-in will occur on either Thursday or Friday.