

DATA STRUCTURE

- Several measures per individual chimp (actor)
- Condition (social or non-social)
- Experimental blocks
- Prosocial option on the left (chimps are left- or right-handed)

Outcomes:

- Chose prosocial option
- Pulled left

```
> library(rethinking)
```

```
> data(chimpanzees)
```

```
> head(chimpanzees)
```

	actor	recipient	condition	block	trial	prosoc_left	chose_prosoc	pulled_left
1	1	NA	0	1	2	0	1	0
2	1	NA	0	1	4	0	0	1
3	1	NA	0	1	6	1	0	0
4	1	NA	0	1	8	0	1	0
5	1	NA	0	1	10	1	1	1
6	1	NA	0	1	12	1	1	1

DATA STRUCTURE

- Several measures per individual chimp (actor)

```
> library(rethinking)
```

```
> data(chimpanzees)
```

```
> head(chimpanzees)
```

	actor	recipient	condition	block	trial	prosoc_left	chose_prosoc	pulled_left
1	1	NA	0	1	2	0	1	0
2	1	NA	0	1	4	0	0	1
3	1	NA	0	1	6	1	0	0
4	1	NA	0	1	8	0	1	0
5	1	NA	0	1	10	1	1	1
6	1	NA	0	1	12	1	1	1

- Pulled left

EXPERIMENTAL TREATMENTS

- (1) prosoc_left= 0 and condition= 0: Two food items on right and no partner.
- (2) prosoc_left= 1 and condition= 0: Two food items on left and no partner.
- (3) prosoc_left= 0 and condition= 1: Two food items on right and partner present.
- (4) prosoc_left= 1 and condition= 1: Two food items on left and partner present.