

ch1_phase2

September 24, 2020

```
[1]: from sympy import Matrix, Symbol, derive_by_array, Lambda, Function, \
      ↪MatrixSymbol, Derivative, diff, symbols
      from sympy import var
      from sympy.abc import x, i, j, a, b
```

```
[2]: def myvar(letter: str, i: int, j: int) -> Symbol:
      letter_ij = Symbol('{}_{}_{}'.format(letter, i+1, j+1), is_commutative=True)
      return letter_ij
      n,m,p = 3,3,2
      X = Matrix(n, m, lambda i,j : myvar('x', i, j)); X
```

```
[2]: 
$$\begin{bmatrix} x_{11} & x_{12} & x_{13} \\ x_{21} & x_{22} & x_{23} \\ x_{31} & x_{32} & x_{33} \end{bmatrix}$$

```

```
[3]: W = Matrix(m, p, lambda i,j : myvar('w', i, j)); W
```

```
[3]: 
$$\begin{bmatrix} w_{11} & w_{12} \\ w_{21} & w_{22} \\ w_{31} & w_{32} \end{bmatrix}$$

```

```
[4]: A = MatrixSymbol('X',3,3); Matrix(A)
      B = MatrixSymbol('W',3,2)
```

```
[5]:
```

```
[5]:
```

```
[5]: v = lambda a,b: a*b
      vL = Lambda((a,b), a*b)
      n = Function('v') #, Lambda((a,b), a*b))
      vN = lambda mat1, mat2: Matrix(mat1.shape[0], mat2.shape[1], lambda i, j: \
      ↪Symbol("n_{}_{}".format(i+1, j+1))); vN
      Nelem = vN(X, W); Nelem
```

```
[5]: 
$$\begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix}$$

```

```
[6]: n(X,W)
```

[6]:
$$v\left(\begin{bmatrix} x_{11} & x_{12} & x_{13} \\ x_{21} & x_{22} & x_{23} \\ x_{31} & x_{32} & x_{33} \end{bmatrix}, \begin{bmatrix} w_{11} & w_{12} \\ w_{21} & w_{22} \\ w_{31} & w_{32} \end{bmatrix}\right)$$

```
[7]: n(A,B)
```

[7]: $v(X, W)$

```
[8]: n(X,W).replace(n, v) # replace works when v = python lambda
```

[8]:
$$\begin{bmatrix} w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix}$$

```
[9]: n(X,W).subs({n: vL}) # subs works when v = sympy lambda
```

[9]:
$$\begin{bmatrix} w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix}$$

```
[10]: n(X,W).replace(n, vL)
```

[10]:
$$\begin{bmatrix} w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix}$$

```
[11]: n(X,W).subs({n: v}) # subs() doesn't work when v is python lambda
```

[11]:
$$v\left(\begin{bmatrix} x_{11} & x_{12} & x_{13} \\ x_{21} & x_{22} & x_{23} \\ x_{31} & x_{32} & x_{33} \end{bmatrix}, \begin{bmatrix} w_{11} & w_{12} \\ w_{21} & w_{22} \\ w_{31} & w_{32} \end{bmatrix}\right)$$

```
[12]: Matrix(n(A,B).subs({n: vL}))
```

[12]:
$$\begin{bmatrix} W_{0,0}X_{0,0} + W_{1,0}X_{0,1} + W_{2,0}X_{0,2} & W_{0,1}X_{0,0} + W_{1,1}X_{0,1} + W_{2,1}X_{0,2} \\ W_{0,0}X_{1,0} + W_{1,0}X_{1,1} + W_{2,0}X_{1,2} & W_{0,1}X_{1,0} + W_{1,1}X_{1,1} + W_{2,1}X_{1,2} \\ W_{0,0}X_{2,0} + W_{1,0}X_{2,1} + W_{2,0}X_{2,2} & W_{0,1}X_{2,0} + W_{1,1}X_{2,1} + W_{2,1}X_{2,2} \end{bmatrix}$$

```
[13]: #N = v(X, W); N
      N = n(A,B); N
```

[13]: $v(X, W)$

```
[14]: N.replace(n, v)
```

[14]: XW

```
[15]: N.replace(n, v).subs({A: X, B:W}) # replacing ariable values after doing
      →function doesn't make the function apply directly on the values (matrices),
      →need to replace values before the function is replaced, so that the function
      →can act on them while they are given/alive.
```

```
[15]: 
$$\begin{bmatrix} x_{11} & x_{12} & x_{13} \\ x_{21} & x_{22} & x_{23} \\ x_{31} & x_{32} & x_{33} \end{bmatrix} \begin{bmatrix} w_{11} & w_{12} \\ w_{21} & w_{22} \\ w_{31} & w_{32} \end{bmatrix}$$

```

```
[16]: N.subs({n: vL, A:X, B:W})
```

```
[16]: 
$$\begin{bmatrix} w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix}$$

```

```
[17]: Nspec = N.subs({A:X, B:W}).replace(n, v); Nspec
```

```
[17]: 
$$\begin{bmatrix} w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix}$$

```

```
[18]:
```

```
[18]: N.diff(N)
```

```
[18]: 1
```

```
[19]: N.diff(X)
```

```
[19]: 
$$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}$$

```

```
[20]:
```

```
[20]:
```

```
[20]: # way 2 of declaring S (better way)
      sigma = Function('sigma')
      sigmaApply = Function("sigma_apply") #lambda matrix: matrix.applyfunc(sigma)
      sigmaApply_ = lambda matrix: matrix.applyfunc(sigma)
      sigmaApply(A)
```

```
[20]:  $\sigma_{apply}(X)$ 
```

```
[21]: sigmaApply(A).subs({A: X})
```

```
[21]: 
$$\sigma_{apply} \left( \begin{bmatrix} x_{11} & x_{12} & x_{13} \\ x_{21} & x_{22} & x_{23} \\ x_{31} & x_{32} & x_{33} \end{bmatrix} \right)$$

```

```
[22]: sigmaApply_(A)
```

```
[22]: (d ↦ σ(d))o (X)
```

```
[23]: sigmaApply(A).subs({A: X}).replace(sigmaApply, sigmaApply_) # NOTE: subs of  $\sigma$ 
→ functions doesn't work, replace actually evaluates the replaced function!
```

```
[23]: 
$$\begin{bmatrix} \sigma(x_{11}) & \sigma(x_{12}) & \sigma(x_{13}) \\ \sigma(x_{21}) & \sigma(x_{22}) & \sigma(x_{23}) \\ \sigma(x_{31}) & \sigma(x_{32}) & \sigma(x_{33}) \end{bmatrix}$$

```

```
[24]: S = sigmaApply(N); S
```

```
[24]:  $\sigma_{apply}(v(X, W))$ 
```

```
[25]: Derivative(S, S)
```

```
[25]: 
$$\frac{\partial}{\partial \sigma_{apply}(v(X, W))} \sigma_{apply}(v(X, W))$$

```

```
[26]: Derivative(S, S).doit()
```

```
[26]: 1
```

```
[27]: Derivative(S, n(A,B)).doit()
```

```
[27]: 
$$\frac{\partial}{\partial v(X, W)} \sigma_{apply}(v(X, W))$$

```

```
[28]: #lambd = Function("lambda")
#Lagain = lambd(sigmaApply(n(A))); Lagain
# diff(Lagain, A) # never execute
#
```

```
[29]: S.replace(A,X).replace(B,W)
```

```
[29]: 
$$\sigma_{apply} \left( v \left( \begin{bmatrix} x_{11} & x_{12} & x_{13} \\ x_{21} & x_{22} & x_{23} \\ x_{31} & x_{32} & x_{33} \end{bmatrix}, \begin{bmatrix} w_{11} & w_{12} \\ w_{21} & w_{22} \\ w_{31} & w_{32} \end{bmatrix} \right) \right)$$

```

```
[30]: S.replace(n, v)
```

```
[30]:  $\sigma_{apply}(XW)$ 
```

```
[31]: S.subs({A:X, B:W}).replace(n, v)
```

```
[31]: 
$$\sigma_{apply} \left( \begin{bmatrix} w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix} \right)$$

```

```
[32]: Sspec = S.subs({A:X, B:W}).replace(n, v).replace(sigmaApply, sigmaApply_)
      Sspec
```

```
[32]: 
$$\begin{bmatrix} \sigma(w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}) & \sigma(w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}) \\ \sigma(w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23}) & \sigma(w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23}) \\ \sigma(w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33}) & \sigma(w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33}) \end{bmatrix}$$

```

```
[33]: S.replace(n, vN) #.replace(sigmaApply, sigmaApply_)
```

```
[33]: 
$$\sigma_{apply} \left( \begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix} \right)$$

```

```
[34]: Selem = S.replace(n, vN).replace(sigmaApply, sigmaApply_); Selem
```

```
[34]: 
$$\begin{bmatrix} \sigma(n_{11}) & \sigma(n_{12}) \\ \sigma(n_{21}) & \sigma(n_{22}) \\ \sigma(n_{31}) & \sigma(n_{32}) \end{bmatrix}$$

```

```
[35]: import itertools
      elemToSpecD = dict(itertools.chain(*[(Nelem[i, j], Nspec[i, j]) for j in
      →range(2)] for i in range(3)))
      elemToSpec = list(elemToSpecD.items())
      Matrix(elemToSpec)
```

```
[35]: 
$$\begin{bmatrix} n_{11} & w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13} \\ n_{12} & w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13} \\ n_{21} & w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23} \\ n_{22} & w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23} \\ n_{31} & w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33} \\ n_{32} & w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33} \end{bmatrix}$$

```

```
[36]: elemToSpecFuncD = dict(itertools.chain(*[(Nelem[i, j], Function("n_{}_{}".
      →format(i + 1, j + 1))(Nspec[i, j])) for j in range(2)] for i in range(3)))
      elemToSpecFunc = list(elemToSpecFuncD.items())
      Matrix(elemToSpecFunc)
```

```
[36]: 
$$\begin{bmatrix} n_{11} & n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}) \\ n_{12} & n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}) \\ n_{21} & n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23}) \\ n_{22} & n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23}) \\ n_{31} & n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33}) \\ n_{32} & n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33}) \end{bmatrix}$$

```

```
[37]: elemToSpecFuncArgsD = dict(itertools.chain(*[(Nelem[i, j], Function("n_{}_{}".
      →format(i + 1, j + 1))(*X,*W)) for j in range(2)] for i in range(3)))
      elemToSpecFuncArgs = list(elemToSpecFuncArgsD.items())
      Matrix(elemToSpecFuncArgs)
```

$$[37]: \begin{bmatrix} n_{11} & n_{11} (x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \\ n_{12} & n_{12} (x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \\ n_{21} & n_{21} (x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \\ n_{22} & n_{22} (x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \\ n_{31} & n_{31} (x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \\ n_{32} & n_{32} (x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \end{bmatrix}$$

[38]: `Selem`

$$[38]: \begin{bmatrix} \sigma(n_{11}) & \sigma(n_{12}) \\ \sigma(n_{21}) & \sigma(n_{22}) \\ \sigma(n_{31}) & \sigma(n_{32}) \end{bmatrix}$$

[39]: `Selem.subs(elemToSpecD)`

$$[39]: \begin{bmatrix} \sigma(w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}) & \sigma(w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}) \\ \sigma(w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23}) & \sigma(w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23}) \\ \sigma(w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33}) & \sigma(w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33}) \end{bmatrix}$$

[40]: `Selem[0,1].diff(Nelem[0,1])`

$$[40]: \frac{d}{dn_{12}} \sigma(n_{12})$$

[41]: `Selem[0,1].diff(Nelem[0,1]).subs({Nelem[0,1] : Nspec[0,1]})
#Selem[0,1].diff(Nelem[0,1]).subs(dict([Nelem[0,1] : Nspec[0,1]]))`

$$[41]: \left. \frac{d}{dn_{12}} \sigma(n_{12}) \right|_{n_{12}=w_{12}x_{11}+w_{22}x_{12}+w_{32}x_{13}}$$

[42]: `Selem[0,1].diff(Nelem[0,1]).subs({Nelem[0,1] : Nspec[0,1]}).subs({Nspec[0,1] : $\rightarrow 23$ })`

$$[42]: \left. \frac{d}{dn_{12}} \sigma(n_{12}) \right|_{n_{12}=23}$$

[43]: `Selem[0,1].diff(Nelem[0,1]).subs({Nelem[0,1] : Nspec[0,1]}).replace(sigma, \rightarrow lambda x: 8*x**3)`

$$[43]: \left. \frac{d}{dn_{12}} 8n_{12}^3 \right|_{n_{12}=w_{12}x_{11}+w_{22}x_{12}+w_{32}x_{13}}$$

[44]: `Selem[0,1].diff(Nelem[0,1]).replace(sigma, lambda x: 8*x**3)`

$$[44]: \frac{d}{dn_{12}} 8n_{12}^3$$

[45]: `Selem[0,1].diff(Nelem[0,1]).replace(sigma, lambda x: 8*x**3).doit()`

$$[45]: 24n_{12}^2$$

```
[46]: # ### GOT IT: can replace now with expression and do derivative with respect to
      ↪ that expression.
      Selem[0,1].diff(Nelem[0,1]).subs({Nelem[0,1] : Nspec[0,1]}).replace(sigma,
      ↪ lambda x: 8*x**3).doit()
```

[46]: $24 (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13})^2$

```
[47]: Selem[0,1].subs({Nelem[0,1] : Nspec[0,1]}).diff(X[0,1])#.subs({Nelem[0,1] :
      ↪ Nspec[0,1]})
```

[47]: $w_{22} \frac{d}{d\zeta_1} \sigma(\zeta_1) \Big|_{\zeta_1 = w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}}$

```
[48]: Selem
```

[48]:
$$\begin{bmatrix} \sigma(n_{11}) & \sigma(n_{12}) \\ \sigma(n_{21}) & \sigma(n_{22}) \\ \sigma(n_{31}) & \sigma(n_{32}) \end{bmatrix}$$

```
[49]: nt = Nelem.subs(elemToSpecFunc); nt
```

[49]:
$$\begin{bmatrix} n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}) & n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}) \\ n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23}) & n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23}) \\ n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33}) & n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33}) \end{bmatrix}$$

```
[50]: st = Selem.subs(elemToSpecFunc); st
```

[50]:
$$\begin{bmatrix} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})) & \sigma(n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13})) \\ \sigma(n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23})) & \sigma(n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23})) \\ \sigma(n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33})) & \sigma(n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})) \end{bmatrix}$$

```
[51]: st.diff(nt)
```

[51]:
$$\begin{bmatrix} \frac{\partial}{\partial n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})) & 0 \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ \frac{\partial}{\partial n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23})} \sigma(n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23})) & 0 \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ \frac{\partial}{\partial n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33})} \sigma(n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33})) & 0 \end{bmatrix} \begin{bmatrix} 0 & \frac{\partial}{\partial n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13})} \sigma(n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13})) \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ 0 & \frac{\partial}{\partial n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23})} \sigma(n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23})) \\ 0 & 0 \\ 0 & 0 \\ 0 & 0 \\ 0 & \frac{\partial}{\partial n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})} \sigma(n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})) \end{bmatrix}$$

```
[52]: st[0,0].diff(st[0,0].args[0])
```

[52]:
$$\frac{\partial}{\partial n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}))$$

```
[53]: st[0,0].diff(X[0,0])
```

[53]:
$$w_{11} \frac{\partial}{\partial n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})) \frac{d}{d\xi_1} n_{11}(\xi_1) \Big|_{\xi_1 = w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}}$$

[54]: `st[0,0].diff(st[1,0].args[0])`

[54]: 0

[55]: `Selem.diff(Selem)`

[55]:
$$\begin{bmatrix} \left[\frac{d}{dn_{11}} \sigma(n_{11}) & 0 \right] & \left[0 & \frac{d}{dn_{12}} \sigma(n_{12}) \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[\frac{d}{dn_{21}} \sigma(n_{21}) & 0 \right] & \left[0 & \frac{d}{dn_{22}} \sigma(n_{22}) \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[\frac{d}{dn_{31}} \sigma(n_{31}) & 0 \right] & \left[0 & \frac{d}{dn_{32}} \sigma(n_{32}) \right] \end{bmatrix}$$

[56]: `Selem.diff(Selem).subs(elemToSpecFunc)`

[56]:
$$\begin{bmatrix} \left[\frac{\partial}{\partial n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})) & 0 \right] & \left[0 & \frac{\partial}{\partial n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13})} \sigma(n_{12} (w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13})) \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[\frac{\partial}{\partial n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23})} \sigma(n_{21} (w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23})) & 0 \right] & \left[0 & \frac{\partial}{\partial n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23})} \sigma(n_{22} (w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23})) \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[0 & 0 \right] & \left[0 & 0 \right] \\ \left[\frac{\partial}{\partial n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33})} \sigma(n_{31} (w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33})) & 0 \right] & \left[0 & \frac{\partial}{\partial n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})} \sigma(n_{32} (w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})) \right] \end{bmatrix}$$

[57]: `# CAN even replace elements after have done an operation on them!!! replacing $\rightarrow n_{21} * 2$ with the number 4.`
`Nspec.subs({Nspec[0, 0]: 3}).replace(sigma, lambda x: 2 * x).replace(Nspec[2, 1], $\rightarrow * 2, 4$)`

[57]:
$$\begin{bmatrix} 6 & 2w_{12}x_{11} + 2w_{22}x_{12} + 2w_{32}x_{13} \\ 2w_{11}x_{21} + 2w_{21}x_{22} + 2w_{31}x_{23} & 2w_{12}x_{21} + 2w_{22}x_{22} + 2w_{32}x_{23} \\ 2w_{11}x_{31} + 2w_{21}x_{32} + 2w_{31}x_{33} & 4 \end{bmatrix}$$

[58]: `lamdb = Function("lambda")`
`lamdb_ = lambda matrix : sum(matrix)`
`vN(X, W)`

[58]:
$$\begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix}$$

[59]: `vN(A, B)`

[59]:
$$\begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix}$$

[60]: `L = lambd(S); L`

[60]:
$$\lambda(\sigma_{\text{apply}}(v(X, W)))$$

[61]: `Nelem`

[61]:
$$\begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix}$$

[62]: `L.replace(n, vN)`

[62]:
$$\lambda\left(\sigma_{\text{apply}}\left(\begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix}\right)\right)$$

[63]: `L.replace(n, vN).replace(sigmaApply, sigmaApply_)`

[63]:
$$\lambda\left(\begin{bmatrix} \sigma(n_{11}) & \sigma(n_{12}) \\ \sigma(n_{21}) & \sigma(n_{22}) \\ \sigma(n_{31}) & \sigma(n_{32}) \end{bmatrix}\right)$$

[64]: `L.replace(n, v)`

[64]:
$$\lambda(\sigma_{\text{apply}}(XW))$$

[65]: `L.replace(n, v).replace(sigmaApply, sigmaApply_)`

[65]:
$$\lambda((d \mapsto \sigma(d))_{\circ}(XW))$$

[66]: `L.subs({A:X, B:W}).replace(n, vL).replace(sigmaApply, sigmaApply_)`

[66]:
$$\lambda\left(\begin{bmatrix} \sigma(w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}) & \sigma(w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}) \\ \sigma(w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23}) & \sigma(w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23}) \\ \sigma(w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33}) & \sigma(w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33}) \end{bmatrix}\right)$$

[67]: `L.replace(n, vN)`

[67]:
$$\lambda\left(\sigma_{\text{apply}}\left(\begin{bmatrix} n_{11} & n_{12} \\ n_{21} & n_{22} \\ n_{31} & n_{32} \end{bmatrix}\right)\right)$$

[68]: `L.replace(n, vN).subs({A:X, B:W}).replace(sigmaApply, sigmaApply_).
→replace(lambd, lambd_)`

[68]: $\sigma(n_{11}) + \sigma(n_{12}) + \sigma(n_{21}) + \sigma(n_{22}) + \sigma(n_{31}) + \sigma(n_{32})$

```
[69]: from sympy import symbols, Derivative
x, y, r, t = symbols('x y r t') # r (radius), t (angle theta)
f, g, h = symbols('f g h', cls=Function)
h = g(f(x))
Derivative(h, f(x)).doit()
```

[69]: $\frac{d}{df(x)}g(f(x))$

```
[70]: # Never do this gives recursion ERROR (max depth exceeded)
# h = g(f(A))
# Derivative(h, A).doit()
```

[71]:

```
[71]: from sympy.abc import a, b
Llower = lambd(sigmaApply(n(a, b)))
Llower
```

[71]: $\lambda(\sigma_{\text{apply}}(v(a, b)))$

```
[72]: Derivative(Llower, a).doit()
```

[72]: $\frac{\partial}{\partial \sigma_{\text{apply}}(v(a, b))} \lambda(\sigma_{\text{apply}}(v(a, b))) \frac{\partial}{\partial v(a, b)} \sigma_{\text{apply}}(v(a, b)) \frac{\partial}{\partial a} v(a, b)$

[73]:

```
[73]: # ### WAY 1: of substituting to differentiate with respect to expression:
n_ij = Function('n_ij')
n_ij(A,B) # (N[0,0]); n_ij
```

[73]: $n_{ij}(X, W)$

```
[74]: n_ij(A,B).args
```

[74]: (X, W)

```
[75]: # sigma(n_ij).diff(n_ij).replace(n_ij, N[0,0]) # ERROR cannot deriv wi.r.t to
→ the expression w11*x11 + ...
sigma(n_ij(A,B)).diff(n_ij(A,B))
```

[75]: $\frac{\partial}{\partial n_{ij}(X, W)} \sigma(n_{ij}(X, W))$

```
[76]: sigma(n_ij(*X,*W)).diff(X[0,0])
```

[76]:
$$\frac{\partial}{\partial x_{11}} n_{ij}(x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32}) \frac{\partial}{\partial n_{ij}(x_{11}, x_{12}, x_{13}, x_{21}, x_{22}, x_{23}, x_{31}, x_{32}, x_{33}, w_{11}, w_{12}, w_{21}, w_{22}, w_{31}, w_{32})}$$

[77]: `nab_ij = n_ij(A,B)
sigma(nab_ij).diff(nab_ij)#.subs({nab_ij : Nspec[0, 0]})`

[77]:
$$\frac{\partial}{\partial n_{ij}(X, W)} \sigma(n_{ij}(X, W))$$

[78]: `sigma(nab_ij).diff(nab_ij).subs({nab_ij : Nspec[2, 1]})`

[78]:
$$\left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=w_{12}x_{31}+w_{22}x_{32}+w_{32}x_{33}}$$

[79]: `sigma(nab_ij).diff(nab_ij).subs({nab_ij : Nspec[2,1]}).subs({X[2,1]:77777})`

[79]:
$$\left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=w_{12}x_{31}+77777w_{22}+w_{32}x_{33}}$$

[80]: `sigma(nab_ij).diff(nab_ij).subs({nab_ij : 23}) # ERROR if using replace() since
→ it says can't calc derivs w.r.t to the x_11*w_11 + ...`

[80]:
$$\left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=23}$$

[81]: `sigma(nab_ij).diff(nab_ij).subs({nab_ij : Nspec[2,1]}).doit()`

[81]:
$$\left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=w_{12}x_{31}+w_{22}x_{32}+w_{32}x_{33}}$$

[82]: `sigma(nab_ij).subs({nab_ij : Nspec[2,1]}).diff(X[2,1])`

[82]:
$$\sigma(w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})$$

[83]: `# Substituting the value of the function n_ij first, and THEN differentiating
→ with respect to something in that substitution. (X_21)
sigma(nab_ij).subs({nab_ij : Nspec[2,1]}).diff(X[2,1])`

[83]:
$$w_{22} \left. \frac{d}{d\tilde{\xi}_1} \sigma(\tilde{\xi}_1) \right|_{\tilde{\xi}_1=w_{12}x_{31}+w_{22}x_{32}+w_{32}x_{33}}$$

[84]: `Selem[2,1].subs({Nelem[2,1] : Nspec[2,1]}).diff(X[2,1])`

[84]:
$$w_{22} \left. \frac{d}{d\tilde{\xi}_1} \sigma(\tilde{\xi}_1) \right|_{\tilde{\xi}_1=w_{12}x_{31}+w_{22}x_{32}+w_{32}x_{33}}$$

[85]: `# ### WAY 2:
n_11 = Function('n_11')(Nspec[0, 0]); n_11`

[85]:

$$n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})$$

[86]: `sigma(n_11)`

[86]: $\sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}))$

[87]: `assert Nspec[0,0] == n_11.args[0]
sigma(n_11).subs({n_11 : n_11.args[0]})`

[87]: $\sigma(w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})$

[88]: `sigma(n_11).diff(n_11) #.replace(n_ij, n_ij.args[0])`

[88]:
$$\frac{\partial}{\partial n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}))$$

[89]: `sigma(n_11).diff(n_11).subs({n_11 : n_11.args[0]}).subs({X[0,0] : 77777})`

[89]:
$$\left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=77777w_{11}+w_{21}x_{12}+w_{31}x_{13}}$$

[90]: `sigma(n_11).diff(n_11).subs({n_11 : n_11.args[0]}).replace(n_11.args[0], 23) #
→same as subs in this case`

[90]:
$$\left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=23}$$

[91]: `sigma(n_11).diff(X[0,0])`

[91]:
$$w_{11} \frac{\partial}{\partial n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})} \sigma(n_{11} (w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13})) \left. \frac{d}{d\tilde{\xi}_1} n_{11} (\tilde{\xi}_1) \right|_{\tilde{\xi}_1=w_{11}x_{11}+w_{21}x_{12}+w_{31}x_{13}}$$

[92]: `id = Lambda(x, x)
sigma(n_11).diff(X[0,0]).subs({n_11 : id})`

[92]:
$$w_{11} \left. \frac{d}{d\tilde{\xi}_1} n_{11} (\tilde{\xi}_1) \right|_{\tilde{\xi}_1=w_{11}x_{11}+w_{21}x_{12}+w_{31}x_{13}} \left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=(x \mapsto x)}$$

[93]: *# NOTE: so I don't think WAY 2 is correct because here it doesn't simplify the
→derivative d n11 / d eps11, since this should equal 1 because now n11 = eps11.
→Correct one is below (repeated from above)*
`sigma(n_11).diff(X[0,0]).subs({n_11 : Nspec[0,0]})`

[93]:
$$w_{11} \left. \frac{d}{d\tilde{\xi}_1} n_{11} (\tilde{\xi}_1) \right|_{\tilde{\xi}_1=w_{11}x_{11}+w_{21}x_{12}+w_{31}x_{13}} \left. \frac{d}{d\tilde{\xi}} \sigma(\tilde{\xi}) \right|_{\tilde{\xi}=w_{11}x_{11}+w_{21}x_{12}+w_{31}x_{13}}$$

[94]: *# CORRECT WAY 1*
`sigma(n_11).subs({n_11 : Nspec[0,0]}).diff(X[0,0])`

[94]:

$$w_{11} \frac{d}{d\bar{\xi}_1} \sigma(\xi_1) \Big|_{\bar{\xi}_1 = w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}}$$

```
[95]: # CORRECT WAY 2
sigma(nab_ij).subs({nab_ij : Nspec[0,0]}).diff(X[0,0])
```

$$w_{11} \frac{d}{d\bar{\xi}_1} \sigma(\xi_1) \Big|_{\bar{\xi}_1 = w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}}$$

```
[96]: # CORRECT WAY 3
Selelem[2,1].subs({Nelem[2,1] : Nspec[2,1]}).diff(X[2,1])
```

$$w_{22} \frac{d}{d\bar{\xi}_1} \sigma(\xi_1) \Big|_{\bar{\xi}_1 = w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33}}$$

```
[97]: sigma(n_11) # WAY 1: sigma argument is already hardcoded
```

```
[97]: sigma(n_11 (w_11 x_11 + w_21 x_12 + w_31 x_13))
```

```
[98]: sigma(nab_ij) # Way 2: sigma argument is function of matrixsymbol (better than 1)
```

```
[98]: sigma(n_ij (X, W))
```

```
[99]: Selelem[2,1] # WAY 3: sigma argument is just symbol and we replace it as function_
    ↪ with argument hardcoded only later. (better than 2)
```

```
[99]: sigma(n_32)
```

```
[100]: L
```

```
[100]: lambda(sigma_apply(v(X, W)))
```

```
[101]: assert Selelem == S.replace(n, vN).replace(sigmaApply, sigmaApply_)
Selelem
```

```
[101]: [sigma(n_11) sigma(n_12)
sigma(n_21) sigma(n_22)
sigma(n_31) sigma(n_32)]
```

```
[102]: L.replace(n, vN).replace(sigmaApply, sigmaApply_)
```

```
[102]: lambda([sigma(n_11) sigma(n_12)
sigma(n_21) sigma(n_22)
sigma(n_31) sigma(n_32)])
```

```
[103]: #L.replace(n, vN).replace(sigmaApply, sigmaApply_).diff(Nelem[0,0])
```

```
[104]: Lsum = L.replace(n, vN).replace(sigmaApply, sigmaApply_).replace(lambd, lambd_)
Lsum
```

[104]: $\sigma(n_{11}) + \sigma(n_{12}) + \sigma(n_{21}) + \sigma(n_{22}) + \sigma(n_{31}) + \sigma(n_{32})$

[105]: `Lsum.diff(Nelem)`

[105]:
$$\begin{bmatrix} \frac{d}{dn_{11}}\sigma(n_{11}) & \frac{d}{dn_{12}}\sigma(n_{12}) \\ \frac{d}{dn_{21}}\sigma(n_{21}) & \frac{d}{dn_{22}}\sigma(n_{22}) \\ \frac{d}{dn_{31}}\sigma(n_{31}) & \frac{d}{dn_{32}}\sigma(n_{32}) \end{bmatrix}$$

[106]: `Lsum.subs(elemToSpec)#.diff(X[2,1])`

[106]: $\sigma(w_{11}x_{11} + w_{21}x_{12} + w_{31}x_{13}) + \sigma(w_{11}x_{21} + w_{21}x_{22} + w_{31}x_{23}) + \sigma(w_{11}x_{31} + w_{21}x_{32} + w_{31}x_{33}) + \sigma(w_{12}x_{11} + w_{22}x_{12} + w_{32}x_{13}) + \sigma(w_{12}x_{21} + w_{22}x_{22} + w_{32}x_{23}) + \sigma(w_{12}x_{31} + w_{22}x_{32} + w_{32}x_{33})$

[107]: `Lsum.subs(elemToSpec).diff(X)`

[107]:
$$\begin{bmatrix} w_{11} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{11}x_{11}+w_{21}x_{12}+w_{31}x_{13}} & + w_{12} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{12}x_{11}+w_{22}x_{12}+w_{32}x_{13}} & w_{21} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{11}x_{11}+w_{21}x_{12}+w_{31}x_{13}} & + w_{22} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{12}x_{11}+w_{22}x_{12}+w_{32}x_{13}} \\ w_{11} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{11}x_{21}+w_{21}x_{22}+w_{31}x_{23}} & + w_{12} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{12}x_{21}+w_{22}x_{22}+w_{32}x_{23}} & w_{21} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{11}x_{21}+w_{21}x_{22}+w_{31}x_{23}} & + w_{22} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{12}x_{21}+w_{22}x_{22}+w_{32}x_{23}} \\ w_{11} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{11}x_{31}+w_{21}x_{32}+w_{31}x_{33}} & + w_{12} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{12}x_{31}+w_{22}x_{32}+w_{32}x_{33}} & w_{21} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{11}x_{31}+w_{21}x_{32}+w_{31}x_{33}} & + w_{22} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=w_{12}x_{31}+w_{22}x_{32}+w_{32}x_{33}} \end{bmatrix}$$

[108]: `specToElemD = {v : k for k, v in elemToSpecD.items()}\nLsum.subs(elemToSpecD).diff(X).subs(specToElemD)`

[108]:
$$\begin{bmatrix} w_{11} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{11}} & + w_{12} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{12}} & w_{21} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{11}} & + w_{22} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{12}} & w_{31} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{11}} & + w_{32} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{12}} \\ w_{11} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{21}} & + w_{12} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{22}} & w_{21} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{21}} & + w_{22} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{22}} & w_{31} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{21}} & + w_{32} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{22}} \\ w_{11} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{31}} & + w_{12} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{32}} & w_{21} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{31}} & + w_{22} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{32}} & w_{31} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{31}} & + w_{32} \frac{d}{d\zeta_1}\sigma(\zeta_1) \Big|_{\zeta_1=n_{32}} \end{bmatrix}$$