### Kompetenser

Stefan Blecko

karl\_stefan@yahoo.se | 070-6445868

LinkedIn: www.linkedin.com/in/stefan70 GitHub: github.com/steble70/scriptlab

#### **PowerShell**

```
function Get-PLotto {
  [CmdletBinding()]
  param (
      [Parameter()]
      [ValidateNotNullOrEmpty()]
      [ValidateRange(0, 15)]
      [int]$antal_spel = 1
  1 reference
  function numbers {
     @(Get-Random -InputObject $lotto_numbers -Count 7) | Sort-Object
  for ($i=1; $i -le $antal spel; $i++) {
     Write-Host -Object (numbers)
```

#### PowerShell forts.

```
function Get-Py3QuickRef {
        [CmdletBinding()]
        param (
            [Parameter(Mandatory)]
            [ValidateSet("Strings", "Lists", "Tuples", "Dictionaries", "Sets",
            "Comparisons", "Loops", "Functions", "Printing", "File access",
            "Input", "Error stream", "Other file operations", "Exceptions",
            "OOP", "JSON", "Databases", "SYS", "OS")]
            $topic
       Set-Location $env:USERPROFILE\Documents\PowerShell\
        if (Test-Path -Path py3quickref.csv) {
           $pycsvfile = Import-Csv -Path .\py3quickref.csv
           $pycsvfile | Select-Object $topic
       else {
           Write-Error -Message "File not found."
```

#### PowerShell forts.

```
PS PSproj: \> Get-Py3QuickRef -topic Lists, Comparisons, Loops
Lists
                      Comparisons Loops
1 = [1, 2, 3, 4, 5]
                               for x in range(6)
                             for x in range(1,6)
1[0]
                      <=
1[0:3]
                               for x in range(1,6,2)
                                 for k,v in D.items(): print("D[{}]={}".format(k,v))
1[-2:]
l[1:4] = [7,8]
                                 for i,v in enumerate(L)
del L[2]
                                for x,y in zip(L1,L2)
                      ! =
                      is for i in sorted(set(L))
1.append(x)
1.remove(x)
                      is not for x in reversed(L1)
1.extend(L2)
1.pop()
1.sort()
x in 1
1.index(x)
[x*2 for x in 1 if x>2]
PS C:\Users\steble70\Documents\PowerShell>
```


## **Python**

```
import random
import math
class Slot(object):
    def init (self, deposit=100, bet=5, number of attempts=1):
        self.deposit = deposit
        self.bet = bet
        self.number of attempts = number of attempts
    def play(self):
        for x in range(0, self.number of attempts):
            small win = [random.randint(self.bet, 10),
                          random.randint(self.bet, 10),
                          random.randint(self.bet, 20),
                          random.randint(self.bet, 30),
                          random.randint(self.bet, 40),
                          random.randint(self.bet, 50)]
            big win = [random.randint(0, 150),
                       random.randint(0, 250)]
            no win = [0 \text{ for } x \text{ in range}(1, 50)]
            wins = small win + no win + big win
            random.shuffle(wins)
            pick wins = random.choice(wins)
            self.deposit = (self.deposit + pick wins) - self.bet # Det kostar bet kr att spela
```


## Python forts

```
if self.deposit >= 1000:
            yield f"\nMAXVINST. Du vann {pick wins}:-, sammanlagt {self.deposit}:-"
            self.deposit = 0
            self.bet = 0
            self.number of attempts = 0
           break
       elif self.deposit == 0:
            yield "\nGame Over. Mata in mera pengar i maskinen"
            break
       elif self.bet > self.deposit:
           yield '\nInte tillräckligt med krediter'
           break
       else:
           yield f"\nVinst: {pick_wins}:-\n"
       x = x + 1
def credits(self):
    if self.deposit < 0:
       yield "0:-"
   else:
       yield f"{self.deposit}:-"
```

#### Excel/LibreOffice Calc



#### Word/LibreOffice Writer



## Operativsystem

- Windows NT/2000/XP/7/10 (se CV)
- Linux, FreeBSD (från Karlberg), Android, IOS
- Cisco IOS¹

<sup>&</sup>lt;sup>1</sup>Ingick i kursen när jag läste till IT-tekniker 1998-99.

#### Konton och serveradministration

- Active Dictionary<sup>1</sup>
- Jag var den person som uppdaterade e-post servern (FreeBSD Unix) på Karlberg.
- Jag var även ansvarig för inläsning av krypteringsnycklarna på Karlberg.

<sup>&</sup>lt;sup>1</sup>Kompetens från NTI gymnasiet.

# Övriga program

- Episerver<sup>1</sup>
- Wordpress<sup>2</sup>
- Citrix och "Anslutning till fjärrskrivbord"

<sup>&</sup>lt;sup>1</sup>Kompetens från Psykiatrin södra.

<sup>&</sup>lt;sup>2</sup>Byggde Verdandi Sundbyberg hemsida i Wordpress.

<sup>&</sup>lt;sup>3</sup>Kompetens från Sollentuna kommun samt Polisen.

# Övriga program forts.

- VMware Workstation<sup>1</sup>
- Applikationspaketering<sup>2</sup>
- Ärendehanteringssystem<sup>3</sup>
- Bildbehandling (Gimp)

<sup>&</sup>lt;sup>1</sup>Kompetens från bl.a. Sollentuna kommun samt Lexicon kursen.

<sup>&</sup>lt;sup>2</sup>Från Sollentuna kommun.

<sup>&</sup>lt;sup>3</sup>Kompetens från bl.a. Sollentuna kommun, Polisen samt Lexicon kursen.

## Antivirus (från kursen på Trust IT)

- F-secure Antivirus Client Security
- Internet Shield samt F-secure policy Manager

## Molntjänster

- Office 365 (från Lexicon kursen)
- Azure (från Lexicon kursen)

# Övrigt

- Pedagogisk kompetens¹
- Förtroendeuppdrag<sup>2</sup>
- Aikido, 3 kyu

<sup>1</sup>Jag var den person som utbildade nyanställda IT-tekniker på Karlberg.

<sup>&</sup>lt;sup>2</sup>Jag har under flera års tid haft flera förtroende uppdrag inom Svenska kyrkan (stiftsfullmäktige, kyrkofullmäktige och kyrkoråd).