

# PsiPyPublish: An IPyPublish Template for Psychological Research

Stefan Uddenberg

Princeton University

*Running head:* PsiPyPublish

*Address for correspondence:*  
Stefan Uddenberg  
Peretsman Scully Hall 322  
Princeton University  
Princeton, NJ 08540  
stefanu@princeton.edu

*Word count:* XXX (Main text + abstract)

*Version:* Template file – not for submission

March 5, 2019

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Configuration	3
1.2	Caveats	3
<b>2</b>	<b>Notes</b>	<b>4</b>
2.1	Production	4
2.2	Markdown	4
2.3	Citations and References	4
2.4	Figures	5
2.4.1	Pre-made SVG	6
2.4.2	Inline plots (made with code)	6
2.5	Displaying Code	7
2.6	Templating — Pass Variables into Markdown	7
2.7	Latex	7
2.8	Terminal commands	7
2.9	Troubleshooting	8
2.9.1	Jupyter	8
<b>3</b>	<b>References</b>	<b>9</b>

# 1 Introduction

This is a template for an APA-style [iPyPublish](#) manuscript. Feel free to check out the documentation and examples at that link; it's all very good. There you can find information on how to embed figures, code, tables, and more. References are managed using [Zotero](#) in concert with [Better BibTex](#). For now, you're going to want to edit the notebook's metadata in order to change what appears on the title page. In addition, the metadata includes jupyter configuration, so that you can automatically generate markdown and py:percent versions of this notebook automatically on saving -- assuming you have jupyter installed and correctly configured, that is!

## 1.1 Configuration

My working configuration files for Jupyter (with Jupyter) and iPyPublish can be found in this repository. Naturally, you will need to replace your computer's original versions of these files with the new ones included here. For example, if using Anaconda, your iPyPublish installation can be found at `your_environment_name\Lib\site-packages\ipypublish`.

- `biblio_natbib.py`, `doc_article.py`, and `front_pages.py` all live in `your_environment_name\Lib\site-packages\ipypublish\latex\ipypublish`
- `ipynb_latex_setup.py` lives in `your_environment_name\Lib\site-packages\ipypublish\scripts`
- `latex_ipypublish_main.py` lives in `your_environment_name\Lib\site-packages\ipypublish\export_plugins`

## 1.2 Caveats

Since the creation of this template, ipypublish has been upgraded to version 0.9.0. This template was designed to work with version 0.6.7, and suits my needs; as such, it may take some time before I update this guide to deal with the latest version — if any changes are even needed at all, since I haven't had a chance to try out the latest edition.

## 2 Notes

### 2.1 Production

Produce a notebook in the terminal with the command `nbpublish -pdf -pbug file_name.ipynb` <sup>1</sup>. Outputs to converted folder at the `.ipynb` file's location.<sup>2</sup>

### 2.2 Markdown

- Headings and sub-headings (and so on) are made by prefacing text with `#`. The more `#`s, the greater the level of heading.
- Unordered lists are made by prefacing text with a `"-"`.
  1. Numbered lists start with a number and dot.
  2. Create sublists via tabbed indentation.
- Footnote links are made with `[^X]` (where `X` is some number). Footnote content is placed below with `[^X]: Content goes here.` Here's an example.<sup>3</sup>
  - Correct formatting only appears after running `nbpublish`.
- [Links](#) can be generated with the following syntax: `[link](http://www.website.com)`
- Code can be placed between backticks (the character to the left of the `1` key at the top of your keyboard).
  - Place it between 3 backticks (with an optional language name) and you get (syntax-highlighted) block code.<sup>4</sup> `python print(foo)`
- *Italic*, **bold**, and ***bolded italic*** text can be created by sandwiching text between 1, 2, or 3 `*s` or `_s` respectively.
- Blockquotes are made by prefacing text with `>` .

Get inline todos with Latex's "todo" command.

### 2.3 Citations and References

- First, specify the bibliography entry in the notebook metadata to the correct bibliography file (Edit --> Edit Notebook Metadata). *Leave out the .bib extension from this file name!* It should look like `path/to/bibFileName`.
  - If `nbpublish` is having problems finding the `.bib` file, I have had success by placing a copy in the `converted/notebook_name_files/` directory, as well as placing the file in the same folder as the actual notebook. This makes set up for the notebook's bibliography metadata especially easy.
- Citations can be input with citation keys and standard latex commands (e.g., `\cite{citationKey}`).

---

<sup>1</sup> Technically `-pbug` is optional so you can see verbose output, but `nbpublish` seems to work more reliably with this option enabled.

<sup>2</sup> `nbpublish` requires a lot of different technologies to work together. As such, if a build fails, simply try running the same command once more to see if that fixes the issue before moving on to more intense debugging.

<sup>3</sup> Footnote content goes here!

<sup>4</sup> Note, however, that one should not use this for displaying large chunks of code in an `nbpublish` PDF. Instead, see code cell [code 2.2](#) below for an example of how to place code in the PDF

- I've had success with citation keys generated via Zotero Better BibTex, like so ([Uddenberg & Scholl, 2018](#)). Note that you won't see the final formatted output until you run nbpublish.
- See a [cheat sheet of valid cite commands here](#).

## 2.4 Figures

- Figures can be displayed with commands like `display(SVG("filename.svg"))` or `Image('filename.jpg', height=400)`.
- Edit the cell's metadata to change the figure caption, placement, size, et al. (View --> Cell Toolbar --> Edit Metadata --> Click on "Edit Metadata" above cell.)
- Figures can be referenced via `\cref{fig:figNameFromMetadata}`. For example: Figure [2.1](#)
- Here's the metadata for the figure below, so you don't have to inspect it yourself — but be wary that multiply nested curly braces don't show up correctly in the PDF output:

```
{
  "ipub": {
    "figure": {
      "caption": "An example beeswarm plot of the built-in `tips` dataset found in seaborn.",
      "height": 0.3,
      "label": "fig:example",
      "placement": "H",
      "widefigure": false
    }
  }
}
```

### 2.4.1 Pre-made SVG




Figure 2.1: An example beeswarm plot of the built-in ‘tips’ dataset found in seaborn.

### 2.4.2 Inline plots (made with code)




Figure 2.2: An example pair plot using the built-in ‘iris’ dataset found in seaborn.

## 2.5 Displaying Code

Displaying the code in a code block, as in code 2.1 can be accomplished by editing the metadata:

```
{
  "ipub": {
    "code": {
      "format" : {},
      "asfloat": true,
      "caption": "Example list comprehension.",
      "label": "code:example_list_comp",
      "widefigure": false,
      "placement": "H"
    }
  }
}
```

*Code 2.1:* Example list comprehension

```
1 colors = ["red", "green", "blue"]
2 for color in colors:
3     print(color)
```

## 2.6 Templating — Pass Variables into Markdown

- Using the [Python Markdown Extension](#), you can pipe valid Python code into markdown cells directly by sandwiching it between two curly braces: E.g.,  $2 + 2 = 4$ . (You should see  $2 + 2 = 4$  in the PDF output, despite the fact that I never typed out 4 at all.)
- Note that the notebook needs to be Trusted; look to the top right to see if it is and simply click on Not Trusted to change that.

## 2.7 Latex

- Execute arbitrary latex by sandwiching it between dollar signs:  $a = b + c$
- Alternatively, use `Latex()` command from `ipypublish` within a code cell.
- Latex's `hphantom` command is useful when you just want a little more horizontal space between items.

## 2.8 Terminal commands

- Execute terminal commands in Jupyter by prefacing code with `!`.
- For example, you can export this notebook with the following code cell (uncommented, of course):

*Code 2.2:* How to publish this notebook, from within the notebook itself!

```
1 # !nbpublish -pdf -pbug template.ipynb
```

## 2.9 Troubleshooting

### 2.9.1 Jupyter

- If saving to Rmd format, beware using single quotes within figure caption metadata, since R Markdown uses single quotes for metadata and not double quotes, which creates issues when you want to include apostrophes.
- If you are encountering problems opening or even "trusting" a notebook that was previously working fine, simply delete the other non-ipynb representations of the notebook. I encounter this issue most often when synchronizing notebook files via Dropbox.



### 3 References

Uddenberg, S., & Scholl, B. J. (2018). Teleface: Serial reproduction of faces reveals a whiteward bias in race memory. *Journal of Experimental Psychology: General*, 147(10), 1466-1487.