CI G	ass: O	S	F	R	D	Student Name:Shiane
F	Part A /16					
F	Part B / 27					
7	TOTAL			/43		

Student Name:	
Shiane	neer I

QUESTION	А	В	С	D
1				
2		_		
3				
4				
5				
6			2 1	
7				
8				
9				
10				
11				
12				
13				
14		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
15				
16				

27 marks Attempt Questions 16-19. Allow about 35 minutes for this section	·
Question 16 (15 marks)	Marks
The paragraph below is a student's write-up of an exp	periment.
1. I put 100 mL of water in a test tube and measured some of the crystals in it and stirred the mixture to dissome remained on the bottom of the tube no matter 2. I filtered the mixture and then evaporated all the water amount of solid left behind and found that 6.0 g had be 3. Then I did it again but this time I heated the water a tripod while the thermometer was suspended form a that 8.0 g dissolved.	issolve the crystals. I kept stirring until how much longer I stirred. vater from the solution. I weighed the been dissolved. using a Bunsen burner, gauze mat and
4. I repeated it at 40°C and at 47°C and got 10.0 g and	d 11.2 g as my results
4. I repeated it at 40°C and at 47°C and got 10.0 g and(a) Write an aim appropriate for the experiment.	
(a) Write an aim appropriate for the experiment.	ow many of the crystals disalve stances by heating it up every
(a) Write an aim appropriate for the experiment. The aim of this experiment is to see he in 100ml of water, and change the waters an measuring now many of the aystals (b) Complete the table for the student's results.	ow many of the crystals disalve standard up every disolve.
(a) Write an aim appropriate for the experiment. The aim of this experiment is to see he in 100ml of water, and change the waters an measuring now many of the aystals	ow many of the crystals disalve stemperature by heating it up every disolve.
(a) Write an aim appropriate for the experiment. The aim of this experiment is to see he in 100ml of water, and change the waters an measuring now many of the aystals (b) Complete the table for the student's results. Temperature of water (°C)	sw. many of the crystals disalves. temperature by heating it up every disolve. 2 Amount of crystals disolved (g)
(a) Write an aim appropriate for the experiment. The aim of this experiment is to see he in 100ml of water, and change the waters an measuring now many of the aystals (b) Complete the table for the student's results. Temperature of water (°C)	sw. many of the crystals disalve s temperature by heating it up every disolve. 2 Amount of crystals disolved (g) 6.00


The dependant variable is the amount of crystals dissolved.

2

(d) Identify a variable that needs to be controlled during the experiment to make it a fair or valid test.	1
You will need to control the amount and type of the crystal that needs to	

be disolved in order to achieve a fair experiment / test

(e) Draw a labelled scientific diagram showing the equipment set up required to carry out step 3 as described above. **3**




(f) Identify two safety issues the student will have to be concerned with through this experiment.

1. The student should have wern safety glasses through the experiment, so that dangerous at hat substances don't go in the eyes.

2. The student should have had their hair tied back, especially while using the bunsen burner, so that their hair wouldn't catch on fire.

· . .



(h)	Write a conclusion for the experiment.	:
<u> </u>	the temperature of the water rised, more amounts of the crystal dissolved.	••

Question 17 (4 marks)


The following scientists are working in different branches or disciplines of science. Identify which branch each is working in:

4

Activity	Branch of Science
Paris is studying the crystals embedded in a rock.	
Beau is developing a new type of plastic	
Shaun is investigating the eating habits of insects	-
Angus is monitoring the movement of an asteroid	Astronomy

Question 18. (4 marks).

The graph shows information about road fatalities and the use of seat belts in cars.



(a) According to this data what is the trend shown in the number of fatalities between 1988 and 1996? Provide data to support your answer. 2

The number of fatalaties are more when the seatbelts are least worn.

(b) Analyse the data presented and provide reasons for the conclusion you made.

Whenever less seatbelts are warn, e.g. in 1988 around 45 seatbelts


Were warn, an their were 88 deaths. But in 1998, around 70

reatbelts were warn and there were 55 deaths. Therefore, if

more people with wear seatbelts, their will be less deaths.

Question 19. (4 marks).

The drawing made by a scientist was twice as big as the real size of the object. Determine the actual length of the whole piece of equipment. *Show your working.* **2**



•••
: : 2
••••

END OF EXAM