

Oracle Database Multitenant

Workshop

14th October 2021

EMEA TSE Data Management Experts group




Safe harbor statement

The following is intended to outline our general product direction. It is intended for information purposes only, and may not be incorporated into any contract. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions.

The development, release, timing, and pricing of any features or functionality described for Oracle's products may change and remains at the sole discretion of Oracle Corporation.


Comparing Database Consolidation Architectures





Classical Oracle Database Architecture

Requires memory, processes and database files











Multitenant Architecture


Memory and processes required at container level only














Multitenant Architecture

More efficient utilization of system resources








Multitenant Architecture

Components of a Multitenant Container Database (CDB)




Pluggable Databases



Manage Many Databases as One

Backup databases as one; recover at pluggable database Level




Manage Many Databases as One with Multitenant

One standby database covers all pluggable databases




Simplified Patching and Upgrades

Apply changes once, all pluggable databases updated




Simplified Patching and Upgrades

Flexible choice when patching & upgrading databases



Original Container Database 19.3




Upgraded Container Database 19.4

Multitenant



- Container managed database virtualization
- Manage Many as one
 - Patching, Backup, Security, Online Cloning, Online Relocation
- Software as Service
 - Shared metadata, Data location transparency

New in 12.2, 18c, 19c



- 12.2
 - Online cloning & relocation
 - Incremental refresh of test/dev master
 - Application containers
- 18c
 - Transportable backups
 - Snapshot carousel
 - Refreshable PDB switchover
- 19c
 - RAT and ADDM at PDB level




Application Container

Application Container comprises
Application Root (Master)
Application PDBs (for each Tenant)
Application Seed (for provisioning)

PDBs share application objects Code, metadata and data


Further simplifies management
Apply updates to application container
Sync tenant PDBs from central master

Suitable for all applications SaaS, franchise, divisional, etc.



Multitenant for Provisioning


Fast cloning of PDBs



- PDBs can be cloned from within the same CDB
- PDBs can be cloned from remote CDBs
- PDBs can be cloned from non-CDBs
- Thinly provision snapshot clones in seconds

PDB Hot Clone

PDB Hot Clone
Online test master instantiation




Refreshable PDB

PDB Hot Clone

Online test master instantiation

Refreshable PDB

Incremental refresh of clone with latest data





Online PDB Relocation


PDB Hot Clone

Online test master instantiation

Refreshable PDB


Incremental refresh of clone with latest data

Online PDB Relocation Relocate with no downtime



Advantages of Multitenant Architecture

Isolation and agility with economies of scale



Self-contained PDB for each application

- Applications run unchanged
- Rapid provisioning (via clones)
- Portability (via pluggability)

Common operations performed at CDB level

- Manage many as one (upgrade, HA, backup)
- Granular control when appropriate Shared memory and background processes
- More applications per server

CPU Resource Shares & Limits (PDBs)

- Upper & Lower Bounds
 - SHARE is low bound (relative fraction of CPU available)
 - LIMIT is the upper bound (percentage of CPU available)
- Shares are Relative to Other Databases
 - Database #1 Share = 10, Limit = 30%
 - Database #2 Share = 50, Limit = 90%
 - Total shares = 60
 - Database #1 gets 16% guaranteed (10/60)
 - Database #2 gets 83% guaranteed (50/60)
- Re-factor shares when adding or removing databases
 - Setting the LIMIT allows room to add databases
 - Consider implications for the example shown above!

Thank you!

