

# AugerBot Calculations

Quit

Trial 1: 9/19 - 9/26

Modified Francisco Calculations : 10/18 (Do not use!)

Plotting  $F_x$  to find  $U$  which Balances Forces:  
11/1

Plotting  $F_x$  to find  $U$  which Balances Forces 2 :  
11/9

Inside Equation for Thrust: 11/16

Quit;

---

## Testing Model

### Parameters

#### For Helix

```
In[1]:= (*Current param: R = 1.8cm, n = 3.5*)  
R = 0.018; (*Screw radius, m*)  
n = 3.5; (*Number of helix turns*)
```

## For Material

```
In[3]:= (*S5 and S6:
      az( $\beta, \gamma$ ) = az(0,sgn(zdot)* $\pi/2$ )*|Cos[ $\beta$ ] |, Approx Fz on horiz projection
      ax( $\beta, \gamma$ ) = ax( $\pi/2, 0$ )*|Sin[ $\beta$ ] |, Approx Fx on vert projection
*)

(*NOT SURE IF ZDOT IS + OR -, IF - THEN ALL Z VALUES UNDER AROUND 0*)
zlpPoppy = 0.35;
zcpPoppy = 0.55;
zlpGlass = 0.3;
zcpGlass = 0.4;
zcpGLASS = 0.3; (*az(0,sgn(zdot)* $\pi/2$ ), N/cm^3*)
xlpPoppy = 0.0625;
xcpPoppy = 0.2/3;
xlpGlass = 0.075;
xcpGlass = 0.1;
xcpGLASS = 0.0625; (*ax( $\pi/2, 0$ ), N/cm^3*)

 $\beta$  = (Pi/2) -  $\phi$ ; (* $\phi$  is symbolic, radians*)
 $\alpha_Z$  = zlpPoppy * Abs[Cos[ $\beta$ ]] * (100^3); (*Vertical stress per unit depth, N/m^3*)
 $\alpha_X$  = xlpPoppy * Abs[Sin[ $\beta$ ]] * (100^3); (*Horizontal stress per unit depth, N/m^3*)

d = 0.05; (*Depth robot buried, m*)

(*Friction coefficients, expressed in terms of  $\phi$ *)
Cn =  $\alpha_Z$  * d; (*N/m^2*)
Ct =  $\alpha_X$  * d;
```

## For Motor

```
In[11]:= w = 2 * 1000 * (2 * Pi) / 3584; (*Angular velocity with 12V source, rad/s*)
      ■ (2 ticks/ms)*(1000 ms/s)*(2*Pi rad/rev)*(1 rev/3584 ticks)
```

## Horizontal Thrust Inner Equation

```
In[12]:= FxIn[u_] :=
      (0.5 * (Cn - Ct) * Sin[ $\phi$ ] * Cos[ $\phi$ ] * (Sqrt[1 + u^2] + u^2 * Log[u / (1 + Sqrt[1 + u^2])]) -
      u * (Ct * Sin[ $\phi$ ]^2 + Cn * Cos[ $\phi$ ]^2) * (Sqrt[1 + u^2] - u));
```

## Calculating U/Rw when Fx = 0 for Many $\phi$ Cases

```
In[13]:=  $\phi$  = 15 * Pi / 180 // N; (*Local inclination, radians*)
       $\phi$ store = {};
      ustore = {};
      Fstore = {};
```

```

In[17]:= (*Finding U/Rw Intercepts*)
While[ $\phi < 90 * \text{Pi} / 180$ ,
  (*Print statements*)
  (*Print["Let  $\phi = ", \phi * 180 / \text{Pi}, " \text{ deg}"]$ ];
  Print["(Cn-Ct)*Sin[ $\phi$ ]*Cos[ $\phi$ ] = ", (Cn-Ct)*Sin[ $\phi$ ]*Cos[ $\phi$ ]];
  Print["Ct*Sin[ $\phi$ ]^2+Cn*Cos[ $\phi$ ]^2 = ", Ct*Sin[ $\phi$ ]^2+Cn*Cos[ $\phi$ ]^2];
  Print@Plot[{FxIn[u], 0}, {u, 0, 0.1}, PlotLabel->"Inner Fx vs. Helix Velocity U/Rw",
    AxesLabel->{"U/Rw (m/s)", "Fx (N/m^2)"}, PlotRange->All];
  *)

  (*Store  $\phi$  in array*)
   $\phi$ store = Join[ $\phi$ store, { $\phi$ }];

  (*Finding U/Rw intercept: Newton-Raphson Method*)
  guess = 0.01; (*Reset initial guess*)
  grad = D[FxIn[u], u];
  While[FxIn[guess] >  $10^{-6}$ , (*Keep iterating until FxIn  $\approx 0$ *)
    gradEval = grad /. u -> guess; (*Find FxIn'(guess)*)
    guess = guess - FxIn[guess] / gradEval (* $u_{i+1} = u_i - \text{FxIn}(u_i) / \text{FxIn}'(u_i)$ *)
  ];
  uint = guess; (*U/Rw intercept found*)


  (*Store U/Rw and corresponding FxIn values in array*)
  ustore = Join[ustore, {uint}];
  Fstore = Join[Fstore, {FxIn[uint]}];

   $\phi = \phi + (1 * \text{Pi} / 180)$  (*Increment by 0.1 deg*)
]

```

## Analysis

```
In[26]:=  $\phi\text{col} = \{\phi\text{store}\}^T$ ;  $u\text{col} = \{u\text{store}\}^T$ ;  $F\text{col} = \{F\text{store}\}^T$ ;
dataPlot = Join[ $\phi\text{col}$ ,  $u\text{col}$ , 2]; dataTable = Join[ $\phi\text{col}$ ,  $u\text{col}$ ,  $F\text{col}$ , 2];
ListPlot[dataPlot, PlotLabel  $\rightarrow$  "U/Rw vs  $\phi$ ", AxesLabel  $\rightarrow$  {" $\phi$  (Rad)", "U/Rw"}]
```



Should have a maximum.

```
In[21]:= (*Checking Data Values:  $\phi$  is left col, U/Rw is right col*)
```

```
In[22]:= Grid[Join[{" $\phi$  (Rad)", "U/Rw", "FxIn[U/Rw]"}, dataTable, 1]]
```

$\phi$ (Rad)	U/Rw	FxIn[U/Rw]
0.261799	0.0442894	$3.55897 \times 10^{-9}$
0.279253	0.0538053	$2.30265 \times 10^{-8}$
0.296706	0.0634723	$1.036 \times 10^{-7}$
0.314159	0.0732932	$3.64453 \times 10^{-7}$
0.331613	0.0832716	$5.68434 \times 10^{-14}$
0.349066	0.0934114	$5.68434 \times 10^{-14}$
0.366519	0.103717	$1.13687 \times 10^{-13}$
0.383972	0.114193	0.
0.401426	0.124845	$1.13687 \times 10^{-13}$
0.418879	0.135678	$4.54747 \times 10^{-13}$
0.436332	0.146699	$1.36424 \times 10^{-12}$
0.453786	0.157913	$3.86535 \times 10^{-12}$
0.471239	0.169329	$1.01181 \times 10^{-11}$
0.488692	0.180953	$2.54659 \times 10^{-11}$
0.506145	0.192792	$6.09361 \times 10^{-11}$
0.523599	0.204857	$1.38243 \times 10^{-10}$
0.541052	0.217155	$2.98769 \times 10^{-10}$
0.558505	0.229697	$6.2164 \times 10^{-10}$
0.575959	0.242491	$1.24646 \times 10^{-9}$
0.593412	0.255551	$2.42062 \times 10^{-9}$
0.610865	0.268885	$4.56021 \times 10^{-9}$
0.628319	0.282509	$8.36349 \times 10^{-9}$
0.645772	0.296433	$1.49571 \times 10^{-8}$

Out[22]=

0.663225	0.310673	$2.61371 \times 10^{-8}$
0.680678	0.325243	$4.47076 \times 10^{-8}$
0.698132	0.34016	$7.49646 \times 10^{-8}$
0.715585	0.355439	$1.2339 \times 10^{-7}$
0.733038	0.3711	$1.99614 \times 10^{-7}$
0.750492	0.387163	$3.17728 \times 10^{-7}$
0.767945	0.403647	$4.98091 \times 10^{-7}$
0.785398	0.420575	$7.69727 \times 10^{-7}$
0.802851	0.437972	$-4.54747 \times 10^{-13}$
0.820305	0.455864	$-4.54747 \times 10^{-13}$
0.837758	0.474277	$-4.54747 \times 10^{-13}$
0.855211	0.493243	0.
0.872665	0.512794	$4.54747 \times 10^{-13}$
0.890118	0.532964	0.
0.907571	0.553792	0.
0.925025	0.575319	$4.54747 \times 10^{-13}$
0.942478	0.59759	0.
0.959931	0.620653	$2.27374 \times 10^{-13}$
0.977384	0.644562	$4.54747 \times 10^{-13}$
0.994838	0.669374	$6.82121 \times 10^{-13}$
1.01229	0.695153	$2.04636 \times 10^{-12}$
1.02974	0.721969	$3.63798 \times 10^{-12}$
1.0472	0.749898	$5.68434 \times 10^{-12}$
1.06465	0.779024	$1.11413 \times 10^{-11}$
1.0821	0.809441	$2.02363 \times 10^{-11}$
1.09956	0.841251	$3.66072 \times 10^{-11}$
1.11701	0.874571	$6.61657 \times 10^{-11}$
1.13446	0.909526	$1.14824 \times 10^{-10}$
1.15192	0.946259	$1.99179 \times 10^{-10}$
1.16937	0.984931	$3.39924 \times 10^{-10}$
1.18682	1.02572	$5.74346 \times 10^{-10}$
1.20428	1.06883	$9.63837 \times 10^{-10}$
1.22173	1.11449	$1.59594 \times 10^{-9}$
1.23918	1.16297	$2.61389 \times 10^{-9}$
1.25664	1.21455	$4.23711 \times 10^{-9}$
1.27409	1.26958	$6.79756 \times 10^{-9}$
1.29154	1.32846	$1.0794 \times 10^{-8}$
1.309	1.39165	$1.69572 \times 10^{-8}$
1.32645	1.45967	$2.63642 \times 10^{-8}$
1.3439	1.53316	$4.05579 \times 10^{-8}$
1.36136	1.61285	$6.17229 \times 10^{-8}$
1.37881	1.69962	$9.28998 \times 10^{-8}$
1.39626	1.79452	$1.38224 \times 10^{-7}$
1.41372	1.89883	$2.03169 \times 10^{-7}$
1.43117	2.0141	$2.94674 \times 10^{-7}$
1.44862	2.14226	$4.20971 \times 10^{-7}$
1.46608	2.28569	$5.90566 \times 10^{-7}$
1.48353	2.44742	$8.09265 \times 10^{-7}$

1.50098	2.63133	$-2.84217 \times 10^{-13}$
1.51844	2.8425	$2.84217 \times 10^{-13}$
1.53589	3.08767	$-5.18696 \times 10^{-13}$
1.55334	3.376	$-4.79616 \times 10^{-13}$

```
In[23]:=  $\phi = \phi\text{col}[[5, 1]]$ 
 $u0 = u\text{col}[[5, 1]]$ 
```

```
Out[23]= 0.331613
```

```
Out[24]= 0.0832716
```

```
In[25]:=  $\text{FxIn}[u0]$ 
```

```
Out[25]=  $5.68434 \times 10^{-14}$ 
```