



# Chatbot in 7 Days

## How to use NNOD to create chatbot in a week

Development Diary: February 22, 2018 - February 28, 2018


### Best Buy



# Introduction

This is an example how to create a chatbot or virtual assistant, capable to run in multi-channel environment (chat, voice, PC, smartphone, TV) by using [NNOD SDK](#) and the very basic development resources. I want to show how simple can be the process of building interactive contextual search assistant when using neural networks based [Expert System](#).

By using [Best Buy website](#) and its [Development API](#) I will build interactive assistant (chatbot) in [one man-week](#) and keep daily records of the development process:



# Day 1

## Project preparation. Agile vs Waterfall. Data Source.

Since this is a one man project I have to find the best way to plan and manage the progress towards final product. Because I will be the only one working on it during the next 7 days, all traditional function: management, architectural design, UI, front and back programming, QA and few others, will be implemented inside the one man's mind.

Personally, I prefer the Waterfall model, but considering that I will have minimum possible resources allocated to this project, I've decided to use Agile. Which means that "virtual manager", "virtual architect", etc. will "virtually" interact in my mind representing the model of real team cooperation. As many projects in real life, I will have my board to put my virtual notes, similar to notes I have in front of me on my iMac:



## Learning Best Buy API.

The very first step in this project is to get registered on BestBuy Development site and obtaining API key. To get it I went to <https://developer.bestbuy.com> and felt application form to obtain API Key. This Key required sending requests to Best Buy's database.

The next step is to learn and experiment with Best Buy API (BB API). It takes some time to understand the structure, components, formats of API. The important tool in this process is the Query Builder - <http://bestbuyapis.github.io/bby-query-builder/#/productSearch>. Most of my time I spent with it to understand the structure of JSON queries and responds.

For example, informal request - "Show me cameras around \$200 with the best reviews" can be reformulated in Query Builder's [formal request](#):

The screenshot shows the Best Buy Query Builder interface. At the top, there is a navigation bar with links for Products, Stores, Categories, Open Box, Recommendations, and Smart Lists. An API Key input field contains the value: 7ksBhjryZ5hxofJSEk2VBO7u. The main area is divided into sections:

- Products API**: Describes the Products API giving access to the full Best Buy catalog.
- 1 Search for Products**: A search form with dropdowns for "Digital Cameras", "Enter Keyword(s)", and three numeric filters for "Regular Price" (100), "Regular Price" (300), and "Customer Review Average" (4).
- 2 Build Your Response**: Options for "Product Attributes (optional)" (Name, Regular Price, Image, URL, Customer Review Average) and "Facets" (Regular Price, Number: 50).
- 3 Pagination**: Options for "Results Per Page" (100) and "Page" (1).
- URL Breakdown**: Shows the anatomy of the request URL with pieces like baseURL, categoryId, attribute, regularPrice, apiKey, sortOptions, showOptions, &show, pagination, facets, and responseFormat.
- Complete URL**: Displays the full generated URL: https://api.bestbuy.com/v1/products(regularPrice>100&regularPrice<300&customerReviewAverage>=4&(categoryPath.id=abcat0401000))?
- #request:** [Copy] button followed by the query string.
- #response:** [Copy] button followed by a JSON snippet representing the API response.

At the same time, on the background, I already started architectural design and preparation for the presentation of responses in more dynamic visual form.


To make this solution generic as possible, I would use basic Web Server and will build interactive chat page using only standard JavaScript.

The NNOD API published as Open Source under GNU license in [GitHub](#), and I had add this solution into the same GitHub depository under [bestbuy](#) directory.

### Local Development Environment.

I will build the chatbot on iMac, but there are no any differences in the implementation for Windows. I am using Apache Web Server on Mac and IIS Web Server on Windows.

To make the very first call to [BB API](#) I started with simple PHP request (potentially one of the next versions may require server integration):



---

```

<body style="background-color:#999999;">
<?php
$url = "https://api.bestbuy.com/v1/
products(customerReviewAverage%3E=4&regularPrice%3E150&regularPrice%3C250&(ca
tegoryPath.id=abcat0401000))?
apiKey=xxxxxx&sort=name.asc&show=manufacturer.name,image,url,regularPrice&fac
et=regularPrice,50&pageSize=100&format=json";
$data = file_get_contents($url);
$json = json_decode($data, true);
$array = $json[ "products" ];
$db_counter = 1;
foreach ($array as $obj) {
    $db_counter = $db_counter + 1;
    echo "<div class=\"thumbnail_wrapper\"><table cellspacing=\"0\" "
cellpadding="0"><tr>\n" .
    "<td id=\"td_thumbnail_" . $db_counter . "\" "
class="td_thumbnail_image">\n" .
    "<a href="#"><img src=\"" . $obj[ 'image' ] . "\" height='70' width='95' " .
    "\" onclick="javascript:openThumbnailLink('" . $obj[ 'url' ] . "')"; return
false;"></a></td>\n" .
    "</tr><tr><td id=\"td_thumtitle_" . db_counter . "\" "
class="td_thumbnail_title">\n" . " " . $obj[ 'name' ] . "\n" .
    "</td></tr></table></div> \n\n";
}
?>
</body>

```

---

### The result:

#### Day 1 outcome.


- BB API Key obtained and I have full access to BB database.
- The very first Web Page with implementation of requests to BB API built.
- Clear understanding of BB API now allows starting building Linguistic model for interactive search.

# Day 2

## Architectural/Marketing.

What is the value of my chat bot? - This is one of the most important questions I must have an answer before and during the process of chatbot development. What are the criteria I could establish to measure the advantages of this ChatBot compare the others similar solutions? I decided - to use the cost of service and the customer (user) request satisfaction.

When user wants to buy some product or service, he/she needs to get information to make the final decision. And before the very last moment when sale completed, the information for decision making will be collected from many sources: the Web, personal notes, social networks and finally a human experts are the network of participants in interactive process of choosing the best product from many available on the market.



Basically, the process includes collecting data from different sources, compare results and repeat the process until the threshold level for the decision has reached.

The cost of this process has two components: user (customer) cost, which includes the time and the potential lost (if the item is wrong, or the same item can be purchased for lower price); and cost of sale for the companies that sell the product through the multi-channels (the cost service and potential cost of loosing the client if he/she decided to switch to different provider).

I am using Best Buy Web site as one of the sources for measuring success. Criteria #1 will be based on the time required for the user to find enough information about the product

and make decision to move forward and complete the purchase, visit Best Buy store or to switch to another retailer.

## PHP -> JavaScript.

Even PHP is very popular and widely supported language, wherever it is possible I will use JavaScript for the reason scalability and support minimization. If my solution will be fully JavaScript based it will not require any external server support except BB API, which mean that I will automatically solve the problem of scalability.

Changing PHP to JavaScript is relatively easy:

---

```
<!DOCTYPE HTML>
<html>
<head>
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta http-equiv="content-type" content="text/html; charset=UTF-8" />
<meta name="apple-mobile-web-app-capable" content="yes" />
<meta name="apple-mobile-web-app-status-bar-style" content="black" />
<meta name="viewport" content="minimum-scale=1.0, maximum-scale=5.0, user-scalable=yes, initial-scale=1.0" />
<meta name="viewport" content="user-scalable=yes">

<title>256gl NNOD</title>
<link rel="stylesheet" type="text/css" href="style.css" />
<script type="text/javascript">
    function openThumbnailLink(url) {
        window.open(url, "_blank", "toolbar=no, scrollbars=yes, resizable=yes,
top=10, left=10, width=800, height=800");
        return true;
    };
</script>
</head>
<body style="background-color:#999999;">
<div id="demo"></div>
<script>
var xmlhttp = new XMLHttpRequest();
xmlhttp.onreadystatechange = function() {
    if (this.readyState == 4 && this.status == 200) {
        var myObj = JSON.parse(this.responseText);
        var result = myObj.products;
        var x = "";
        for (i in result) {
            x = x + "<div class=\"thumbnail_wrapper\"><table cellspacing=\"0\" "
cellpadding="0"><tr>\n" +
                "<td id=\"td_thumbnail_" + i + "\" class=\"td_thumbnail_image\">\n" +
                "<a href="#"><img src=\"" + result[i].image + "\" height='70' "
width='95' " +
```

```

    \" onclick=\"javascript:openThumbnailLink('' + result[i].url + '');  

return false;\"></a></td>\n" +  

    "</tr><tr><td id=\"td_thumbtile_\" + i + "\"  

class=\"td_thumbnail_title\">\n" + " " + result[i].name + "<br>$" +  

result[i].regularPrice + "\n" +  

"</td></tr></table></div> \n\n";
}
document.getElementById( "demo" ).innerHTML = x;
}
};

url = "https://api.bestbuy.com/v1/  

products\(customerReviewAverage%3E=4&regularPrice%3E150&regularPrice%3C250&\(ca  


tegoryPath.id=abcat0401000\)\)?  

apiKey=xxxxxx&sort=name.asc&show=manufacturer.name,image,url,regularPrice&fa  

ct=regularPrice,50&pageSize=100&format=json";

xmlhttp.open( "GET", url, true);
xmlhttp.send();
</script>
</body>
</html>

```



## Parameters in HTTP Request.

BB API allows sending request only with certain relatively restricted set of parameters. Currently it's allowing me only to request products defined by: Category, CustomerReview, Manufacturer, Color and Price. The formal request to BB Database can be build only with combination of these parameters.

To load or reload gallery page I will use HTTP Get method:

```
http://localhost/neurons/bestbuy/gallery.html?
color=silver&manufacturer=apple&customerReviewAverage=3&price=1500
```

The presentation layer (gallery.html) has the arguments parser and few logical adjustments.

It is almost impossible in user's informal request define price as an exact number, so I am converting the Price into the range and if no exact criteria provided, the price for the request calculates as:

```
regularPrice_gt = price - Math.round(price / 4)
regularPrice_lt = price + Math.round(price / 4)
price >= regularPrice_gt && price <= regularPrice_lt
```

The whole arguments parsing for the page is following:

---

```
var api_key = "7ksBhjryZ5hxofJSEk2VB07u";
var baseURL = "https://api.bestbuy.com/v1/products";
var categoryId = get_arguments[ "categoryId" ];
if (categoryId === undefined) categoryId = "abcat0502000";

// abcat0502000 - Laptops
// abcat0501000 - Computers
// abcat0401000 - Cameras
// pcmcat209400050001 - phones
// abcat0204000 - Hesad phones
// pcmcat241600050001 - Home Audio
// pcmcat254000050002 - Home Automation
// pcmcat209000050006 - iPads
// abcat0904000 - Ovens
// abcat0901000 - Refrigerators
// abcat0101000 - TVs
// abcat0910000 - Washers
// pcmcat310200050004 -Speakers

var customerReviewAverage = get_arguments[ "customerReviewAverage" ];
if (customerReviewAverage === undefined)
{
    customerReviewAverage = "";
```

```

} else
{
    customerReviewAverage = customerReviewAverage - 0.1
    customerReviewAverage = "&customerReviewAverage>=" + customerReviewAverage;
}
var manufacturer = get_arguments["manufacturer"];
if (manufacturer === undefined)
{
    manufacturer = "";
}
else
{
    manufacturer = "&manufacturer=" + manufacturer;
}
var color = get_arguments["color"];
if (color === undefined)
{
    color = "";
}
else
{
    color = "&color=" + color;
}
var regularPrice_gt = 0;
var regularPrice_lt = 100000;
var price = get_arguments["price"];
if (price === undefined || price === "")
{
    price = "regularPrice>=" + regularPrice_gt +
        "&regularPrice<=" + regularPrice_lt;
}
else
{
    regularPrice_gt = Math.round(price) - Math.round(price / 4);
    regularPrice_lt = Math.round(price) + Math.round(price / 4);
    price = "regularPrice>=" + regularPrice_gt +
        "&regularPrice<=" + regularPrice_lt;
}
var url = baseURL + "(" + price + customerReviewAverage + manufacturer +
color +
"&(categoryPath.id=" + categoryId + "))" +
"?apiKey=" + api_key +
"&sort=name.asc&show=manufacturer,name,image,url,regularPrice&facet=regularPr
ice,50&pageSize=100&format=json";

```

---

With this update I can now request different category of products and update search criteria.

localhost

FWW 256gl.com Editor 256Azure nnod ws.nnod ActiData DZ nnod AppleDev Azure nnod.htm Trace >>

256gl NNOD 256gl NNOD +

				
Acer - 11.6" Refurbished Chromebook - Intel Celeron - 2GB Memory - 16GB eMMC Flash Memory - White \$149	Acer - 11.6" Refurbished Chromebook - Intel Celeron - 4GB Memory - 16GB eMMC Flash Memory - Gray \$189.99	Acer - 11.6" Touch-Screen Chromebook - Intel Celeron - 4GB Memory - 16GB eMMC Flash Memory - Gray \$279	Acer - 14 14" Refurbished Chromebook - Intel Celeron - 4GB Memory - 16GB eMMC Flash Memory - Sparkly silver \$199.99	Acer - 14 for Work 14" Chromebook - Intel Celeron - 4GB Memory - 16GB eMMC Flash Memory - Black, Silver \$349.99
				
Acer - 14 for Work 14" Chromebook - Intel Core i3 - 8GB Memory - 32GB eMMC Flash Memory - Black, silver \$579	Acer - 14 for Work 14" Chromebook - Intel Core i5 - 8GB Memory - 32GB eMMC Flash Memory - Black, Silver \$749.99	Acer - 14" Chromebook - Intel Celeron - 4GB Memory - 32GB eMMC Flash Memory - Sparkly silver \$299	Acer - 14" Laptop - Intel Core i5 - 8GB Memory - 256GB Solid State Drive - Black \$999.99	Acer - 14" Laptop - Intel Core i5 - 8GB Memory - 256GB Solid State Drive - Steel gray \$843.99
				
Acer - 14" Laptop - Intel Core i7 - 8GB Memory - 256GB Solid State Drive - Black \$949.99	Acer - 14" Laptop - Intel Core i7 - 8GB Memory - 512GB Solid State Drive - Steel gray \$1049.99	Acer - 14" Refurbished Laptop - Intel Core i3 - 4GB Memory - 128GB Solid State Drive - Sparkly silver \$447.99	Acer - 14" Touch-Screen Laptop - Intel Core i5 - 8GB Memory - 256GB Solid State Drive - Black \$849.99	Acer - 14" TravelMate Notebook - 4 GB Memory - 500 GB Hard Drive - Black \$893.98
				
Acer - 15.6" Chromebook - Intel Celeron - 4GB Memory - 16GB eMMC Flash Memory - Granite Gray \$229	Acer - 15.6" Chromebook - Intel Celeron - 4GB Memory - 16GB Solid State Drive - Linen White \$249	Acer - 15.6" Chromebook - Intel Core i3 - 4GB Memory - 32GB Solid State Drive - Black \$449.99	Acer - 15.6" Laptop - Intel Core i5 - 16GB Memory - NVIDIA GeForce GTX 1050 Ti - 256GB Solid State Drive - Black \$899.99	Acer - 15.6" Laptop - Intel Core i5 - 8GB Memory - NVIDIA GeForce GTX 1050 - 256GB Solid State Drive - Black \$799.99

localhost

FWW 256gl.com Editor 256Azure nnod ws.nnod ActiData DZ nnod AppleDev Azure nnod.htm Trace >>

256gl NNOD 256gl NNOD +

				
Apple - MacBook Air@ - 13.3" Display - Intel Core i7 - 8GB Memory - 512GB Solid State Drive (Latest Model) - Silver \$1549.99	Apple - MacBook Air@ (Latest Model) - 13.3" Display - Intel Core i5 - 8GB Memory - 256GB Flash Storage - Silver \$1199.99	Apple - MacBook Pro@ - 13" Display - Intel Core i5 - 8 GB Memory - 256GB Flash Storage (Latest Model) - Silver \$1799.99	Apple - MacBook Pro@ - 13" Display - Intel Core i5 - 8 GB Memory - 128GB Flash Storage (Latest Model) - Silver \$1299.99	Apple - MacBook Pro@ - 13" Display - Intel Core i5 - 8 GB Memory - 256GB Flash Storage (Latest Model) - Silver \$1499.99
				
Apple - Macbook@ - 12" Display - Intel Core i5 - 8GB Memory - 512GB Flash Storage (Latest Model) - Silver \$1599.99	Apple - Macbook@ - 12" Display - Intel Core M3 - 8GB Memory - 256GB Flash Storage (Latest Model) - Silver \$1299.99			

## Day 3


### Domain of Definition, Map Informal Requests into Formal Queries.

One of the most important step in chatbot design is the clear understanding of "[Domain of a Function](#)". The informal human request need to be mapped into the formal query. The goal of our design is to map practically endless variety of informal request into the limited set of allowed parameters in query, which will results with limited number of items from the database. In our case, Best Buy API limited by Product, Stores, Categories and Recommendation types of queries. Understanding of this limitation makes development significantly simpler.


I am limiting this basic chatbot with Product only search but all possibilities to extend this solution with minimum modifications in the code could be done in next versions.

#### Do not pretend!

One of the biggest problem of modern chatbots - they are pretending. Huge marketing and mass media "propaganda" of AI and Turing test, leads developers to the wrong design, when chatbots are build on the promise to imitate a human. When user meets such bot, the high expectation leads to many unreasonable attempts to ask questions, which bots unable to answer. And instead of using bot as a tool to improve search, in many cases users are trying to test it.



For this reason, my goal is to make clear the understanding of the limit of the assistant that I developed. I am planning to show, that chatbot functionality is similar to “receptionist” and its capabilities are limited. But in many cases, what “a receptionist” would do - he/she would save a lot of visitor's time and lead to the right expert who would provide the best service helping find the right products to satisfy user needs.



That's why the area 1 (cloud of tags) is the model of “chatbot's mind”.

When the user understands that the chatbot is helping to make the formal search request and bot “knows” only limited number of parameters (which in many cases unknown in formal way to the visitor), (which in many cases unknown to the visitor), the role of this chatbot will be clear and the process of search will be more satisfactory.

To show chatbot capacity and limits I combined the content layer (3) together with control layers (1 and 2).

The new page combined three components: 1 - show available parameters for search, 2 - dialog and state of current interaction, 3 - content.

As a future feature, I also added Selector (will require additional linguistic trigger per category) with BB products categories:

localhost


Select      Reset

Laptops					
Computers	Airthings - Corentium Home Radon Detector \$199.99	Airthings - Wave Smart Radon Detector \$199.99	ALC - Accessory Camera for AWS3155 - Black \$89.99	ALC - Add-On Indoor Wireless Motion Sensor - White \$39.99	ALC - Sight HD Indoor/Outdoor 720p Wi-Fi Network Surveillance Camera - Black \$99.99
Cameras					
Phones					
Head phones					
Home Audio					
<b>Home Automation</b>					
iPads					
Refrigirators	ALC - Wireless Outdoor IP Security Camera - Black \$103.99	ALC - Wireless Security System Kit - White \$229.99	ALLie - 360 Degree Video Camera - Black \$499.99	ALLie - 360 Degree Video Camera - White \$499.99	Amazon - Alexa Voice Remote for Amazon Fire TV and Fire TV Stick \$29.99
TVs					
Washers					
Speakers					
Ovens					
	\$ <input type="text"/> OK	\$ <input type="text"/>			
<b>Selected Features:</b>					
					
	Amazon - Amazon Tap Portable Bluetooth and Wi-Fi Speaker - Black \$129.99	Amazon - Case for Amazon Echo Dot (2nd Generation) - Charcoal \$14.99	Amazon - Case for Amazon Echo Dot (2nd Generation) - Indigo \$14.99	Amazon - Case for Amazon Echo Dot (2nd Generation) - Merlot \$19.99	Amazon - Case for Amazon Echo Dot (2nd Generation) - Midnight \$19.99
					
	Amazon - Case for Amazon Echo Dot (2nd Generation) - Saddle Tan \$19.99	Amazon - Case for Amazon Echo Dot (2nd Generation) - Sandstone \$14.99	Amazon - Cloud Cam Indoor Security Camera 2-Pack \$199.99	Amazon - Cloud Cam Indoor Security Camera 3-Pack \$289.99	Amazon - Cloud Cam Indoor Security Camera, works with Alexa - White \$119.99
					
	Amazon - Echo (2nd generation) - Charcoal Fabric \$99.99	Amazon - Echo (2nd generation) - Heather Gray \$99.99	Amazon - Echo (2nd generation) - Oak Finish \$119.99	Amazon - Echo (2nd generation) - Sandstone Fabric \$99.99	Amazon - Echo (2nd generation) - Silver \$119.99
					

# Day 4

## Architecture, Integration and Multi Channel Chat


One of my goals in this project is to build not a single chatbot, but smart communication channel, capable to interact with various data sources (in our case BB API) using different devices: PC with mouse and possible touch screen, smart phones, TV, smart home devices like Alexa. Various scenarios includes comprehensive interactive search from PC, relaxed shopping in front of TV, making shopping notes using Alexa or iPhone, and helping buyers inside the store with navigation and conversation with human expert:



The Price is one of the most often used parameter in process of shopping. Making price parameter flexible in multi-channel search models is one of the most important objectives in this project. In "natural" conversation we often are using fuzzy requests: "around one hundred", "my upper limit is \$1000", etc. To solve this problem I am using the Fuzzy Set Theory introduced by [Lotfi Zadeh](#) in his Fuzzy Logic and specifically in the "[The concept of a linguistic variable](#)".

Zadeh's model allows us relatively easy calculate the numeric analog of linguistic terms. The model could be very simple initially, but because it based on solid formalization, it can grows as needed.

This model allows converting natural language terms like "average", "cheap", "best", etc. into functions and then using these functions in selection requests. The result could be obtained based on basic mathematical equations.



Desktop version of our solution may use the slider to setup the price value based on intuitive perception of “more” or “less” (left or right) position of slider.

BB API have the response parameter called Facet:

The screenshot shows the 'Products API' interface on bestbuyapis.github.io. The left panel contains three sections: 1. Search for Products, 2. Build Your Response, and 3. Pagination. In the 'Build Your Response' section, under 'Product Attributes (optional)', 'Regular Price' is selected. Below it, the 'Facets' section is highlighted with a green oval, showing 'Regular Price' selected, 'Number: 50', and 'Sort By: Regular Price Ascending'. The 'Results Per Page' dropdown is set to 100, and the 'Page' dropdown is at 1. At the bottom are 'RESET Query' and 'RUN Query' buttons. The right panel, titled 'URL Breakdown', shows the URL structure and a JSON response. The JSON response is highlighted with an orange oval and shows a list of regular prices and their counts: [{"regularPrice": "999.99", "count": 12}, {"regularPrice": "179.99", "count": 11}, {"regularPrice": "449.99", "count": 11}, {"regularPrice": "99.99", "count": 10}, {"regularPrice": "899.99", "count": 10}, {"regularPrice": "549.99", "count": 8}, {"regularPrice": "1199.99", "count": 8}, {"regularPrice": "69.99", "count": 7}, {"regularPrice": "199.99", "count": 7}, {"regularPrice": "599.99", "count": 7}, {"regularPrice": "649.99", "count": 7}, {"regularPrice": "119.99", "count": 6}, {"regularPrice": "159.99", "count": 5}, {"regularPrice": "279.99", "count": 5}, {"regularPrice": "399.99", "count": 5}, {"regularPrice": "499.99", "count": 5}, {"regularPrice": "699.99", "count": 5}]

Facets may include the list of prices with their frequency. I use this list for calculating the price range and distribution for particular selection of items from BB database.

Simple sorting and delta assigned to the current slider position will allow (with minimum user's actions) select the product in price area called “around”

```
price = parseInt(price)
regularPrice_gt = price - price / 3;
regularPrice_lt = price + price / 3;
price = "regularPrice>=" + regularPrice_gt + "&regularPrice<="
+ regularPrice_lt;
```

At the same time I prepared the list of all categories which currently labeled in BB databased with formal IDs and short linguistic definitions:

---

*abcat0502000 - Laptops  
abcat0501000 - Computers  
abcat0401000 - Cameras & Camcorders  
pcmcat209400050001 - phones  
abcat0204000 - Hesad phones  
pcmcat241600050001 - Home Audio  
pcmcat254000050002 - Home Automation  
pcmcat209000050006 - iPads  
abcat0904000 - Ovens  
abcat0901000 - Refrigerators  
abcat0101000 - TVs  
abcat0910000 - Washers  
pcmcat310200050004 - Speakers  
pcmcat138100050018 - Geek Squad  
pcmcat748300678080 - Instant Print Camera  
pcmcat748302046986 - Instant Print Camera Cases  
pcmcat748302046977 - Instant Print Accessories  
abcat0410000 - Digital Camera Accessories  
pcmcat128500050004 - Name Brands  
pcmcat748301598672 - Wireless Doorbell Cameras  
pcmcat254000050002 - Smart Home  
pcmcat308100050020 - Security Cameras & Surveillance  
pcmcat748300682207 - Trail Cameras & Rangefinders  
abcat0409000 - Binoculars, Telescopes & Optics  
pcmcat748300678486 - 360 Degree Cameras  
pcmcat748300670708 - Pet Cameras  
pcmcat748300670181 - Pet Supplies & Technology  
pcmcat369900050003 - Drones without Cameras  
pcmcat369900050002 - Drones with Cameras  
pcmcat252700050006 - Drones, Toys & Collectibles  
pcmcat351400050014 - Mirrorless Camera Package Deals  
pcmcat214000050005 - Mirrorless Camera  
pcmcat340500050007 - Security Camera Systems  
pcmcat330300050003 - Dash Cameras  
abcat0300000 - Car Electronics & GPS  
pcmcat330300050001 - Car Safety & Convenience  
pcmcat330300050002 - Back-Up Cameras  
pcmcat328900050015 - Camera Mounts, Grips & Stabilizers  
pcmcat328900050011 - Camera Belts & Hip Packs  
pcmcat328900050008 - Universal Camera Bags & Cases  
pcmcat324200050004 - All Point & Shoot Cameras  
abcat0401001 - Point & Shoot Cameras  
pcmcat284800050007 - Camera Batteries  
pcmcat226400050024 - Camera & Camcorder Services  
pcmcat171900050007 - All Camera Lenses  
abcat0410018 - Camera Lenses  
abcat0401005 - Digital SLR Cameras  
pcmcat180000050013 - DSLR Body Only  
pcmcat180400050000 - DSLR Body & Lens  
pcmcat233000050008 - DSLR Lens  
pcmcat258000050013 - Disposable Cameras*

---

This pairs will be used in the next step, when I will add neural networks with linguistic triggers.

localhost

Reset

On Sale?

Color?

Type?

Manufacturer?

Name?

Help?

Price?

Rating?

red  
around \$200  
cannon around \$1k

\$679.99      \$1299.99

OK

**Selected Features:**

\$1,000.00




				
				
				

# Day 5

## Neural Network and Web sockets

The main goal for today is to connect solution with NNOD based triggers and add communication channel (WebSocket) for integration with voice (Alexa as an example) and non-PC applications running in devices like smart TV (iTV as an example.)

I will need few more technical improvements in modules organizations and callbacks and final architectural review. In a “real world” development architectural review will includes number of architectures:



In our “virtual team” all four architectures were discussed briefly and the result is following:

1. Arguments in internal calls must be kept as a “state” to support dynamic state based linguistic model.
2. Connection channel must be added separately from the presentation (gallery) layer.
3. Connection channel must support asynchronous protocol.

4. To support Alexa, which skills has 8 second silence timeout, the session must be identified properly and when connection potentially restored, the particular session must remember the previous conversation.
5. Mobile devices has fundamentally different screen and interaction UI, so only presentation layer could be re-factoring in different environments.
6. One of the frequent scenario (using finger to point) is - "I like something like this, but cheaper" or "better", and this scenario could be implemented when user click or select the item, and parametric definition of this item will become the current active state.
7. Cleaning parameters from the current selection is important when the search reach the "dead end" (request with particular set of parameters doesn't return any items from the database).
8. Technical specification (Zoom, Memory, Matrix, etc.) is important and potential extension of linguistic triggers should not affect the code itself.
9. Software must be irrelevant to the linguistic content: if I want to make chat bot helping with a wine, very minimum adjustments should be required in basic software.

### Data Base:

#### Dialog:

**Buyer:** I'm looking for camera.

**SP:** Here are a few to choose from. Which do you like the best?

**Buyer:** I think this one. Do you have similar, but cheaper?

**SP:** Yes, but these have slightly less features.

**Buyer:** I like Sony.

**SP:** Very well. Then look at this one.

**Buyer:** Any model with better resolution?

**SP:** This one - Sony MVC. Has Disk Recording feature.

**Buyer:** Nice. Just a little too heavy.

etc..

Model	Make	Price	ZOOM	SCU
LS443	Kodak	\$429.99	3	41778439289
EasyShare DX4330	Kodak	\$296.99	3	41771580506
DiMAGE S304	Minolta	\$573.49	4	43325992247
DiMAGE 7Hi	Minolta	\$1,196.99	7	43325993374
DiMAGE X	Minolta	\$389.49	3	43325992780
Coolpix 4500	Nikon	\$631.99	4	18208255030
Coolpix 5700	Nikon	\$1,047.99	8	18208255047
Coolpix 885	Nikon	\$469.49	3	18208255054
MVC-CD400	Sony	\$890.99	3	27242606487
MVC-CD250	Sony	\$595.99	3	27242606524
MVCCD300	Sony	\$858.99	3	27242589223
MVC-CD200	Sony	\$578.99	3	27242589247
Cyber Shot DSC-S75	Sony	\$494.99	3	27242589278
Cyber Shot DSC-P2	Sony	\$390.99	3	27242607354

### SQL Interface:

```

SELECT * FROM Cameras WHERE Price < $800 AND Price > $300
SELECT * FROM Cameras WHERE Price < $800 AND Price > $300
AND MAKE = 'Sony'
SELECT * FROM Cameras WHERE Price < $500 AND Price > $200
AND MAKE = 'Sony' AND ZOOM > 3...


```

There are two additional areas of using this bot in the real life:


1. Similar to [Audio Tour in MIA](#), but shopping tour in [MOA](#)
2. Home shopper - interactive second screen to ShopNBC, HSN TV, etc. channels.

In a preparation for final integration I added two [NNOD API](#) JavaScript templates: [nnod\\_bot.htm](#) and [nnod\\_page.htm](#) to my solution.

[nnod\\_bot.htm](#) - the template for WebSocket communication channel which allows to connect Alexa or Siri to presentation layer:



[nnod\\_page.htm](#) - the template allowing experimenting with near triggers:



# Day 6

## Integration.

In real Programming to write a code is not a goal. The goal and nature of a “good” programmer is to write a efficient, reusable, possibly beautiful code which may live long. There are few software projects in which my code survived 10 years and more and my goal in this project is to create the solution which may live and evolve. Neural triggers were created more than 20 years ago and now I am going to use almost exact JavaScript version of Java based classes of neurons created then. Environment changed dramatically, but neurons are almost the same.

Every programmer is unique in a way how he/she code. In this project actual coding typing lines of code takes about 30% to the whole time of thinking, preparing and organizing tools. Today's morning result of overnight architectural review is following:


1. Desktop version should be voice independent, for the reason that the mouse or finger are more efficient than voice control.
2. TV, Smart Home interactive channels, Interactive Screens must be voice capable.
3. SmartPhones and tablets must have integration of voice and touch.

The collage includes the following elements:

- A screenshot of a mobile phone displaying a grid of wine bottles with names like "SAUVIGNON BLANC", "PINOT NOIR", and "CHARDONNAY". The screen shows "Chat" at the top and "Sergei\_rpo9v" in the status bar.
- A diagram showing a "User" interacting with a "Smart Homes" system (containing a "Smart TV" and a "Smart Second Screen"). This connects via the "Internet" to a "TV Networks" cloud (containing "Direct TV") and "Personal Clouds" (containing "Skilled Virtual Agents").
- A photo of a family sitting on a bed in front of a large smart TV displaying a media interface.
- Text examples for the TV interface:
  - Switch to TPT2
  - Record this episode
  - I like this movie
  - Help me to find a movie for tonight
  - I want to buy this
  - ...
- A screenshot of a desktop interface titled "Shopping:Wine" showing a list of wine bottles. It includes a microphone icon and other UI elements.
- A screenshot of a desktop interface titled "Alexa, help me to find digital camera." showing search results for Nikon Mirror-less 10X cameras under \$1000 with 20 MP resolution.
- A screenshot of a desktop interface titled "Alexa, tell my local dealers that I am looking for a car." showing search results for BMW 3 series Automatic cars under 30K.
- A physical Amazon Echo device shown at the bottom center.

The result of integration NNOD template, neural triggers with BB Web page is a set of 6 JavaScript / XML files:

1. index.html - the upper entry point
2. bb\_page.html - control center with inputs, outputs and bridge between all components
3. bb\_page.js - JavaScript module which controls neural triggers state, additional loading, and services functions like reset




```
bb_page.js
index.html    bb_page.html    JS bb_page.js x    gallery.html    triggers_bb_generic.xml    triggers_bb_cameras.xml

1 var generic_triggers_url = "triggers/triggers_bb_generic.xml";
2 var cameras_triggers_url = "triggers/triggers_bb_cameras.xml";
3
4 var linguistic_URLs = [];
5 var layers = [];
6 var layer = null;
7 var url;
8
9 var words_layer = null;
10 var generic_triggers_layer = null;
11
12 function load_nnod() {
13     words_layer = Add_Neuro_Layer(1, -1, 1, 50000, "words");
14     generic_triggers_layer = Build_Neural_Layer(generic_triggers_url);
15     generic_triggers_layer.Discharged_CallBack = Show_Neural_State;
16     layers.push(generic_triggers_layer);
17     Save_Linguistics_URL(generic_triggers_url);
18
19     linguistic_URLs = Restore_Linguistics_URLs();
20
21     if (linguistic_URLs != null) {
22         for (var i = 0; i < linguistic_URLs.length; i++) {
23             url = linguistic_URLs[i];
24             if (url == generic_triggers_url) continue;
25             layer = Build_Neural_Layer(url);
26             layers.push(layer);
27             Save_Linguistics_URL(url);
28         }
29     }
30
31     Restore_Neural_State(generic_triggers_layer);
32     for (var i = 0; i < layers.length; i++) {
33         Restore_Neural_State(layers[i]);
34     }
35     Show_Neural_State();
36     linguistic_URLs = Restore_Linguistics_URLs();
37 }
38
```

4. gallery.htm - presentation layer and interface to BB API

5. triggers\_bb\_cameras.xml - neural linguistic triggers which supports Cameras category

6. triggers\_bb\_generic.xml - neural linguistics triggers responsible for general conversation, recognition of new categories, FAQ, etc.



```


<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE neuro_triggers>
<neuro_triggers name="Neuro Layer 1">
    <neuro_trigger name="Color">
        <state name="Black">
            <item weight="1" word="Black"/>
        </state>
        <state name="Red">
            <item weight="1" word="Red"/>
        </state>
        <state name="Gray">
            <item weight="1" word="Gray"/>
            <item weight="1" word="Grey"/>
        </state>
        <state name="Blue">
            <item weight="1" word="Blue"/>
        </state>
        <state name="Green">
            <item weight="1" word="Green"/>
        </state>
    </neuro_trigger>
    <neuro_trigger name="Subject">
        <state name="Cake">
            <item weight="1" word="cake"/>
        </state>
        <state name="People">
            <item weight="0.6" word="steve"/>
            <item weight="0.6" word="jobs"/>
            <item weight="1" word="people"/>
        </state>
        <state name="Web">
            <item weight="1" word="web"/>
            <item weight="1" word="html"/>
            <item weight="0.6" word="design"/>
        </state>
        <state name="News">
            <item weight="1" word="news"/>
            <item weight="1" word="jobs"/>
            <item weight="0.8" word="market"/>
        </state>
        <state name="HTML5">
            <item weight="0.6" word="html"/>
            <item weight="0.6" word="5"/>
            <item weight="0.6" word="javascript"/>
        </state>
    </neuro_trigger>
</neuro_triggers>

```

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE neuro_triggers>
<neuro_triggers name="Neuro Layer 1">
    <neuro_trigger name="Color">
        <state name="Black">
            <item weight="1" word="Black"/>
        </state>
        <state name="Red">
            <item weight="1" word="Red"/>
        </state>
        <state name="Gray">
            <item weight="1" word="Gray"/>
            <item weight="1" word="Grey"/>
        </state>
        <state name="Blue">
            <item weight="1" word="Blue"/>
        </state>
        <state name="Green">
            <item weight="1" word="Green"/>
        </state>
    </neuro_trigger>
    <neuro_trigger name="Subject">
        <state name="Cake">
            <item weight="1" word="cake"/>
        </state>
        <state name="People">
            <item weight="0.6" word="steve"/>
            <item weight="0.6" word="jobs"/>
            <item weight="1" word="people"/>
        </state>
        <state name="Web">
            <item weight="1" word="web"/>
            <item weight="1" word="html"/>
            <item weight="0.6" word="design"/>
        </state>
        <state name="News">
            <item weight="1" word="news"/>
            <item weight="1" word="jobs"/>
            <item weight="0.8" word="market"/>
        </state>
        <state name="HTML5">
            <item weight="0.6" word="html"/>
            <item weight="0.6" word="5"/>
            <item weight="0.6" word="javascript"/>
        </state>
    </neuro_trigger>
</neuro_triggers>

```




Layer with key context triggers

Layer with fuzzy normalized meanings

## The result:

### Day 6 outcome.

- All basic components for desktop version of chatbot connected and first version is working now.
- Online version available on [256gl.com](http://256gl.com/neurons/bestbuy/index.html) (<http://256gl.com/neurons/bestbuy/index.html>)



## Day 7

**WebSockets, Alexa, iOS InterActor, iTV**

The goal for the last day is to connect voice capable devices to gallery.