

# Machine Learning for econometrics

Reminders of potential outcomes and Directed Acyclic Graphs

---

Matthieu Doutreligne

January 10, 2025

Thanks to Judith Abecassis for the slides on DAGs



# Table of contents

1. Introduction
2. Framing: How to ask a sound causal question
3. Identification: List necessary information to answer the causal question
4. Directed acyclic graphs (DAGs)
5. Practical session
6. Supplementary material

# Introduction



---

# Causal inference: subfield of statistics dealing with "why questions"



At the center of epidemiology (Hernan & Robins, 2020), econometrics (Chernozhukov et al., 2024), social sciences,



# Causal inference: subfield of statistics dealing with "why questions"



At the center of epidemiology (Hernan & Robins, 2020), econometrics (Chernozhukov et al., 2024), social sciences, machine learning...

Now, bridging with machine learning (Kaddour et al., 2022) : Fairness, reinforcement learning, causal discovery, causal inference for LLM, causal representations...

# Causal inference: subfield of statistics dealing with "why questions"



At the center of epidemiology (Hernan & Robins, 2020), econometrics (Chernozhukov et al., 2024), social sciences,

## This session:

- Reminder on causal inference
- Importance of Directed Acyclic Graphs and causal status of covariates

# What is a "why question"?

**Economics: How does supply and demand (causally) depend on price?**

# What is a "why question"?

**Economics:** How does supply and demand (causally) depend on price?

**Policy:** Are job training programmes actually effective?



# What is a "why question"?

**Economics:** How does supply and demand (causally) depend on price?

**Policy:** Are job training programmes actually effective?

**Epidemiology:** How does this treatment affect the patient's health?

# What is a "why question"?

**Economics:** How does supply and demand (causally) depend on price?

**Policy:** Are job training programmes actually effective?

**Epidemiology:** How does this treatment affect the patient's health?

**Public health :** Is this prevention campaign effective?

# What is a "why question"?

**Economics:** How does supply and demand (causally) depend on price?

**Policy:** Are job training programmes actually effective?

**Epidemiology:** How does this treatment affect the patient's health?

**Public health :** Is this prevention campaign effective?

**Psychology:** What is the effect of family structure on children's outcome?

# What is a "why question"?

**Economics:** How does supply and demand (causally) depend on price?

**Policy:** Are job training programmes actually effective?

**Epidemiology:** How does this treatment affect the patient's health?


**Public health :** Is this prevention campaign effective?

**Psychology:** What is the effect of family structure on children's outcome?

**Sociology:** What is the effect of social media on political opinions?

This is different from predictive questions


**Prediction (ML): What usually happens in a given situation?**



Prediction models  $(X, Y)$

This is different from predictive questions

**Prediction (ML): What usually happens in a given situation?**




Prediction models  $(X, Y)$

**What will be the weather tomorrow?**

This is different from predictive questions

**Prediction (ML): What usually happens in a given situation?**




Prediction models  $(X, Y)$

**What will be the weather tomorrow?**

**What will be the outcome of the next election?**

This is different from predictive questions

**Prediction (ML): What usually happens in a given situation?**



Prediction models  $(X, Y)$

**What will be the weather tomorrow?**


**What will be the outcome of the next election?**

**How many people will get infected by flue next season?**



This is different from predictive questions

**Prediction (ML): What usually happens in a given situation?**



Prediction models  $(X, Y)$

**What will be the weather tomorrow?**


**What will be the outcome of the next election?**

**How many people will get infected by flue next season?**

**What is the cardio-vascular risk of this patient?**

This is different from predictive questions

**Prediction (ML): What usually happens in a given situation?**



Prediction models  $(X, Y)$

**What will be the weather tomorrow?**

**What will be the outcome of the next election?**


**How many people will get infected by flue next season?**

**What is the cardio-vascular risk of this patient?**

**How much will the price of a stock be tomorrow?**

This is different from predictive questions

**Prediction (ML): What usually happens in a given situation?**



Prediction models  $(X, Y)$

**What will be the weather tomorrow?**

**What will be the outcome of the next election?**

**How many people will get infected by flue next season?**


**What is the cardio-vascular risk of this patient?**

**How much will the price of a stock be tomorrow?**

**Assumption** Train and test data are drawn from the same distribution.

# Machine learning is pattern matching


Find an estimator  $f : x \rightarrow y$  that approximates the true value of  $y$  so that  $f(x) \approx y$



Boosted trees : iterative ensemble of decision trees

# Machine learning is pattern matching that generalizes to new data

Select models based on their ability to generalize to new data : (train, test) splits and cross validation (Stone, 1974).



“Cross validation” (Varoquaux et al., 2017)

# Machine learning is great for prediction on complex data

- Images: Image classification with deep convolutional neural networks (Krizhevsky et al., 2012)



ImageNet 1K: 1.5 million images, 1000 classes

# Machine learning is great for prediction on complex data

- Images: Image classification with deep convolutional neural networks (Krizhevsky et al., 2012)
- Speech-to-text: Towards end-to-end speech recognition with recurrent neural networks (Graves & Jaitly, 2014)
-

# Machine learning is great for prediction on complex data

- Images: Image classification with deep convolutional neural networks (Krizhevsky et al., 2012)
- Speech-to-text: Towards end-to-end speech recognition with recurrent neural networks (Graves & Jaitly, 2014)
- Text: Attention is all you need (Vaswani, 2017)

Motif :

Le patient est admis le 29 août date pour des difficultés respiratoires custom .

Antécédents familiaux :

Le père du patient n'est pas asthmatique custom .

HISTOIRE DE LA MALADIE

Le patient dit avoir de la toux cim10 R05 depuis trois jours date . Elle a empiré jusqu'à nécessiter un passage aux urgences.

Named entity recognition



# Machine learning might be less successful for what if questions

## **Machine learning is not driven by causal mechanisms**

- For example people that go to the hospital die more than people who do not<sup>1</sup>:
- Naive data analysis might conclude that hospitals are bad for health.
- The fallacy is that we are comparing different populations: people who go to the hospital typically have a worse baseline health than people who do not.

This is a confounding factor: a variable that influences both the treatment and the outcome.

---

<sup>1</sup>Example from [https://inria.github.io/scikit-learn-mooc/concluding\\_remarks.html?highlight=causality](https://inria.github.io/scikit-learn-mooc/concluding_remarks.html?highlight=causality)


# Why is prediction different from causation? (2/2)

**Causal inference (most part of economists) : What would happen if we changed the system ie. under an intervention?**

# Why is prediction different from causation? (2/2)

**Causal inference (most part of economists) : What would happen if we changed the system ie. under an intervention?**

**Assumption:** No unmeasured variables influencing both treatment and outcome  $\rightarrow$  confounders.



Causal inference models

$(X, A, Y(A = 1), Y(A = 0))$

the covariate shift between treated and control units.

# Illustration of the fundamental problem of causal inference (epidemiology)

**Population: patients experiencing a stroke**

# Illustration of the fundamental problem of causal inference (epidemiology)

**Population: patients experiencing a stroke**

**Intervention  $A = 1$ : Patients had access to a MRI scan in less than 3 hours after the first symptoms**

**Comparator  $A = 0$ : Patients had access to a MRI scan in more than 3 hours after the first symptoms**

# Illustration of the fundamental problem of causal inference (epidemiology)

**Population: patients experiencing a stroke**

**Intervention  $A = 1$ : Patients had access to a MRI scan in less than 3 hours after the first symptoms**

**Comparator  $A = 0$ : Patients had access to a MRI scan in more than 3 hours after the first symptoms**

**$Y = \mathbb{P}[\text{Mortality}]$ : the mortality at 7 days**

# Illustration of the fundamental problem of causal inference (epidemiology)

**Population: patients experiencing a stroke**

**Intervention  $A = 1$ : Patients had access to a MRI scan in less than 3 hours after the first symptoms**


**Comparator  $A = 0$ : Patients had access to a MRI scan in more than 3 hours after the first symptoms**

**$Y = \mathbb{P}[\text{Mortality}]$ : the mortality at 7 days**

**$X = \mathbb{P}[\text{Charlson score}]$ : a comorbidity index summarizing the overall health state of the patient. Higher is bad for the patient.**

## Illustration: observational data

**Draw a population sample without treatment status**





# Illustration: observational data

**Draw a population sample with treatment status**





Illustration: observational data, a naive solution


**Compute the difference in mean (DM):**  $\tau_{\text{DM}} = \mathbb{E}[Y(1)] - \mathbb{E}[Y(0)]$

# Illustration: observational data, a naive solution

Compute the difference in mean (DM):  $\tau_{\text{DM}} = \mathbb{E}[Y(1)] - \mathbb{E}[Y(0)]$



## Observational data




$$Y(1), Y(0) \not\perp\!\!\!\perp A$$

**Intervention is not random**

(with respect to the confounders)

# RCT case: No problem of confounding


## Observational data



$$Y(1), Y(0) \not\perp\!\!\!\perp A$$

**Intervention is not random**  
(with respect to the confounders)


## RCT data



$$Y(1), Y(0) \perp\!\!\!\perp A$$


**Force random assignment of the  
intervention**

# Illustration: RCT data




# Illustration: RCT data, a naive solution

Compute the difference in mean (DM):  $\tau_{\text{DM}} = \mathbb{E}[Y(1)] - \mathbb{E}[Y(0)]$




# Four steps of causal inference


## 1 - Framing




## 2 - Identification




## 3 - Estimation



## 4 - Vibration Analysis




## 5 - CATE





# Four steps of causal inference



Today: Framing and identification with DAGs

# Framing: How to ask a sound causal question

---

# PICO framework (Richardson et al., 1995)

Originally designed for clinical research. It is a structured approach to formulate a research question. Critical for health technology assessment (eg. Haute Autorité de santé).

## **PICO stands for**

- Population : Who are we interested in?
- Intervention : What treatment/intervention do we study?
- Comparison : What are we comparing it to?
- Outcome : What are we interested in?

# PICO framework (Richardson et al., 1995)

Originally designed for clinical research. It is a structured approach to formulate a research question. Critical for health technology assessment (eg. Haute Autorité de santé).

## **PICO stands for**

- Population : Who are we interested in?
- Intervention : What treatment/intervention do we study?
- Comparison : What are we comparing it to?
- Outcome : What are we interested in?

## **Example with the job dataset (LaLonde, 1986)**

Built to evaluate the impact of the National Supported Work (NSW) program. The NSW is a transitional, subsidized work experience program targeted towards people with long-standing employment problems.

# The PICO framework

Component	Description	Example
Population	What is the target population of interest?	People with longstanding employment problems
Intervention	What is the intervention?	On-the-job training lasting between nine months and a year
Control	What is the relevant comparator?	No training
Outcome	What are the outcomes?	Earnings in 1978
Time	Is the start of follow-up aligned with intervention assignment?	The period of follow-up for the earning is the year after the intervention

# PICO: other examples in econometrics

The Oregon Health Insurance Experiment (Finkelstein et al., 2012) : A randomized experiment by lottery assessing the impact of Medicaid on low-income adults in Oregon.

- P: Low-income adults in Oregon
- I: Medicaid
- C: No insurance
- O: Healthcare uses and expenditures, health outcomes

# PICO: other examples in econometrics

The economic impact of climate change on US agricultural land. (Deschênes & Greenstone, 2007): difference-in-differences design assessing the impact of climate change on agricultural profits.

- P: US agricultural land
- I: Climate change
- C: No climate change
- O: Agricultural profits

# PICO: other examples in econometrics

The impact of class size on test scores. (Angrist & Lavy, 1999): regression discontinuity design.

- P: Fourth and fifth grades school in Israel
- I: Class size increases by one unit
- C: No class size increase
- O: Test scores (math and reading)



Identification: List necessary information to answer the causal question

# Identification: Build the causal model

A causal effect is said to be identified if it is possible, with ideal data (infinite sample size and no measurement error), to purge an observed association of all noncausal components such that only the causal effect of interest remains.

— (Elwert & Winship, 2014)

## Steps

- Potential outcome framework : mathematical tool to reason about causality
- Directed acyclic graphs (DAG) : graphical tool to reason about causality
- Causal estimand : what is the targeted quantity?

# Potential outcomes, (Neyman, 1923; Rubin, 1974)

The Neyman-Rubin model, let:

- $Y$  be the outcome,
- $A$  the (binary) treatment


For each individual, we have two potential outcomes:  $Y(1)$  and  $Y(0)$ . But only one is observed, depending on the treatment assignment:  $Y(A)$ .

# Potential outcomes, (Neyman, 1923; Rubin, 1974)

The Neyman-Rubin model, let:

- $Y$  be the outcome,
- $A$  the (binary) treatment

For each individual, we have two potential outcomes:  $Y(1)$  and  $Y(0)$ . But only one is observed, depending on the treatment assignment:  $Y(A)$ .




## Causal estimand: What is the targeted quantity (with potential outcomes)?

- Average treatment effect (ATE):  $\mathbb{E}[Y(1) - Y(0)]$
- Conditional average treatment effect (CATE):  $\mathbb{E}[Y(1) - Y(0) \mid X]$

# Causal estimand: What is the targeted quantity (with potential outcomes)?

- Average treatment effect (ATE):  $\mathbb{E}[Y(1) - Y(0)]$
- Conditional average treatment effect (CATE):  $\mathbb{E}[Y(1) - Y(0) \mid X]$



# Causal estimand: What is the targeted quantity (with potential outcomes)?

## Other estimands

- Average treatment effect on the treated (ATT):  $\mathbb{E}[Y(1) - Y(0) \mid A = 1]$
- Conditional average treatment effect on the treated (CATT):

$$\mathbb{E}[Y(1) - Y(0) \mid A = 1, X]$$

# Causal estimand: What is the targeted quantity (with potential outcomes)?

## Other estimands

- Average treatment effect on the treated (ATT):  $\mathbb{E}[Y(1) - Y(0) \mid A = 1]$
- Conditional average treatment effect on the treated (CATT):

$$\mathbb{E}[Y(1) - Y(0) \mid A = 1, X]$$

## Other estimands more used in epidemiology

- Risk ratio (RR):  $\frac{\mathbb{E}[Y(1)]}{\mathbb{E}[Y(0)]}$
- Odd ratio (OR) for binary outcome:  $\left( \frac{\mathbb{P}[Y(1)=1]}{\mathbb{P}[Y(1)=0]} \right) / \left( \frac{\mathbb{P}[Y(0)=1]}{\mathbb{P}[Y(0)=0]} \right)$

See (Colnet et al., 2023) for a review of the different estimands and the impact on generalization.



# PICO framework, link to the potential outcomes

Component	Description	Notation	Example
Population	What is the target population of interest?	$X \sim P(X)$	People with longstanding employment problems
Intervention	What is the intervention?	$A \sim P(A = 1) = p_A$	On-the-job training lasting between nine months and a year
Control	What is the relevant comparator?	$1 - A \sim 1 - p_A$	No training
Outcome	What are the outcomes?	$Y(1), Y(0) \sim P(Y(1), Y(0))$	Earnings in 1978
Time	Is the start of follow-up aligned with intervention assignment?	N/A	The period of follow-up for the earning is the year after the intervention

## **What can we learn from the data?**

- Four assumptions, referred as strong ignorability
- Required to assure identifiability of the causal estimands with observational data (Rubin, 2005)

## Assumption 1: Unconfoundedness, also called ignorability

**Treatment assignment is as good as random given the covariates  $X$**

$$\{Y(1), Y(0)\} \perp\!\!\!\perp A \mid X$$

- Equivalent to conditional independence on the propensity score:

$e(X) \stackrel{\text{def}}{=} \mathbb{P}(A = 1|X)$  (Rosenbaum & Rubin, 1983):

$$\{Y(1), Y(0)\} \perp\!\!\!\perp A \mid e(X)$$

## Assumption 1: Unconfoundedness, also called ignorability

**Treatment assignment is as good as random given the covariates  $X$**

$$\{Y(1), Y(0)\} \perp\!\!\!\perp A \mid X$$

- Equivalent to conditional independence on the propensity score:

$e(X) \stackrel{\text{def}}{=} \mathbb{P}(A = 1|X)$  (Rosenbaum & Rubin, 1983):


$$\{Y(1), Y(0)\} \perp\!\!\!\perp A \mid e(X)$$

- Knowledge based ie. cannot be validated with data
  - Because of possibly unmeasured confounders
  - In practice : ask yourself if you have measured all the relevant variables that could influence both the treatment and the outcome.

## Assumption 2: Overlap, also known as positivity

The treatment is not deterministic given  $X$

$$\eta < e(x) < 1 - \eta \text{ with } e(X) \stackrel{\text{def}}{=} \mathbb{P}(A = 1|X)$$



- Choice of covariates  $X$ : trade-off between ignorability and overlap (D'Amour et al., 2021)

## Assumption 3 and 4: Consistency and generalization

### **Consistency, also called Stable Unit Treatment Values (SUTVA)**

The observed outcome is the potential outcome of the assigned treatment for each unit  $i$ .

$$Y_i = A_i Y_i(1) + (1 - A_i) Y_i(0)$$

- The intervention  $A$  is well defined (Hernan & Robins, 2020)
- There is no interference ie. network effect

## Assumption 3 and 4: Consistency and generalization

### **Consistency, also called Stable Unit Treatment Values (SUTVA)**

The observed outcome is the potential outcome of the assigned treatment for each unit  $i$ .

$$Y_i = A_i Y_i(1) + (1 - A_i) Y_i(0)$$

- The intervention  $A$  is well defined (Hernan & Robins, 2020)
- There is no interference ie. network effect

### **Generalization, also called no-covariate shift**

Training and test data are drawn from the same distribution

# Directed acyclic graphs (DAGs)

---



# Directed acyclic graphs (DAG), a tool to reason about causality


## **DAGs encode the causal structure of the data generating process**

Introduced by (Pearl, 1995), (Pearl & others, 2000). Good practical overview in (Vander-Weele, 2019).

### **Motivation**


- Reason about the relation between variables.
- Help identify for which (minimal) set of variables, the ATE is identifiable.

# Directed acyclic graphs (DAG), definitions




- **Graph:** A set of relations between nodes described by edges between those nodes
- **Directed:** Edges between nodes have direction. The direction of the arrow represents a cause-effect relationship.
- **Acyclic:** : There are no cycles or loops in the causal structure. A variable can't be a cause of itself.

**This is not a DAG**



# DAGs: nodes





- **Nodes** represent random variables.
- **Edges** between nodes denote the presence of causal effects (i.e. difference in potential outcomes). Here,  $Y_i(a) \neq Y_i(a')$  for two different levels of  $A_i$  because there is an arrow from A to Y.
- **Lack of edges** between nodes denotes the absence of a causal relationships.

Not drawing an arrow makes a stronger assumption about the relationship between those two variables than drawing an arrow.


# DAGs: paths

- A path between two nodes is a route that connects the two nodes following non-intersecting edges.
- A path exists even if the arrows are not pointing in the good direction.
- Two examples of paths between A and Y:




# DAGs: causal paths

- Paths encode dependencies between random variables (not necessarily causal dependencies; it can be mere associations).
- We distinguish:
  - **Causal** paths: arrows are all in the same direction.
  - From **Non-causal** paths: arrows pointing in different directions
- When there is a causal path between two variables A and B, we say that B is a **descendant** of A (it is causally impacted by A)



$A \rightarrow Y$  is **causal**  
 $Y \rightarrow A$  is **non-causal**


## Your turn



Paths between  $X_1$  and  $X_4$ ? Which of them are causal?

Your turn





Paths between  $X_1$  and  $X_4$ ? Which of them are causal?


- $X_5 \rightarrow X_1 \rightarrow X_2 \rightarrow X_4$
- $X_5 \rightarrow X_4$
- $X_1 \leftarrow X_5 \rightarrow X_4$  : non causal

- $X_3 \leftarrow X_1 \rightarrow X_2 \rightarrow X_4$  : non causal

# Three types of directed edges: path

There are three kinds of “triples” or paths with three nodes: These constitute the most basic building blocks for causal DAGs.

**First, a **causal** path (or chain):**  $A \rightarrow B \rightarrow C$




- The effect of A “flows” through B. A and C are not independent and the relationship is causal.

# Three types of directed edges: path

There are three kinds of “triples” or paths with three nodes: These constitute the most basic building blocks for causal DAGs.

First, a **causal** path (or chain):  $A \rightarrow B \rightarrow C$




## Example

An individual receiving a message (A) encouraging them to vote causes that individual to actually vote (C) only if the individual actually reads (B) the message.

# Three types of directed edges: mutual dependence

Second, **mutual dependence** or fork or confounder:  $A \leftarrow B \rightarrow C$




- A and C are not causally related but B is a common cause of both.
- A and C are not independent, but are independent conditional on B.
- **Not conditioning on X** introduces bias.

- Rise in temperature (B) causes both the thermometer (A) to change, and ice to melt (C), but the thermometer changing does not cause ice to melt.
- A is prostate cancer; B is age; and C is Alzheimer's disease.

# Three types of directed edges: collider

Third, **collider**:  $A \rightarrow B \leftarrow C$




- A and C are both common causes of B : they collide into B.
- A and C are independent, but conditionnaly dependent given B.
- **Conditionning on B** introduces a spurious correlation between A and C.

- A is result from dice 1, C is results from dice 2, B is sum of dice 1 and dice 2.
- A is height, C is speed, B is whether an athlete plays in the NBA.

# Open and blocked paths

We can open or block paths between variables by conditioning on them:




A path is **blocked** (or d-separated) if:

- the path contains a non-collider that has been conditioned on.
- or the path contains a collider that has not been conditioned on (and has no descendants that have been conditioned on).

Conditioning on a variable:

- **Blocks** a path if that variable is **not a collider** on that path.
- **Opens** a path if that variable is a **collider** on that path.


# Your turn



Paths from  $X_5$  to  $X_2$ ? Which of them are opened/blocked?



# Your turn



Paths from  $X_5$  to  $X_2$ ? Which of them are opened/blocked?

$X_5 \rightarrow X_1 \rightarrow X_2$  (blocked by conditioning on  $X_1$ )



$X_5 \rightarrow X_1 \rightarrow X_2 \rightarrow X_4$  (opened by conditioning  $X_4$ )

# Backdoor paths: a special type of paths


Backdoor path: A Backdoor path from a variable A to another Y, is any non-causal path between A and Y that does not include descendants of A

**Identifying backdoor paths:** Backdoor paths from A to Y are all those paths that remain between A and Y after removing all arrows coming out of A.

These paths are responsible for confounding bias: they imply association not causation.




# Your turn



What are the backdoor paths from  $X_1$  to  $X_4$ ? from  $X_2$  tot  $X_4$ ?

# Your turn




What are the backdoor paths from  $X_1$  to  $X_4$ ? from  $X_2$  tot  $X_4$ ?

$$X_1 \leftarrow X_5 \rightarrow X_4$$

$$X_2 \leftarrow\leftarrow X_5 \rightarrow X_4$$

# Graphical identification

DAGs help us know whether observed covariates are enough to identify a treatment effect.



In other words, how can we make it so that there are no non-causal dependencies between treatment and outcome?

## Graphical identification (Pearl & others, 2000)

The effect of A on Y is identified if all backdoor paths from A to B are blocked, and no descendant of A is conditioned on.

# On which variables should we condition? General rules


- Do not condition for variables on causal paths from treatment to outcome
- Condition on variables that block non-causal backdoor paths
- Don't condition on colliders! Eg. don't condition on post-treatment variables.

# On which variables should we condition? General rules


- Do not condition for variables on causal paths from treatment to outcome
- Condition on variables that block non-causal backdoor paths
- Don't condition on colliders! Eg. don't condition on post-treatment variables.

In the following example, to estimate the effect of T on Y, we should:

- Condition on X
- NOT condition on M because it is a descendant of T



# Famous examples of confounders




## Effect of education on earnings

The family background can act as a confounder: Wealthier families may provide better education opportunities AND influence earnings independently of the education itself.



# Famous examples of instrumental variables


**Instrumental variable (IV): influences only the treatment.**



Effect of education on earnings (Angrist & Krueger, 1991)

Quarter of birth are randomly assigned but influence the lengths of schooling due to school entry laws.

# Famous examples of colliders




Special case of collider: consequence of both the treatment and the outcome.

## Effect of smoking on mortality (Hernández-Díaz et al., 2006)


Birth weight is influenced by smoking and other factors. Conditioning on birth weight (a collider) creates a spurious negative correlation between smoking and other risk factors, leading to the paradoxical conclusion that smoking reduces infant mortality, even though it harms overall health.

## More colliders: M-bias




- Do not condition on any pre-exposure variable that you have at disposal!
- Should we condition on  $X$  in trying to estimate the effect of  $A$  on  $Y$  ?
- There is a backdoor path through two unobserved variables ( $U_1, U_2$ ). But it is blocked because  $X$  is a collider along that path.
- Conditioning on  $X$  opens up that path, inducing a non-causal association between  $T$  and  $Y$ .


# Which variable to include into your analysis?




Confounder ✓



Instrumental variable ✗  
(generally)



Outcome parent ✓  
(generally)




Collider ✗

- High-level strategy: Control solely for pre-treatment variables that influences both the outcomes, the treatment or both.

# Special types of variables: mediators

A **mediator** block the path from the treatment to the outcome.



Here, two causal paths from  $A$ :


- $A \rightarrow Y$  - a “direct effect”
- $A \rightarrow M \rightarrow Y$  - an “indirect effect” through  $M$

Effect of children poverty on economic outcomes (Bellani & Bia, 2019)

- $Y$  is economic outcomes in adulthood,  $A$  is child poverty,  $M$  is education.
- What part of the effect of poverty on outcome is mediated by education?

# Special types of variables: mediators

A **mediator** block the path from the treatment to the outcome.




Here, two causal paths from  $A$ :

- $A \rightarrow Y$  - a “direct effect”
- $A \rightarrow M \rightarrow Y$  - an “indirect effect” through  $M$

- All causal paths from a treatment capture its overall treatment effect.
- The average treatment effect of  $T$  combines both the “direct effect” and the “indirect effect”.

**Effect modifier: influences the treatment effect on the outcome.**



# Take away on DAGs

- DAGs are a powerful tool to reason about causality
- Useful to identify the variables to condition on / to include into the analysis
- NB: Drawing the true DAG is often hard / not feasible




# Take away on covariate selection

## **What is the most important part to insure validity?**

- The covariate included (an appropriate DAG)?
- The design of the study?
- The causal estimator (IPW, G-formula, AIPW...)
- The statistical estimator (Linear regression, Logistic regression...)


# Comparing different choices for the study steps (Doutreligne et al., 2024)

## Question of interest




# Results of the sensitivity analysis


## (a) Framing – Immortal Time Bias



## (b) Identification – confounders choice



## (c) Model selection



# Practical session

---

To your notebooks! 

- url: [https://straymat.github.io/causal-ml-course/practical\\_sessions.html](https://straymat.github.io/causal-ml-course/practical_sessions.html)

# **Bibliography**

- Angrist, J. D., & Krueger, A. B. (1991). *Does compulsory school attendance affect schooling and earnings?. The Quarterly Journal of Economics*, 106(4), 979–1014.
- Angrist, J. D., & Lavy, V. (1999). *Using Maimonides' rule to estimate the effect of class size on scholastic achievement. The Quarterly Journal of Economics*, 114(2), 533–575.
- Bellani, L., & Bia, M. (2019). *The long-run effect of childhood poverty and the mediating role of education. Journal of the Royal Statistical Society Series A: Statistics in Society*, 182(1), 37–68.
- Chernozhukov, V., Hansen, C., Kallus, N., Spindler, M., & Syrgkanis, V. (2024). *Applied causal inference powered by ML and AI. Arxiv Preprint Arxiv:2403.02467. <https://causalml-book.org/>*
- Colnet, B., Josse, J., Varoquaux, G., & Scornet, E. (2023). *Risk ratio, odds ratio, risk difference... Which causal measure is easier to generalize?. Arxiv Preprint Arxiv:2303.16008.*

- Deschênes, O., & Greenstone, M. (2007). The economic impacts of climate change: evidence from agricultural output and random fluctuations in weather. American Economic Review, 97(1), 354–385.*
- Doutreligne, M., Struja, T., Abecassis, J., Morgand, C., Celi, L. A., & Varoquaux, G. (2024). Causal thinking for decision making on Electronic Health Records: why and how. <https://arxiv.org/abs/2308.01605>*
- D’Amour, A., Ding, P., Feller, A., Lei, L., & Sekhon, J. (2021). Overlap in observational studies with high-dimensional covariates. Journal of Econometrics, 221(2), 644–654.*
- Elwert, F., & Winship, C. (2014). Endogenous selection bias: The problem of conditioning on a collider variable. Annual Review of Sociology, 40(1), 31–53.*
- Finkelstein, A., Taubman, S., Wright, B., Bernstein, M., Gruber, J., Newhouse, J. P., Allen, H., Baicker, K., & Oregon Health Study Group, t. (2012). The Oregon health insurance experiment: evidence from the first year. The Quarterly Journal of Economics, 127(3), 1057–1106.*

- Graves, A., & Jaitly, N. (2014). *Towards end-to-end speech recognition with recurrent neural networks*. *International Conference on Machine Learning*, 1764–1772.
- Hernan, M., & Robins, J. (2020). *Causal inference: What if. boca raton: Chapman & hill/crc*. <https://www.hsph.harvard.edu/miguel-hernan/causal-inference-book/>
- Hernández-Díaz, S., Schisterman, E. F., & Hernán, M. A. (2006). The birth weight “paradox” uncovered?. *American Journal of Epidemiology*, 164(11), 1115–1120.
- Kaddour, J., Lynch, A., Liu, Q., Kusner, M. J., & Silva, R. (2022). *Causal machine learning: A survey and open problems*. *Arxiv Preprint Arxiv:2206.15475*.
- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). *Imagenet classification with deep convolutional neural networks*. *Advances in Neural Information Processing Systems*, 25.
- LaLonde, R. J. (1986). *Evaluating the econometric evaluations of training programs with experimental data*. *The American Economic Review*, 604–620.



- Neyman, J. (1923). *Sur les applications de la théorie des probabilités aux expériences agricoles: Essai des principes*. *Roczniki Nauk Rolniczych*, 10(1), 1–51.
- Pearl, J. (1995). *Causal diagrams for empirical research*. *Biometrika*, 82(4), 669–688.
- Pearl, J., & others. (2000). *Models, reasoning and inference*. Cambridge, UK: Cambridgeuniversitypress, 19(2), 3.
- Richardson, W. S., Wilson, M. C., Nishikawa, J., & Hayward, R. S. (1995). *The well-built clinical question: a key to evidence-based decisions*. *ACP Journal Club*, 123(3), A12–3.
- Rosenbaum, P. R., & Rubin, D. B. (1983). *The central role of the propensity score in observational studies for causal effects*. *Biometrika*, 70(1), 41–55.
- Rubin, D. B. (1974). *Estimating causal effects of treatments in randomized and nonrandomized studies*. *Journal of Educational Psychology*, 66(5), 688.

- Rubin, D. B. (2005). Causal inference using potential outcomes: Design, modeling, decisions. Journal of the American Statistical Association, 100(469), 322–331.*
- Stone, M. (1974). Cross-validatory choice and assessment of statistical predictions. Journal of the Royal Statistical Society: Series B (Methodological), 36(2), 111–133.*
- VanderWeele, T. J. (2019). Principles of confounder selection. European Journal of Epidemiology, 34, 211–219.*
- Varoquaux, G., Raamana, P. R., Engemann, D. A., Hoyos-Idrobo, A., Schwartz, Y., & Thirion, B. (2017). Assessing and tuning brain decoders: cross-validation, caveats, and guidelines. Neuroimage, 145, 166–179.*
- Vaswani, A. (2017). Attention is all you need. Advances in Neural Information Processing Systems.*

*Supplementary material*

---

# *A word on structural equation models*

*TODO*