

Mathematical Methods

for Engineers



Stu Blair
Mighty Goat Press

WHEN IN DOUBT, MULTIPLY BOTH SIDES BY AN ORTHOGONAL FUNCTION
AND INTEGRATE.

P.L. CHEBYSHEV

THE PURPOSE OF COMPUTING IS INSIGHT, NOT PICTURES

L.N. TREFETHEN

NEVER DO A CALCULATION UNTIL YOU ALREADY KNOW THE ANSWER.

J.A. WHEELER

UNITED STATES NAVAL ACADEMY

MATHEMATICAL METHODS FOR ENGINEERS

MIGHTY GOAT PRESS

Copyright © 2023 United States Naval Academy

PUBLISHED BY MIGHTY GOAT PRESS

First printing, May 2023

Contents

<i>I Introduction and Review</i>	<i>13</i>
----------------------------------	-----------

<i>Lecture 1 - Introduction, Definitions and Terminology</i>	<i>15</i>
--	-----------

<i>II Power Series Methods</i>	<i>19</i>
--------------------------------	-----------

<i>III Back Matter</i>	<i>21</i>
------------------------	-----------

<i>Bibliography</i>	<i>23</i>
---------------------	-----------

Appendices

<i>Matlab Style Rules</i>	<i>27</i>
---------------------------	-----------

List of Figures

List of Tables

Preface

The purpose of this text is to provide a concise reference for engineering students who would like to strengthen their conceptual understanding and practical proficiency in analytical and numerical methods in engineering. The material is based on a sequence of two courses taught at the United States Naval Academy.

Analytical Methods

The first course focused on analytical methods for linear ordinary and partial differential equations. All students came into the course having taken a three-semester sequence of calculus along with a course in ordinary differential equations. The analytical methods portion quickly reviews methods for constant coefficient linear equations and proceeds to methods for non-constant coefficients including Cauchy-Euler equations, power series methods, and method of Frobenius. After a review of Fourier Series methods and an introduction to Fourier-Legendre and Fourier-Bessel expansions we thoroughly explore solutions to second-order, linear, partial differential equations. Since many students are also studying nuclear engineering, there is a heavy focus on addressing boundary value problems in cylindrical and spherical coordinate systems that are applicable to other topics of interest such as reactor physics. There is also heavy emphasis on heat transfer applications that students will see later on in their undergraduate curriculum.

The materials presented are based heavily on Professor Dennis Zill's excellent book.¹ We lightly select from chapters 1-3 for review; chapter 5 for series solution methods; and chapters 12-14 for Fourier Series and solutions to linear boundary value problems. Material from that text is used throughout this book.

What distinguishes this course from Prof Zill's work is the incorporation of computational tools in the solution process. These "semi-analytical methods" are presented here in MATLAB² owing to the students preparation with that tool. Other open-source tools like Octave³ and Python,⁴ of course, could be used.

¹ Dennis G Zill. *Advanced engineering mathematics*. Jones & Bartlett Learning, 2020

² Inc. The Math Works. Matlab, v2022a, 2022. URL <https://www.mathworks.com/>

³ John W. Eaton, David Bateman, Søren Hauberg, and Rik Wehbring. *GNU Octave version 5.2.0 manual: a high-level interactive language for numerical computations*, 2020. URL <https://www.gnu.org/software/octave/doc/v5.2.0/>

⁴ Guido Van Rossum and Fred L. Drake. *Python 3 Reference Manual*. CreateSpace, Scotts Valley, CA, 2009. ISBN 1441412697

Part I

Introduction and Review

Lecture 1 - Introduction, Definitions and Terminology

Objectives

The objectives of this lecture are:

- Provide an overview of course content
- Define basic terms related to differential equations
- Provide examples of classification schemes for differential equations

Course Introduction

THIS COURSE IS INTENDED as a one-semester introduction to partial differential equations. It is assumed that all students have a thorough background in single- and multi-variable calculus as well as differential equations. The first few lectures comprise a review of the portions of differential equations on which this course most heavily relies. This is followed by a treatment of power series methods and the method of Frobenius. These are needed so that students will understand the origins of Legendre Polynomials and Bessel functions that will be used in the solution of boundary value problems in spherical and cylindrical coordinates respectively.

THE MAIN BODY of material deals with the solution of (mostly homogeneous) boundary value problems—wave equation, heat equation, and Laplace equation—in rectangular, polar/cylindrical, and spherical coordinate systems. For this a preparatory review of Fourier series expansions along with Fourier-Legendre and Fourier-Bessel expansions are introduced along with a leavening of Sturm-Liouville theory in boundary value problems. The rest is a problem-by-problem tour of methods and analysis with heavy emphasis on heat transfer and nuclear engineering applications.

Classification of Differential Equations

IT IS IMPORTANT to be able to classify differential equations. In this class we will learn a variety of techniques to find the function that satisfies a differential equation along with its boundary or initial conditions.⁵ The techniques we learn in this class are tailored for specific classes of problems; you classify the problem and that tells you what method to use. If you improperly classify the equation, you will likely use an inappropriate method and may have trouble figuring out why it is not working.

Classification by Type and Order

WE SHALL START with the easiest classification categories: type and order. There are two *types* of differential equations that we will consider: ordinary differential equations; and partial differential equations.

IN AN ORDINARY differential equation, there is only one independent variable. In a *partial* differential equation, there are multiple independent variables and consequently derivatives of the dependent variable will partial derivatives.

THE ORDER of a differential equation is the order of the highest derivative in the equation. This is typically not confusing for students. If anything needs to be added here it is to be mindful of the difference between a higher order derivative and an exponent. For example, in the second order, non-linear, ordinary differential equation shown below,

$$\frac{d^2u}{dx^2} + 5 \left(\frac{du}{dx} \right)^3 - 4u = e^x$$

it isn't too hard to realize that the "3" is an exponent and the "2" denotes a second derivative. Still, be mindful.

Classification by Linearity

An n -th order ordinary differential equation is said to be *linear* when it can be written in the form shown in Equation 1:

$$a_n(x)u^{(n)} + a_{n-1}(x)u^{(n-1)} + \cdots + a_1(x)u' + a_0(x)u = g(x) \quad (1)$$

The key features that you should note in the form of Equation 1 are:

⁵ Consider the differential equation: $\frac{du}{dx} = ux$. The variable u stands for the function, $u(x)$, that satisfies the equation; u is also referred to as the **dependent variable**. The variable x is the **independent variable**. By convention we will use the variables x, y, z and r, θ, ϕ as spatial independent variables and t as an independent variable for time dependent problems. We will use many other letters to denote dependent variables but most commonly u, v , and w .

Example ODE:

$$\frac{d^2u}{dt^2} + t \frac{du}{dt} = 3e^{-t}$$

There is one independent variable, t

Example PDE:

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$

There are two independent variables, x , and y .

1. The *dependent* variable and *all of its derivatives* are of the first degree; that is, the power of each term involving u is 1.
2. The coefficients of each term, $a_n(x)$, depend at most on the *independent* variable.

A lot of students struggle with discriminating between linear and nonlinear ODEs but it really is as simple as checking these two things. If both conditions are satisfied; the equation is linear. If not, the equation is nonlinear. As examples, in Equation 2 violates the first criterion; Equation 3 violates the second.

$$\frac{d^2u}{dx^2} + u^2 = 0 \quad (2)$$

$$\frac{d^3u}{dx^3} - 5u \frac{du}{dx} = x \quad (3)$$

Verification of an Explicit Solution

Why is this important? Most of the techniques we will learn in this course *depend* upon the fact that the equation we are trying to solve is *linear*. In “*the wild*” you may be presented with (or, more likely *derive*) an equation and may not be explicitly told whether or not the equation is linear. If the equation is **not** linear you will find that most of the tools you learn in this course will not be applicable; you will most likely need to use a numerical method. You need to be able to tell the difference so you know what tools to use.

Part II

Power Series Methods

Part III

Back Matter

Bibliography

- John W. Eaton, David Bateman, Søren Hauberg, and Rik Wehbring.
GNU Octave version 5.2.0 manual: a high-level interactive language for numerical computations, 2020. URL <https://www.gnu.org/software/octave/doc/v5.2.0/>.
- Inc. The Math Works. Matlab, v2022a, 2022. URL <https://www.mathworks.com/>.
- Guido Van Rossum and Fred L. Drake. *Python 3 Reference Manual*. CreateSpace, Scotts Valley, CA, 2009. ISBN 1441412697.
- Dennis G Zill. *Advanced engineering mathematics*. Jones & Bartlett Learning, 2020.

Appendices

Matlab Style Rules

1. **rule:** All scripts will start with the commands: **clear**, **clc**, and **close** 'all'

rationale: No script should depend upon any data visible in the MATLAB workspace when the script starts. By omitting these commands, residual data within the workspace may hide errors.

2. **rule:** Your code must be documented with enough details such that a reader unfamiliar with your work will know what you are doing.

rationale: Code documentation is a habit. For more significant projects readers may need help in deciding what the author of the code intended. For your own code, the most likely reader is you—a few months into the future.

3. **rule:** Function and variable names must be meaningful and reasonable in length.

rationale: Failing to do either make code harder to read and maintain.

4. **rule:** All outputs from the code **must** be meaningful; numbers should be formatted, part of a sentence, and include units. Graphs should be readable and axis labels should make sense and include units.

rationale: Code output is a form of communication. It is important that this communication be clear and unambiguous.

5. **rule:** Do not leave warnings from the Code Analyzer unaddressed.

rationale: Sometimes Code Analyzer warnings can be safely ignored. Most of the time the warning points to a stylistic error that would be unacceptable in software that you use. Occasionally these warnings are indicative of a hidden error.

6. **rule:** Use the “smart indentation tool” to format the indentation of your code.

rationale: This tool improves code readability. It will also occasionally point out errors that you did not see before.

7. **rule:** Pre-allocate arrays; if possible initialize with **NaN** values.

rationale: Pre-allocation improves performance and helps readability. Initialization with **NaN** helps avoid a range of potential logical errors.

8. **rule:** Avoid “magic numbers” — i.e. hard-coded constants.

rationale: Constants included in your code tend to hide your program logic. Also, “magic numbers” make code maintenance more difficult and error prone.

9. **rule:** Only write one statement per line.

rationale: Multi-statement-lines hurt code readability in almost all cases.

10. **rule:** Do not write excessively long lines of code; use the line continuation “...” and indentation to spread long expressions over several lines.

rationale: Following this rule improves code readability.