


Artists' Views on Robotics Involvement in Painting Productions



A Longitudinal Investigation of Human–Robot Artistic Collaboration in Abstract Painting

By Francesca Cocchella¹, Nilay Roy Choudhury², Eric Chen³, and Patrícia Alves-Oliveira⁴

As robotic technologies evolve, their potential in artistic creation becomes an increasingly relevant topic of inquiry. This study explores how professional abstract artists perceive and experience co-creative interactions with an autonomous painting robotic arm. Eight artists engaged in six painting sessions—three with a human partner, followed by three with a robot—and subsequently participated in semi-structured interviews analyzed through reflexive thematic analysis. Human–human interactions were described as intuitive, dialogic, and emotionally engaging, whereas human–robot sessions felt more playful and reflective, offering greater autonomy and prompting for novel strategies to overcome the system's limitations. This work offers one of the first empirical investigations into artists' lived experiences with a robot, highlighting the value of long-term engagement and a multidisciplinary approach to human–robot co-creation.


INTRODUCTION

Art has always been a mirror of the human spirit. It is an intimate expression of emotion, identity, and cultural context. Meanwhile,

technology is becoming increasingly intertwined with our daily lives, and it is beginning to shape how we create, perceive, and share artistic experiences. If art reflects who we are, then its process evolves as technology shapes how we live and create. Recently, robotic systems have been employed as creative agents. From algorithmically generated paintings [1] to autonomous robotic brushstrokes [2], these technologies challenge traditional boundaries between the artist and the medium. Although research has focused on what robots can contribute to art, little is known about how artists experience creating *with* them.

We examine how artists experience collaboration with a robot during artistic creations. To achieve this, we conducted a longitudinal study where artists and the robot performed collaborative paintings. Each artist performed a total of six painting sessions, three with another human artist and three with a robot (Figure 1). Through semi-structured exit interviews, we explored their reflections on the nature of the interaction, the perceived agency attributed to the robot, the creative flow, and how they perceived the robot's ability to engage socially and contribute artistically to the paintings. Our findings advance understanding of human–robot collaboration in the arts by foregrounding artists' lived experience.

Digital Object Identifier 10.1109/MRA.2026.3693128



©SHUTTERSTOCK.COM/NADEZHDA BURAVLEVA

RELATED WORKS

HUMAN–HUMAN ARTISTIC COLLABORATION

Collaborative painting between humans offers a rich context to explore social dynamics, such as co-presence, mutual adaptation, and interpersonal synchrony. Prior work has shown that such interactions are often experienced as fluid, dialogic, and emotionally engaging, supported by verbal and nonverbal coordination [3]. Abraham et al. [4] extended this understanding by demonstrating that even in the absence of rhythmic structure, visual coordination during joint painting can foster perceptions of harmony, empathy, and mutual understanding. This body of work provides a valuable foundation for interpreting how artists in our study experienced human collaboration. Prior work on human–human artistic collaboration (H–H) highlights features such as mutual adaptation, interpersonal synchrony, and continuous negotiation. An open question is whether—and in what form—these features may also emerge when artists collaborate with a robot.

HUMAN–ROBOT ARTISTIC COLLABORATION

The intersection of robotics and art has been a complex domain for exploring creativity and the evolving role of machines as collaborators or creators. Both early and contemporary works illustrate a wide range of approaches to human–robot artistic collaboration, including painting and other forms of artistic practices. For instance, *Telegarden* explored the possibilities of telerobotic drawing and cloud-mediated interaction [5], while the *e-David* project—developed in collaboration with artist Liat Grayver—demonstrated the use of semiautonomous systems in iterative painting processes [6].

Other artists, such as Leonel Moura, have investigated autonomous swarm-based robotic painting [7], whereas Sougwen Chung emphasized the co-creative potential of human–robot interaction (HRI) in real-time artistic production [8].

Recent research in robotic art has moved toward approaches that highlight the creative process itself, treating the making of the artwork as equally important as the finished piece. Schürmann et al. [2] demonstrated that robotic brushstrokes can capture the variability and spontaneity of human movement, emphasizing co-creation rather than strict replication. Additional work in this domain includes the study of creative practices by Qin et al. [9], and the work of the artist Melkio, who used joysticks to teleoperate a humanoid robot in the creation of abstract paintings [10]. Taken together, these works reflect a shift from pure automation toward iterative, human-in-the-loop creations.

Peter Schaldenbrand, Gaurav Parmar, Jun-Yan Zhu, James McCann, and Jean Oh's work on the Framework and Robotics Initiative for Developing Arts (FRIDA) and Collaborative Framework and Robotics Initiative for Developing Arts (COFRIDA) robot systems introduced methods for robotic painting that leverage style transfer and generative modeling to produce novel artworks in collaboration with humans [1], [11]. Their approach frames the robot as a co-creative partner capable of stylistic adaptation and expressive output through discrete turn-based painting. Our robot painting system builds on this work by extending it toward more collaborative, iterative painting, where the robot acts as an independent creative partner. This allowed us to explore its perceived role, agency, and presence within the shared artistic process.

STAKEHOLDERS' PERCEPTIONS OF ROBOTS

Understanding how people perceive and engage with robots can guide the development of systems that support creative expression and collaboration [12]. Increasingly, research emphasizes the importance of involving stakeholders early in robotics development [13]. Stakeholders differ from end users in that they are directly impacted by the technology's role and purpose, not just its functionality, promoting acceptance by addressing the social dynamics inherent to HRI [14].

Recent studies have begun to explore how artists, i.e., stakeholders, perceive and engage with emerging technologies.



FIGURE 1. Study conditions. (a) An artist–artist collaborative painting. (b) Artist–robot collaborative painting.




FIGURE 2. System architecture of the robotic painting platform. UI: user interface; ROS: Robot Operating System; API: application programming interface.

A qualitative study with expert avatar designers revealed tensions around treating artificial intelligence (AI) as a co-creator and managing its iterative outputs [15]. Qin et al. [9] investigated the creative practices of professional robotic artists, showing how creativity emerges from the interplay of human input, context, and uncertainty. Their use of semi-structured interviews enabled a deep exploration of the experiences, illustrating the value of these methods in stakeholder research.

Qualitative methods, and semi-structured interviews in particular, are especially effective as they offer the flexibility to adapt to stakeholders' narratives while enabling researchers to access detailed, context-specific insights. This approach aligns with our goal of understanding how stakeholders make sense of creative HRI, which is the focus of this research.

OUR CONTRIBUTION

This study investigates how professional artists, i.e., stakeholders, perceive the involvement of robotics in painting productions by comparing their experiences of collaborating with a human and with an autonomous robot. Through painting sessions and exit interviews, we gathered stakeholders'



FIGURE 3. A close-up of robot painting tools displayed at the table. A color palette, water container, and cleaning rag are each mounted on fixed, 3D-printed holders designed for easy and autonomous robot access.

insights to inform the future design of human–robot artistic collaboration.

SYSTEM OVERVIEW

HARDWARE SETUP

We now describe the robot system of the robotic platform implemented for this study (see Figure 2). The system utilizes a UF850 six-degree-of-freedom robotic arm positioned in front of a canvas. The palette, water container, and cleaning rag are each mounted on fixed, 3D-printed holders designed specifically for easy access and repeatable positioning (see Figure 3). These components are arranged to optimize reachability while minimizing the chance of collision during painting operations.

ROBOT OPERATING SYSTEM 2 NODE ARCHITECTURE

The robotic painting system was developed using the Robot Operating System (ROS) 2 framework to interface with the UF850 robotic arm. The core ROS 2 node architecture was deliberately kept minimal to improve modularity and clarity for future extensions. The node architecture integrates the `rclpy` client library and leverages the XArm Python software development kit (SDK) for low-level control of the robot. The strokes are mapped to specific robot actions through state transitions. This allows an artist to engage with the system intuitively, without needing to interact with complex terminal commands or GUIs. The architecture also allows access to useful robot diagnostics such as joint angles, end-effector pose, motion state, and torque using service calls and utility functions from the XArm SDK. This supports real-time monitoring and debugging via tools like PlotJuggler and RViz.

STATE MACHINE ARCHITECTURE

A purposely streamlined ROS 2-based state machine was developed to govern the robot's behavior. The architecture was designed with only the essential states needed for this study, ensuring clear operation and seamless integration with the artistic interaction while preserving the flexibility for more complex workflows in future iterations. The state machine supports the following key states:

- IDLE – Default state where the robot waits for input.
- GO_HOME – Commands the robot to return to a default home pose.
- PAINTING – Moves the robot into canvas mode to begin or resume painting.
- CHANGE_PAINT – Moves the robot to the palette region to switch colors or clean the paint brush.

In this study, only two voice commands were actively used: *start* and *pause*, allowing the artist to initiate or halt the robot's painting actions with minimal cognitive load.

VERTICAL EASEL SUPPORT

In this study, the robot painted in a vertical easel, as shown in Figure 4(a). To enable the robot to paint effectively, a coordinate transformation was implemented to map on-table canvas coordinates to on-easel canvas coordinates. Before runtime, the center position and orientation of the easel in the robot's base frame are manually calibrated. During operation, points specified in the flat, screen-based coordinate system are first scaled to match the physical dimensions of the easel canvas. These points are then rotated and translated to align with the calibrated easel frame. This transformation ensures that drawings defined in a top-down frame are accurately projected onto the vertical surface, allowing the robot to execute painting motions aligned with user intent.

BRUSH-SWAPPING MECHANISM

We developed a custom-designed brush-swapping mechanism through several design iterations. The final version, V3.1, is mechanically inspired by the retractable ballpoint pen [16] mechanism and allows for quick, tool-free brush changes. The setup consists of two primary components: a *main body* mounted on the robot's end effector, and a *brush collet* that securely holds the brush. Figure 4(b) shows a collage of the final printed mechanism and a CAD model, highlighting the simplicity and versatility of the design.

The collet is split into four flexible sections and features slanted nubs that allow it to snap into position inside the main body, providing a stable and repeatable interface that can accommodate a range of brush sizes and shapes. Although the robot was not currently programmed to perform autonomous brush changes, the mechanical system is designed with that capability. Currently, the system enabled the artist to easily swap brushes between painting segments by pressing the collet into or out of the main body with a simple push-pull motion.

VOICE INTEGRATION

The audio subsystem enables real-time voice command recognition for robot control, allowing hands-free natural language communication between the artist and the robot arm. The module is responsible for capturing the audio input, transcribing it to text, and interpreting it into the intended commands for the robot. We used AssemblyAI's^a transcription application programming interface for real-time speech-to-text transcription. The audio is captured through an RODE Wireless GO II microphone and processed only at final transcription events at the end of each spoken utterance. Once the complete command is transcribed, a zero-shot classification model labels the

user's intent from a predefined set of commands (e.g., *start*, *stop*, and *draw*). The commands are then published through the ROS for the robot to act upon.

VISUAL FEEDBACK INTERFACE

To support clarity and accessibility during the interaction, the system included a full-screen interface that displays real-time status updates to the artist. The interface provided visual feedback in response to voice commands, such as *Robot Starting* and *Robot Paused*, to help the participant confirm whether the system has recognized their voice command properly. The interface was built using Python's *tkinter* library and runs in parallel with the transcription system through multithreaded execution to ensure interface responsiveness simultaneously with continuous audio streaming and processing.

ABSTRACT DATASET AND MODEL

To support abstract-art painting and styles, we built a custom dataset and fine-tuned an image-translation model tailored to robot painting. We collected a diverse collection of abstract artworks from the Kaggle Abstract Art Gallery,^b sourced from WikiArt. We then prompt-engineered Generative Pre-trained Transformer 4 (GPT4) (GPT-4o) to generate descriptive text labels for each image, creating 300 image-text labels for training. The CoFRIDA framework provided stroke-level painting data by simulating the robot's painting process, generating both partial progress and completed canvases [1], [11]. Although CoFRIDA was originally designed to produce paintings that accurately depict their subject matter with coherent stroke patterns and layering, our work adapts this approach specifically for abstract art by fine-tuning the InstructPix2Pix Module originally used within the CoFRIDA

^b<https://www.kaggle.com/datasets/bryanb/abstract-art-gallery>.




FIGURE 4. (a) A robot painting on a vertical easel with a fixed canvas size of 11 in $\times$ 14 in/27.94 cm $\times$ 35.56 cm. (b) Brush-swapping mechanism. Top-left: mounted brush holder on the UF850 robotic arm. Top-right: main body and brush collet with a paintbrush. Bottom-left: internal cam-slotted geometry of the holder. Bottom-right: 3D model of the flexible brush collet designed for tool-free insertion and removal.

^a<https://www.assemblyai.com/>.




FIGURE 5. (a) *Gelb Rot Blau*, Vasilij Vasil'evič Kandinskij (1925). Collection of Center Pompidou, Paris, France; emblematic example of his color theory linking primary colors with geometric forms, which inspired the experiment setup. (b) Color setup inspired by Kandinskij's theory for this experiment.




FIGURE 6. Studies of geometric shape by Bruno Munari [17].

framework on a curated dataset of abstract works from Kaggle paired with GPT-4-generated captions. As a result, InstructPix2Pix generates a target image from input text prompts that reflects the desired abstract style and geometric emphasis of a painting session. This target image serves as a high-level visual goal and is subsequently translated into executable robot stroke sequences using the FRIDA image-to-action planning process, which computes stroke trajectories that approximate the target image on the canvas.

ARTISTIC FRAMEWORK

The robot was programmed to draw circle-inspired shapes in the first session, square-inspired in the second, and triangle-inspired in the third. This setting was inspired by Bruno Munari's [17] exploration of geometric forms (see Figure 6). In the 1960s, Italian designer Bruno Munari published visual case studies on circle, square, and later, triangle, associating each with specific qualities: the circle with the divine, the square with safety, and the triangle as a key connective form.

Associated with this, at the Bauhaus, the Russian-French artist Vasilij Vasil'evič Kandinskij explored geometry's psychological and spiritual effects, viewing the triangle as active and aggressive, and the square as peaceful and calm [18].

In our study, we sequenced the robot's color-shape associations across three painting sessions. Initially, the robot was provided with acrylic paints organized into three color groups: blues for circles, reds for squares, and yellows for triangles, with four shades available in each group. These associations

draw on Kandinskij's synesthetic theory [Figure 5(a)], linking primary shapes to specific colors, while the focus on forms derives from Munari's visual design work. The digital versions of the selected colors are shown in Figure 5(b).

STROKE GENERATION AND MANAGEMENT

To support reproducibility and uninterrupted painting sessions, the robot executed pre-generated stroke sequences rather than generating strokes in real time.

Stroke sequences were generated offline by applying the FRIDA image-to-action planning process as implemented within the CoFRIDA framework to the target images produced by InstructPix2Pix. Given a target image, FRIDA computes a sequence of discrete brush strokes that iteratively reduces the visual difference between the current canvas state and the target image. Each stroke is represented as a short sequence of 3D waypoints in the robot's base frame, corresponding to

brush approach, paint deposition, and lift-off.

Before human-robot artistic sessions began, we generated strokes based on the artistic framework described in the "Artistic Framework" section and saved them as serialized session files. For each painting session (circle, square, or triangle), the stroke library contained 330 distinct pre-generated strokes, corresponding to approximately one and a half hours of continuous painting. For each session, we preloaded the corresponding circle, square, or triangle stroke sequences, allowing the robot to immediately begin painting without additional computation.

Within a session, strokes adhere to the same high-level artistic framework and target image style and are executed deterministically from a pre-generated library, allowing the same stroke sequences to be replayed across multiple participants, thereby maintaining consistent behavior during the human-robot trials, essential to compare the experiences that artists had with the robot.

STUDY METHOD

GOAL AND RESEARCH QUESTIONS

Our study adopts an exploratory approach and constitutes, to our knowledge, the first attempt to 1) directly compare human-human and human-robot collaborative experiences within an artistic context and 2) collect artists' reflections and perspectives after engaging in direct interaction with a robot during several painting sessions.

Given the novelty of the topic and the limited existing empirical evidence in this domain, the study does not

advance formal hypotheses but instead is guided by the following research questions (RQs) aimed at uncovering emergent patterns:

- *RQ1*: How do artists perceive the experience of collaboratively painting with a robot compared to collaboratively painting with a human?
- *RQ2*: How do artists experience the creative flow with a robot and with a human artist?
- *RQ3*: What are the artists' perceptions of robot agency during the painting production?
- *RQ4*: What are the artists' perceptions of the robot's capabilities for interaction and painting?

PARTICIPANTS

Participants were recruited through targeted outreach to local artists, painters, and galleries in Ann Arbor and Detroit metropolitan areas. Individuals were asked to complete an eligibility questionnaire through the Qualtrics platform [available on Open Science Framework (OSF) in Appendix_a]^c which allowed us to select only professional artists working within the context of abstract art. All participants read and signed an informed consent. The research has been approved by the University of Michigan Institutional Review Board (declaration HUM00273497). Upon completion of all experimental sessions, participants received compensation of US\$300. Our study sample included eight participants who met our eligibility criteria and agreed to enroll in the study. Participants were paired, balancing for gender and age (see Table 1). From our sample, one participant, artist 8 (A8), had previously interacted with a robot, while four artists (A1, A2, A3, and A8) reported having collaborated with others in painting before.

PROCEDURE

Our exploratory study employed a within-subjects design where each participant engaged in six painting interactions: three with a human artist (H–H) and three with an autonomous robot (H–R). The order of the sessions was always

human–human first and then human–robot. The sessions were conducted on separate days, with a minimum interval of one day between them to provide artists with time to elaborate and reflect on their experiences before moving to a new session. Overall, the study spanned three weeks. The interactions were held in the University of Michigan. Each interaction required approximately 1 or 1.5 h.

Participants were instructed to create one final art piece to represent the outcome of the H–H collaboration, and one final piece to represent the outcome of the H–R collaboration. This final art piece was selected after the final session of each condition. In both conditions, participants were required to collaborate in the artistic product with their partner. Here, “collaboration” refers to a shared painting process on the same canvas, where human artists and the robot alternately contribute mark-making. No specific guidelines were provided regarding the type, style, or medium of the artwork as long as it could be considered abstract art. Participants were free to produce as many pieces as they wished, without limitations. The experimenter was available to clarify any questions about the process but was not present in the room during the creative sessions, to preserve the spontaneity of the interactions.

In the first session, participants were informed they would be provided with painting materials and that they were free to bring any additional supplies they considered necessary for the artwork creation. Furnished painting materials included a canvas (size: 11 in × 14 in/27.94 cm × 35.56 cm), acrylic and watercolor paints in multiple shades, pencils and markers, brushes of various sizes, glue, and cleaning supplies. Materials brought by the artists included paints of different shades and types (e.g., oil), palette knives, brushes, and stickers.

At the end of each painting session, the research team took high-quality photographs and scans of all materials created by the artists (see Figure 7). Artists retained ownership of the original pieces. At the end of all six painting sessions, participants took part in a semi-structured interview that captured their experience of the H–H and H–R painting activities.

^c<https://osf.io/yhca7/overview>.

TABLE 1. Demographics of participants.

ID	AGE	GENDER	STYLE	EXPERIENCE (YEARS)	PAIRED
A1	61	F	Abstracted realism	30	A3
A2	70	F	Abstract	25 plus	A4
A3	27	NB	Fantasy mixed-media illustration	12	A1
A4	63	M	Interdisciplinary	40 plus	A2
A5	63	M	Abstract and figurative	20 plus	A6
A6	61	M	Abstract and figurative	30	A5
A7	34	M	Illustrative and abstract	20	A8
A8	65	F	Figurative and impressionistic	50 plus	A7

F: female; M: male; NB: non-binary.

EXPERIMENTAL SETUP

A classroom in the University of Michigan was equipped with curtains to re-create an environment as close as possible to an artist's studio, as shown in Figure 1. As artists entered the room, they found a vertical easel, a selection of paints, canvases, brushes, and cleaning supplies. In the H-R experimental sessions, the robot was already present in the room, with the color settings described in the "Artistic Framework" section. Artists were given full creative freedom and were therefore allowed to modify the colors initially proposed by the robot. However, they were not allowed to alter the robot's behavior. The only actions available to them were to stop and restart the robot's painting actions. This enabled them to work on the canvas independently (if they wanted), change brushes, or take breaks as needed.

MEASURES: SEMI-STRUCTURED INTERVIEW

After the last session of the experiment, participants took part in a semi-structured interview aimed at exploring their subjective experience, reflecting on the collaborative process, and their perceptions of the robot's role in artistic creation. Interviews were conducted in person and audio-recorded for transcription and later qualitative analysis. All the transcriptions and interview questions (Appendix_b) are available on OSF.^d

^d<https://osf.io/yhca7/overview>.

The semi-structured interview included two primary sections: 1) demographic and experiential background and 2) open-ended reflections on the co-creative painting sessions. In the first section, participants provided information on their age, artistic background (e.g., type of art, years of experience, and primary location), and prior experiences with robots and artistic collaboration. The second section focused on participants' subjective experiences during the co-creative process with the robot. Rather than strictly adhering to predefined theoretical constructs, the questions were designed to elicit rich, open-ended responses related to collaboration, agency, creativity, communication, and technological expectations [19].

QUALITATIVE ANALYSIS

We conducted a reflexive thematic analysis [20] of the eight interviews. The thematic structure informed by the four main RQs shaped the analytical focus. Although the analysis remained open to unexpected insights, the coding process was deductive. The analytic process followed the key phases: we began with familiarization through repeated reading of transcripts, followed by initial coding aligned with each RQ. Codes were reviewed and grouped into broader thematic categories that reflected shared meanings across participants. Final themes were refined to ensure internal coherence and clear distinctions between categories. All transcripts (N=8) were analyzed using MAXQDA software. This approach




FIGURE 7. (a) and (b) Artworks produced by artist collaboration and (c)–(h) by collaboration with the robot during this study.

enabled us to identify five main themes: 1) comparing human–human and human–robot collaboration in painting production, 2) perceived agency of the robot, 3) creative flow, 4) robot’s capabilities: social interaction, and 5) robot’s capabilities: painting techniques.

RESULTS

THEME 1—COMPARING H–H AND H–R COLLABORATION IN PAINTING PRODUCTIONS

The comparison between H–H and H–R collaboration revealed distinct experiential differences. H–H interactions were often described as intuitive and socially engaging, while H–R collaborations felt more reflective. Notably, some participants appreciated the robot’s lack of emotional demands, noting it allowed them greater creative freedom.

Co-presence and human exchange emerged as a key aspect of H–H collaboration. Participants emphasized the value of communication with their human partner, which facilitated mutual understanding and fostered a sense of intimacy. As A8 explained, “With A7, it was more personal because as we painted, we talked and we got to know each other. So it was a more friendly environment, whereas with the robot, it’s kind of sterile.” Similarly, A2 recalled, “What I most remember and enjoy is getting to know him [referring to A4] through the painting process.” Even when stylistic differences emerged, they were negotiated through human sensitivity and mutual respect. According A5, “It was an adjustment. It was fun. I felt like I had to... I wanted to... respect the other artist. [...] We were both careful about that, but we had very different styles.”

By contrast, anticipation and strategy with the robot were central to the H–R interaction. Participants described the need to observe the robot and anticipate its behavior. As A8 noted, “I observed it first and tried to pick up some rhythms from it. [...] I was trying to anticipate what it was gonna do.”

Some participants articulated more reflective and anticipatory modes of engagement during the H–R collaboration. Rather than reacting spontaneously to another person’s gestures, artists described pausing to observe the robot’s behavior, thinking ahead about how its next action would be, and adjusting their own interventions accordingly. This form of reflection was less socially oriented and more self-directed, involving prediction about when and how to intervene on the canvas. As A2 noted, “With the robot, I was thinking a lot before interacting with it,” highlighting a shift from interpersonal coordination toward a more introspective and deliberative creative process. Finally, participants frequently referred to creative freedom and negotiation when comparing the two experiences. Some participants felt freer working with the robot as they did not have to manage interpersonal dynamics or consider the potentially conflicting perspectives of another human artist. This made the interaction feel less intimidating and more personally expressive. The robot was sometimes described as a neutral tool that encouraged creativity, as A1 mentioned: “With the robot, it was more like you having a robotic assistant doing things that also pushed your creati-

ity a bit.” For others, this lack of negotiation opened space for full control over the creative process. A5, for example, noted: “Maybe I felt freer to be completely in control, because the robot was making random marks, so it was going to be up to me to make the work interesting. Whereas with the other artist, we were both trying to show mutual respect and not dominate one another, so maybe that inhibited the creativity a little bit.” Although the robot’s strokes were generated according to a predefined artistic framework, this structure was not directly legible to A5 during the interaction. From the artist’s perspective, the robot’s gestures often appeared unscripted. As a result, these marks were interpreted as “random,” not because they were unstructured but because the rationale guiding the robot’s actions remained inaccessible within the interaction.

THEME 2—PERCEIVED AGENCY OF THE ROBOT

Participants reflected on the role of the robot in the artistic process, oscillating between a passive tool or an autonomous collaborator. Balancing control and autonomy was a recurring topic in the interviews. Several participants expressed a desire for a mixed-mode collaboration in which both the human and the robot could initiate actions. As A8 remarked, “I would like to give the robot the opportunity to choose [what to do] and then I would choose as well.” Similarly, A2 noted, “If I could negotiate with the robot to start and stop, or do this or do that, I could imagine what I might do.”

Interest in reciprocal interaction and initiative was common. Some participants wanted the robot to not only respond to input but also to initiate actions or offer suggestions. A3 imagined a scenario where the robot could act like a peer: “Sometimes it’s nice to have somebody pick one [i.e., artistic piece]. I could just hold them up to the robot [...] it could point to one.” A1 expressed curiosity about a robot that could interrupt routines to challenge artistic habits: “If I was getting complacent, maybe have it decide to switch things up.”

Metaphorical framings were often used to describe the robot’s actions and role. A3 stated: “It was like working with a cart on a track.” A7 instead expressed: “I would compare it to drawing outside and the wind blowing, like drawing a tree and the leaves moving.” Notably, some artists paralleled the experience as painting with children, like A4: “It reminded me when I was painting with my daughters when they were very, very young age. Just observing.” And A8: “It’s making brushstrokes and choosing top or bottom, like when a child paints.” The connection with child-like experiences denotes the nonjudgmental space held in H–R interactions compared to H–H interactions. Additionally, it also denotes a robot that is technically more limited than a human in its painting technique.

THEME 3—CREATIVE FLOW

Some participants described experiences that we interpret as aspects of a flow-like creative state during the sessions with the robot, including moments of inspiration and generative engagement as well as surprise and frustration. For some, the interaction with the robot disrupted their usual creative rhythm, requiring adaptation and patience. As A7 noted, “I

found myself a bit frustrated by its decisions [...] maybe it's just because I didn't understand what it was doing." A4 pointed out: "It was unhelpful, mostly unhelpful [...] trying to adapt to something you have basically no communication with." However, a subset of participants described moments of sustained creative engagement that contrasted with earlier feelings of disruption or frustration. A2 reflected, "There was just enough structure but not too much structure in the mark-making so that I could imagine covering it, extending the lines, playing with the color, all sorts of things." This description suggests a balance between constraint and openness that supported ongoing exploration and uninterrupted creative action.

Several participants emphasized that the robot, although not creative itself, acted as a catalyst for their own creativity. As A1 put it, "It really inspired me to work differently than I normally do, to respond to things I wouldn't usually respond to." A1 further described the robot as "a complementary person that was saying, 'Why don't you try this?' instead of me just doing what I normally do." A6 described the process as both disruptive and generative: [the robot] "Integrated and disrupted at the same time, because that's what creative process is." Others found the robot's limitations to be a source of creative tension. A5 explained, "It was mostly, for, me just trying to make an interesting work of art while combating sort of randomness." It is interesting to note that although many participants did not ascribe creative skills to the robot, they recognized a sense of its creative style.

THEME 4—ROBOT CAPABILITIES: SOCIAL INTERACTION

Participants expressed a range of expectations regarding how the robot should learn and adapt within an interaction during artistic collaboration. They frequently mentioned adjusting their speech or expectations to better collaborate with the robot. A1 acknowledged, "I figured out how it would react better if I spoke more clearly."

The desire for expressive and multimodal communication with the robot was consistent. Several participants envisioned the robot using not just speech but also nonverbal cues to enhance collaboration. As A8 noted, "I guess [...] music. Because music enhances the mood." Others proposed technical augmentations, such as pointing mechanisms or gesture-like behaviors. A7 suggested, "It would be nice to have it indicate what it's seeing [...] like pointing a laser at an area."

Participants reported mixed comfort with verbal interaction. Although some welcomed the idea of the robot talking, finding it potentially enriching: "That would be great. I would love it if it talked to me," stated A1. Others, however, found the idea less appealing, as A7 explained: "That would, for me personally, be unsettling."

THEME 5—ROBOT'S CAPABILITIES: PAINTING TECHNIQUE

Participants engaged both critically and imaginatively with the robotic painting system, acknowledging its mechanical precision alongside artistic limitations—often using this con-

trast as a starting point for envisioning more co-creative possibilities. The most frequently mentioned limitation was the robot's restricted and repetitive movement. Participants were generally expecting more from the robot's capacity and noted that its gestures were often predictable and lacked organic variation. As A8 stated, "It was limited because it's just brush strokes. [...] It didn't do a continuous line or [...] organic shapes." Similarly, A3 remarked, "It moves along this certain track [...] the marks themselves are fairly predictable: curve, curve, curve, curve." Others, like A4, emphasized how little motion was involved: "The robot has this motion, very little motion." Or also: "Then I realized, okay, the robot has a very limited motion. It goes six times into the canvas. It puts six brush strokes. They could be different brush strokes. And then the robot goes back, cleans up to use another color and does the same process again and again, but in a different part of the canvas." It is interesting to note how the artists carefully studied the robot's actions and dynamics of painting to be able to predict and collaborate with it.

The robot's limited expressive range was a recurring critique. As A5 commented, it was "very sophisticated in its mechanical movements, but really primitive in its mark-making." Despite these constraints, participants took this opportunity to imagine what a more advanced robot could do. A recurring idea was to expand the robot's technical and material capabilities, envisioning a system that could handle not only brushes but also pencils, markers, palette knives, or air-brushes. As A8 put it, "I would like for it to be able to not only just handle a brush but to use other instruments as well." A3 expressed interest in modular customization: "I would absolutely love for it to have 20 more attachments."

Control over mark-making parameters such as pressure, direction, and speed was also seen as critical for enhancing creative expression. A1 emphasized, "Pressure is really important in a lot of ways. You can tell it, I want you to really be light with this area or I want you to really press into this." Others, like A2, desired a broader range of strokes, including circular, sweeping, or calligraphic gestures. Another frequent aspiration was for more adaptive and responsive behavior. A5 imagined the robot equipped with computer vision that could interpret the canvas and adjust accordingly, envisioning a system that could "help me achieve the optimum amount of contrast." Some (A4 and A6) imagined a more advanced robot as a smart studio assistant, able to work on backgrounds or repetitive tasks overnight, while others hoped it could emulate specific artistic styles or respond to reference materials, as A2 mentioned: Perhaps I could ask it, "Could you do the background like the artist Monet?"

Although it's interesting to consider the robot as a historically and contextually aware agent, this also raises the question of copyrights. Would artists, and the society at large, really want a robot that can copy another artist's style?

WORD CLOUD

During the interviews, participants were asked to describe the interaction with the other artist using a single word, and to do

the same for the interaction with the robot. The results are reported in the Figure 8. Mirroring the results that emerged from the thematic analysis, the concepts in the word cloud reflect how H–H collaboration appears more cognitively and socially engaging, while H–R collaboration is framed as playful and explorative. This positivity does not negate the frustration and limitations expressed toward the robot, but rather coexists with them, reflecting different layers of the experience captured by single-word and narrative responses.

DISCUSSION

This exploratory study offers a rich, situated exploration of how professional artists perceive and experience collaboration with an autonomous painting robot, compared to working with another human artist. Through thematic analysis of semi-structured interviews, we identified challenges and opportunities of human–robot artistic co-creation. These findings contribute to an emergent understanding of creative HRI that moves beyond output quality to consider relational, affective, and cognitive dynamics.

One of the most striking findings is the different nature of collaboration experienced in the two conditions. H–H sessions were often described as socially rich, intimate, and dialogic, facilitated by mutual adaptation. This aligns with prior research showing how synchrony and interpersonal interaction enhance rapport in joint artistic activities [3], [4]. By contrast, H–R collaborations were experienced as more reflective, self-driven, and structured, but also playful. Although the robot lacked emotional responsiveness, this absence also allowed some participants to feel greater freedom and control over the creative process, and eventually even feel less intimidated and experience more fun. The robot was often seen as a playful, neutral partner, removing the social pressures that could sometimes emerge in H–H collaboration.

A key theme is the ambivalent perception of the robot’s agency. Some artists viewed it as a mere tool, others as a more autonomous collaborator. Several participants expressed a desire for more fluid agency-sharing, envisioning systems where both human and robot could take initiative or alternate control. Others preferred retaining clear control and saw autonomous behaviors as intrusive. This diversity of preferences suggests the value of flexible, mixed-initiative systems where levels of autonomy can be adapted to the user.

Participants also employed metaphors to make sense of the robot’s role. These framings illustrate how H–R artistic interaction is not only functional but deeply interpretive: artists are continuously trying to “read” the robot’s behavior and situate it within their own meaning-making processes. Notably, a similar metaphor emerged in the collaborative painting experience between the Alter-Ego robot and artist Melkio, who described the interaction “as if I were painting through a 3-year-old child.” This parallel highlights how the child-like framing may capture both the perceived playfulness of the robot’s contributions and its limitations. The dimension of the “game” or “fun” in the H–R collaboration is also evident from the word cloud results.



FIGURE 8. Outcomes of the single word to describe the interaction sessions. (a) Words for human–human collaboration. (b) Words for human–robot collaboration.

The impact of the robot on artists’ creative flow was multifaceted. For some, the robot disrupted their usual rhythm, requiring patience, adaptation, and new strategies. For others, it became a source of surprise and inspiration. The structured behavior of the robot challenged conventional patterns and sometimes led to unexpected aesthetic decisions. These accounts support recent perspectives that emphasize disruption, uncertainty, and constraint as generative forces in creativity, similar to what was found previously [9], [15]. Even when the robot was perceived as limited or repetitive, several artists described moments of improvisation and transformation that arose precisely because of these constraints.

Lastly, artists expressed a broad range of expectations for how the robot could support more interactive and expressive collaboration. These included desires for multimodal communication, contextual responsiveness, and adaptability to the evolving artwork.

CONCLUSIONS

This exploratory study explored how professional abstract artists perceive and experience collaboration with an autonomous painting robot, in direct comparison with human artistic collaboration. We identified nuanced perspectives on creative agency, flow, social presence, and the perceived limitations and potentials of robotic co-creation. Our findings suggest that although H–R collaboration lacks the emotional reciprocity and richness of H–H interaction, it can nevertheless serve as a productive space for reflection, inspiration, experimentation, and creativity. These qualities coexisted with clear technical limitations and often reflected artists’ adaptive reinterpretations rather than intrinsic features of the robot.

Artists were not merely passive users of the robotic system: they actively constructed meaning around the robot’s actions, incorporated its gestures into their practice, and imagined future enhancements that would allow for more expressive, dialogic interactions. The insights from our research can meaningfully inform future implementations of robotics in art. By relying on the desires and needs reported by these artistic stakeholders, we can support more attuned technological developments in the artistic domain.

This work represents one of the first attempts to foreground the perspectives of domain experts as key stakeholders in the development of autonomous robotic systems for the arts. It also stands out by adopting a long-term engagement approach, allowing participants to interact repeatedly with the system over time, rather than relying on one-off encoun-

ters as is common in HRI studies. Finally, this exploratory work embraces a multidisciplinary framework that integrates artistic practice, robotics, and qualitative research methods, contributing to an increasingly diverse and ecologically valid vision of HRI.

ACKNOWLEDGMENT

This project is funded by DARPA Young Faculty Award D24AP00323-00. We thank the artists who participated in this study for their valuable time and insights. This work involved human subjects or animals in its research. Approval of all ethical and experimental procedures and protocols was granted by the University of Michigan Institutional Review Board and performed in line with HUM00273497.

Disclosure

The content of this research is solely the responsibility of the authors and does not necessarily represent the official views of DARPA.

AUTHORS

Francesca Cocchella, COgNiTive Architecture for Collaborative Technologies (CONTACT) Unit, Italian Institute of Technology, Genoa 16152, Italy. E-mail: francesca.cocchella@iit.it.

Nilay Roy Choudhury, University of Michigan, Ann Arbor, MI 48105 USA. E-mail: rcnilay@umich.edu.

Eric Chen, University of Michigan, Ann Arbor, MI 48105 USA. E-mail: erche@umich.edu.

Patrícia Alves-Oliveira, University of Michigan, Ann Arbor, MI 48105 USA. E-mail: patriciaalvesoliveira@gmail.com.

REFERENCES

- [1] P. Schaldenbrand, J. McCann, and J. Oh, "FRIDA: A collaborative robot painter with a differentiable, Real2Sim2Real planning environment," 2022, *arXiv:2210.00664*.
- [2] L. Schürmann, G. D'Angelo, L. Grayver, C. Bartolozzi, and G. Indiveri, "A neuromorphic electronic artist for robotic painting," *Sci. Rep.*, vol. 15, no. 1, pp. 1–13, 2025, doi: 10.1038/s41598-025-92081-x.
- [3] T.-C. Rabinowitch and A. N. Meltzoff, "Synchronized movement experience enhances peer cooperation in preschool children," *J. Exp. Child Psychol.*, vol. 160, pp. 21–32, Aug. 2017, doi: 10.1016/j.jecp.2017.03.001.
- [4] R. Abraham, N. Grinspun, and T.-C. Rabinowitch, "Painting in coordination is perceived as a positive interpersonal interaction," *Arts Psychotherapy*, vol. 83, Apr. 2023, Art. no. 102020, doi: 10.1016/j.aip.2023.102020.
- [5] K. Goldberg, *The Robot in the Garden: Telerobotics and Telepresence in the Age of the Internet*. Cambridge, MA, USA: MIT Press, 2001. [Online]. Available: <https://books.google.it/books?id=zHfdepm-VOUC>
- [6] J. M. Güllow, L. Grayver, and O. Deussen, "Self-improving robotic brush-stroke replication," *Arts*, vol. 7, no. 4, 2018, Art. no. 84, doi: 10.3390/arts7040084.
- [7] L. Moura, "Robot art: An interview with Leonel Moura," *Arts*, vol. 7, no. 3, 2018, Art. no. 28, doi: 10.3390/arts7030028.
- [8] E. Jane, C. M. Fang, and S. Bourgauf, "Machines as collaborators for art and rituals," *XRDS*, vol. 29, no. 4, pp. 32–35, Jun. 2023, doi: 10.1145/3596928.
- [9] Y. Qin, Y. Li, and E. Cheon, "Encountering robotic art: The social, material, and temporal processes of creation with machines," in *Proc. CHI Conf. Human Factors Comput. Syst.*, New York, NY, USA: Princeton Architectural Press, 2025, pp. 1–18, doi: 10.1145/3706598.3713327.
- [10] Melkio, "Human + robot painting project," n.d. Accessed: Dec. 8, 2025. [Online]. Available: <https://melkio.com/robotmelkio/>
- [11] P. Schaldenbrand, G. Parmar, J.-Y. Zhu, J. McCann, and J. Oh, "CoFRIDA: Self-supervised fine-tuning for human-robot co-painting," in *Proc. IEEE Int. Conf. Robot. Autom. (ICRA)*, 2024, pp. 2296–2302, doi: 10.1109/ICRA57147.2024.10610618.
- [12] P. Grüneberg, "Culturally sustainable social robotics as an empowerment technology," in *Culturally Sustainable Social Robotics*. Amsterdam, The Netherlands: IOS Press, 2020, pp. 127–138, doi: 10.3233/FAIA200908.
- [13] R. A. Søråa, G. Tøndel, M. W. Kharas, and J. A. Serrano, "What do older adults want from social robots? A qualitative research approach to human-robot interaction (HRI) studies," *Int. J. Soc. Robot.*, vol. 15, no. 3, pp. 411–424, Mar. 2023, doi: 10.1007/s12369-022-00914-w.
- [14] M. R. Fraune et al., "Lessons learned about designing and conducting studies from HRI experts," *Front. Robot. AI*, vol. 8, 2022, Art. no. 772141, doi: 10.3389/frobt.2021.772141.
- [15] Q. He, W. Zheng, H. Bao, R. Chen, and X. Tong, "Exploring designers' perceptions and practices of collaborating with generative AI as a co-creative agent in a multi-stakeholder design process: Take the domain of avatar design as an example," in *Proc. 11th Int. Symp. Chin. CHI*, New York, NY, USA: ACM, 2023, pp. 596–613, doi: 10.1145/3629606.3629675.
- [16] N. K. Rhoades, "Writing Instrument," (Sep 14, 1965) Patent US3205863A. [Online]. Available: <https://patents.google.com/patent/US3205863A/en>
- [17] B. Munari, *Bruno Munari: Square, Circle, Triangle*. New York, NY, USA: Princeton Architectural Press, 2015.
- [18] A. Lee, "Kandinsky's teaching at the Bauhaus: Color theory and analytical drawing," 1990. [Online]. Available: <https://www.jstor.org/stable/1578634>
- [19] W. C. Adams, "Conducting semi-structured interviews," in *Handbook of Practical Program Evaluation*, K. E. Newcomer, H. P. Hatry, and J. S. Wholey, Eds., 2015, pp. 492–505, doi: 10.1002/9781119171386.
- [20] V. Braun and V. Clarke, "Reflecting on reflexive thematic analysis," *Qualitative Res. Sport, Exercise and Health*, vol. 11, no. 4, pp. 589–597, Aug. 2019, doi: 10.1080/2159676X.2019.1628806.

