

Car Rental Project: **Phase 2**

Task 1: Create the following 4 tables for the Car Rental Database

1. **CUSTOMER** table

```
CREATE TABLE CUSTOMER (  
    CustID INTEGER NOT NULL,  
    Name TEXT NOT NULL,  
    Phone TEXT NOT NULL,  
    PRIMARY KEY (CustID)  
);
```

2. **RENTAL** table

```
CREATE TABLE RENTAL (  
    CustID INTEGER NOT NULL,  
    VehicleID TEXT NOT NULL,  
    StartDate DATE NOT NULL,  
    OrderDate DATE NOT NULL,  
  
    RentalType INTEGER NOT NULL,  
    Qty INTEGER NOT NULL,  
    ReturnDate DATE NOT NULL,  
    TotalAmount INTEGER NOT NULL,  
    PaymentDate DATE,  
  
    PRIMARY KEY (RentalID),  
    FOREIGN KEY (CustID) REFERENCES CUSTOMER(CustID),  
    FOREIGN KEY (VehicleID) REFERENCES Vehicle(VehicleID)  
);
```

3. **VEHICLE** table

```
CREATE TABLE VEHICLE (  
    VehicleID TEXT NOT NULL,  
    Description TEXT NOT NULL,  
    Year INTEGER NOT NULL,  
    Type TEXT NOT NULL,  
    Category INTEGER NOT NULL,  
  
    PRIMARY KEY (VehicleID)  
);
```

4. **RATE** table

```
CREATE TABLE RATE (  
    Type INTEGER NOT NULL,  
    Category INTEGER NOT NULL,  
    Weekly INTEGER NOT NULL,  
    Daily INTEGER NOT NULL,  
  
    FOREIGN KEY (Type) REFERENCES VEHICLE(Type)  
);
```

Task 2: Load the data from the text files into the corresponding tables

We ran the following commands to load the data from the text files into the corresponding tables.

```
.read taskone.sql ---this will create the tables from task 1  
.mode csv  
.import CUSTOMER.csv CUSTOMER  
.import RENTAL.csv RENTAL  
.import VEHICLE.csv VEHICLE  
.import RATE.csv RATE
```

```
sqlite> SELECT COUNT(CustID) AS CUSTOMER_NUM FROM CUSTOMER;  
CUSTOMER_NUM  
-----  
31  
sqlite> SELECT COUNT(CustID) AS RENTAL_NUM FROM RENTAL;  
RENTAL_NUM  
-----  
23  
sqlite> SELECT COUNT(VehicleID) AS VEHICLE_NUM FROM VEHICLE;  
VEHICLE_NUM  
-----  
60  
sqlite> SELECT COUNT(Type) AS RATE_NUM FROM RATE;  
RATE_NUM  
-----  
10
```

Task 3: Then execute the following queries on the database tables:

Before:

```
.header on  
.mode column
```

Question 1: Insert yourself as a New Customer. Do not provide the CustomerID in your query.

```
INSERT INTO CUSTOMER VALUES(NULL, 'Subash Bhusal', '(456) 7815-7884');
```

```
sqlite> INSERT INTO CUSTOMER VALUES(NULL, 'Subash Bhusal', '(456) 7815-7884');
sqlite> SELECT * FROM CUSTOMER;
```

CustID	Name	Phone
201	A. Parks	(214) 555-0127
202	S. Patel	(849) 811-6298
203	A. Hernandez	(355) 572-5385
204	G. Carver	(753) 763-8656
205	Sh. Byers	(912) 925-5332
206	L. Lutz	(931) 966-1775
207	L. Bernal	(884) 727-0591
208	I. Whyte	(811) 979-7345
209	L. Lott	(954) 706-2219
210	G. Clarkson	(309) 625-1838
211	Sh. Dunlap	(604) 581-6642
212	H. Gallegos	(961) 265-8638
213	L. Perkins	(317) 996-3104
214	M. Beach	(481) 422-0282
215	C. Pearce	(599) 881-5189
216	A. Hess	(516) 570-6411
217	M. Lee	(369) 898-6162
218	R. Booker	(730) 784-6303
219	A. Crowther	(325) 783-4081
220	H. Mahoney	(212) 262-8829
221	J. Brown	(644) 756-0110
222	H. Stokes	(931) 969-7317
223	J. Reeves	(940) 981-5113
224	A. Mcghee	(838) 610-5802
225	L. Mullen	(798) 331-7777
226	R. Armstrong	(325) 783-4081
227	J. Greenaway	(212) 262-8829
228	K. Kaiser Acosta	(228) 576-1557
229	D. Kirkpatrick	(773) 696-8009
230	A. Odonnell	(439) 536-8929
231	K. Kay	(368) 336-5403
232	Subash Bhusal	(456) 7815-7884

Question 2: Update your phone number to (837) 721-8965

```
UPDATE CUSTOMER SET Phone = '(837) 721-8965' WHERE Name = 'Subash Bhusal';
```

```
sqlite> UPDATE CUSTOMER SET Phone = '(837) 721-8965' WHERE Name = 'Subash Bhusal';
sqlite> SELECT * FROM CUSTOMER;
```

CustID	Name	Phone
201	A. Parks	(214) 555-0127
202	S. Patel	(849) 811-6298
203	A. Hernandez	(355) 572-5385
204	G. Carver	(753) 763-8656
205	Sh. Byers	(912) 925-5332
206	L. Lutz	(931) 966-1775
207	L. Bernal	(884) 727-0591
208	I. Whyte	(811) 979-7345
209	L. Lott	(954) 706-2219
210	G. Clarkson	(309) 625-1838
211	Sh. Dunlap	(604) 581-6642
212	H. Gallegos	(961) 265-8638
213	L. Perkins	(317) 996-3104
214	M. Beach	(481) 422-0282
215	C. Pearce	(599) 881-5189
216	A. Hess	(516) 570-6411
217	M. Lee	(369) 898-6162
218	R. Booker	(730) 784-6303
219	A. Crowther	(325) 783-4081
220	H. Mahoney	(212) 262-8829
221	J. Brown	(644) 756-0110
222	H. Stokes	(931) 969-7317
223	J. Reeves	(940) 981-5113
224	A. Mcghee	(838) 610-5802
225	L. Mullen	(798) 331-7777
226	R. Armstrong	(325) 783-4081
227	J. Greenaway	(212) 262-8829
228	K. Kaiser Acosta	(228) 576-1557
229	D. Kirkpatrick	(773) 696-8009
230	A. Odonnell	(439) 536-8929
231	K. Kay	(368) 336-5403
232	Subash Bhusal	(837) 721-8965

Question 3: Increase only daily rates for luxury vehicles by 5%

```
UPDATE RATE SET Daily = Daily + (Daily * 0.05) WHERE Category = 1;
```

```
sqlite> UPDATE RATE SET Daily = Daily + (Daily * 0.05) WHERE Category = 1;
sqlite> SELECT * FROM RATE;
```

Type	Category	Weekly	Daily
1	0	480	80
1	1	600	105
2	0	530	90

2	1	660	115.5
3	0	600	100
3	1	710	126
4	0	685	115
4	1	800	141.75
5	0	780	130
6	0	685	115

Question 4-a: Insert a new luxury van with the following info: Honda Odyssey 2019, vehicle id: 5FNRL6H58KB133711

```
INSERT INTO VEHICLE VALUES('5FNRL6H58KB133711', 'Honda Odyssey', 2019, 6, 1);
```

```
YV4940NB5F1191453 Volvo XC70 2015 4 1
5FNRL6H58KB133711 Honda Odyssey 2019 6 1
sqlite>
```

Question 4-b: You also need to insert the following rates:

5	1	900.00	150.00
6	1	800.00	135.00

```
INSERT INTO RATE VALUES(5, 1, 900.00, 150.00);
INSERT INTO RATE VALUES(6, 1, 800.00, 135.00);
```

```
# DONT FORGET TO CREATE AND ADD
```

Question 5: Return all Compact(1) & Luxury(1) vehicles that were available for rent from June 01, 2019 until June 20, 2019. List VehicleID as VIN, Description, year, and how many days have been rented so far. You need to change the weeks into days

Question 6: Return a list with the remaining balance for the customer with the id '221'. List customername, and the balance.

```
SELECT CUST.Name, SUM(R.TotalAmount)
FROM CUSTOMER AS CUST, RENTAL AS R
WHERE CUST.CustID = 221;
```

```
sqlite> SELECT CUST.Name, SUM(R.TotalAmount)
...> FROM CUSTOMER AS CUST, RENTAL AS R
...> WHERE CUST.CustID = R.CustID AND CUST.CustID = 221;
Name          SUM(R.TotalAmount)
-----
J. Brown      16000
```

Question 7: Create a report that will return all vehicles. List the VehicleID as VIN, Description, Year, Type, Category, and Weekly and Daily rates. For the vehicle Type and Category, you need to use the SQL Case statement to substitute the numbers with text. Order your results based on Category (first Luxury and then Basic) and Type based on the Type number, not the text.

```
SELECT V.VehicleID, V.Description, V.Year, V.Type, V.Category,
CASE R.Category
  WHEN 0 THEN 'Basic'
  WHEN 1 THEN 'Luxury'
END AS Category, R.Weekly, R.Daily
FROM VEHICLE AS V, RATE AS R
WHERE V.Type = R.Type AND V.Category = R.Category
ORDER BY R.Category DESC;
```

```
--fill the commands
sqlite> SELECT V.VehicleID, V.Description, V.Year, V.Type, V.Category,
...> CASE R.Category
...> WHEN 0 THEN 'Basic'
...> WHEN 1 THEN 'Luxury'
...> END AS Category, R.Weekly, R.Daily
...> FROM VEHICLE AS V, RATE AS R
...> WHERE V.Type = R.Type AND V.Category = R.Category
...> ORDER BY R.Category DESC;
```

VehicleID	Description	Year	Type	Category	Category	Weekly	Daily
19VDE1F3XEE414842	Acura ILX	2014	1	1	Luxury	600	104.7375
1VWCH7A3XEC037969	Volkswagen Passat	2014	2	1	Luxury	660	115.21125
5N1AL0MM8EL549388	Infiniti JX35	2014	4	1	Luxury	800	141.395625
JH4KC1F50EC800004	Acura RLX	2014	3	1	Luxury	710	125.685

JH4KC1F56EC000095	Acura RLX	2014	3	1	Luxury	710
125.685						
JTHBW1GG1F120DU53	Lexus ES 300h	2015	2	1	Luxury	660
115.21125						
JTHCE1BL3F151DE04	Lexus GS 350	2015	2	1	Luxury	660
115.21125						
JTHDL5EF9F5007221	Lexus LS 460	2015	3	1	Luxury	710
125.685						
JTHFF2C26F135BX45	Lexus IS 250C	2015	1	1	Luxury	600
104.7375						
JTJHY7AX2F120EA11	Lexus LX 570	2015	4	1	Luxury	800
141.395625						
JTJJM7FX2E152CD75	Lexus GX460	2014	4	1	Luxury	800
141.395625						
WA1LGAFE8ED001506	Audi Q7	2014	4	1	Luxury	800
141.395625						
WAU32AFD8FN005740	Audi A8	2015	3	1	Luxury	710
125.685						
WAUTFAFH0E0010613	Audi A5	2014	1	1	Luxury	600
104.7375						
WBA3A9G51ENN73366	BMW 3 Series	2014	1	1	Luxury	600
104.7375						
WBA3B9C59EP458859	BMW 3 Series	2014	1	1	Luxury	600
104.7375						
WBAVL1C57EVR93286	BMW X1	2014	4	1	Luxury	800
141.395625						
WDCGG0EB0EG188709	Mercedes-Benz GLK	2014	1	1	Luxury	600
104.7375						
---some output ommited---						

Question 8: What is the total of money that customers paid to us until today?

```
SELECT SUM(R.TotalAmount) AS TotalAmount_Paid
FROM RENTAL AS R
WHERE PaymentDate <= Date('now');
```

```
sqlite> SELECT SUM(R.TotalAmount) AS TotalAmount_Paid
...> FROM RENTAL AS R
...> WHERE PaymentDate <= Date('now');
TotalAmount_Paid
-----
8230
```

Question 9-a: Create a report for the J. Brown customer with all vehicles he rented. List the description, year, type, and category. Also, calculate the unit price for every rental, the total duration mention if it is on weeks or days, the total amount, and if there is any payment.

Similarly, as in Question 7, you need to change the numeric values to the corresponding text. Order the results by the StartDate.

```
SELECT V.Description, V.Year,
CASE V.Type
  WHEN 1 THEN 'Compact'
  WHEN 2 THEN 'Midsize'
  WHEN 3 THEN 'Luxury'
  WHEN 4 THEN 'SUV'
  WHEN 5 THEN 'Truck'
  WHEN 6 THEN 'Van'
END AS Type,
CASE V.Category
  WHEN 0 THEN 'Basic'
  WHEN 1 THEN 'Luxury'
END AS Category,
R.TotalAmount/R.Qty AS 'Unit Price',
CASE R.RentalType
  WHEN 7 THEN ((JULIANDAY(R.ReturnDate)-JULIANDAY(R.StartDate))/7) || ' Weeks'
  WHEN 1 THEN (JULIANDAY(R.ReturnDate)-JULIANDAY(R.StartDate)) || ' Days'
END AS TimeRented,
R.TotalAmount,
CASE R.PaymentDate
  WHEN 'NULL' THEN 'Not Paid'
  ELSE 'Paid'
END AS Payment
FROM VEHICLE AS V, RENTAL AS R, CUSTOMER AS C
WHERE V.VehicleID = R.VehicleID AND R.CustID = 221 AND C.CustID = 221
ORDER BY R.StartDate;
```

Description	Year	Type	Category	Unit Price	TimeRented	TotalAmount
Payment						
Acura ILX	2014	Compact	Luxury	600	1.0 Weeks	600
Paid						
Audi A5	2014	Compact	Luxury	600	1.0 Weeks	600
Paid						
Acura ILX	2014	Compact	Luxury	100	2.0 Days	200
Paid						
Audi A5	2014	Compact	Luxury	100	2.0 Days	200
Paid						
Acura ILX	2014	Compact	Luxury	600	4.0 Weeks	2400
Not Paid						
Lexus IS 250C	2015	Compact	Luxury	600	4.0 Weeks	2400
Not Paid						
Audi A5	2014	Compact	Luxury	600	4.0 Weeks	2400
Not Paid						
BMW 3 Series	2014	Compact	Luxury	600	4.0 Weeks	2400
Not Paid						
BMW 3 Series	2014	Compact	Luxury	600	4.0 Weeks	2400
Not Paid						

Mercedes_Benz	GLK	2014	Compact	Luxury	600	4.0 Weeks	2400
Not Paid							