## Rajalakshmi Engineering College

Name: Subashri .S

Email: 240801336@rajalakshmi.edu.in

Roll no: 240801336 Phone: 9080419390

Branch: REC

Department: I ECE AF

Batch: 2028

Degree: B.E - ECE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 1\_COD\_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

## 1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

## **Input Format**

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

**Output Format** 

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

```
Sample Test Case
    Input: 5
    78 89 34 51 67
    Output: 67 51 34 89 78
    Answer
    #include <stdio.h>
#include <stdlib.h>
    struct Node {
      int data:
      struct Node* next;
    };
    // You are using GCC
    void insertAtFront(struct Node** head ,int activity){
      struct Node*newnode=(struct Node*)malloc(sizeof(struct Node));
      newnode->data = activity;
      newnode->next = *head;
      *head = newnode;
    void printList(struct Node*head){
      while(head !=NULL){
        printf("%d",head->data);
        head = head->next;
      }
    }
    int main(){
      struct Node* head = NULL;
scanf("%d", &n);
```

```
240801336
                                                                                             240801336
int i = 0; i
int activity;
scanf("0/ ""
          ..., IT+) {
.... activity;
scanf("%d", &activity);
insertAtFront(&book)
        for (int i = 0; i < n; i++) {
          insertAtFront(&head, activity);
        printList(head);
        struct Node* current = head;
        while (current != NULL) {
           struct Node* temp = current;
           current = current->next;
           free(temp);
                               240801336
return 0;
                                                                                     Marks: 10/10
     Status: Correct
```

240801336

040801336

240801336

240801336

240801336

240801336

240801336

240801336