



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIE NUMBE	

Biology

0610/52

Paper 5 Practical Test

October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials:

As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use	
1	
2	
Total	

This document consists of 9 printed pages and 3 blank pages.



Read through all the questions on this paper carefully before starting work.

For Examiner's Use

1 Catalase is a common enzyme found in both plants and animals.

You are going to investigate the activity of catalase in seeds and seedlings.

You will be provided with extracts from soaked seeds and from seedlings which have been grown for four days. All seeds and seedlings will be from the same plant.

Catalase breaks down hydrogen peroxide into water and oxygen.

$$2H_2O_2 \rightarrow 2H_2O + O_2$$

You will use the apparatus, shown in Fig. 1.1, to compare the catalase activity of the two extracts. This is done by counting the number of bubbles released in one minute.

Oxygen starts to be released as soon as hydrogen peroxide is added to the extract.




Fig. 1.1

Hydrogen peroxide can irritate the skin and damage your eyes.

- Put on the safety equipment provided.
- Half fill a test-tube with water.
- Place the end of the delivery tube into the test-tube of water. Ensure the end is below the surface of the water, as shown in Fig. 1.1.
- (a) (i) Take one of the test-tubes labelled **hydrogen peroxide** and carefully add the contents to the test-tube labelled **seeds 1**.
 - Quickly connect the bung with the delivery tube to the test-tube labelled seeds 1.

Record the time.

• Count the number of bubbles of oxygen released in one minute.

Write your result in Table 1.1.

Table 1.1

extract	number of bubbles of oxygen released in one minute
seeds 1	
seeds 2	
seedlings 1	
seedlings 2	

Keep test-tube seeds 1 and its contents. You will need this for part (d).

Nee	ep test-tube seeds i and its contents. You will need this for part (d).
•	Repeat the procedure with each of the test-tubes labelled seeds 2 , seedlings 1 , and seedlings 2 .
	Write your results in Table 1.1. [4]
	ep test-tubes seeds 2 , seedlings 1 and seedlings 2 and their contents. You will ed them for part (d) .
(ii)	Describe your results.
	[3]
(iii)	State the conclusion that can be made from these results.
	741

(b)	(i)	Explain why the tests for seeds and seedlings were repeated.
		[2]
	(ii)	Seeds and seedlings were crushed to make the extracts.
		Suggest two reasons why whole seeds and seedlings were not used in this investigation.
		1
		2
		[2]
(c)	(i)	State two possible sources of experimental error in this investigation.
		1
		2[2]
	(ii)	Suggest how to improve the method to reduce one of the errors stated in (c)(i).
		[1]

For Examiner's Use (d) (i) Look at the four test-tubes that you left after completing (a)(i).

For Examiner's Use

Measure the height of the foam produced in each of the test-tubes, as shown in Fig. 1.2.




Fig. 1.2

Record the heights of foam in Table 1.2.

Table 1.2

extract	height of foam/mm
seeds 1	
seeds 2	
seedlings 1	
seedlings 2	

LU.
-

(ii)	State the conclusion that can be made from these results.	
		[1]
(iii)	State and explain whether your conclusion in (a)(iii) is consistent with your conclusion in (d)(ii) .	our
	[Total: 1	ניי 19]

2 You are going to investigate the variation in size of bean seeds.

For Examiner's Use

Fig. 2.1 shows five bean seeds.




Fig. 2.1

(a) (i) Measure, to the nearest mm, the **maximum** lengths of the five seeds labelled **A**, **B**, **C**, **D** and **E** shown in Fig. 2.1.

Write your measurements on Fig. 2.1.

[2]

Forty other bean seeds have been measured for you.

This data has been recorded as a tally in Table 2.1.

(ii) Insert the tally mark for each bean seed A, B, C, D and E in the correct row in Table 2.1. [2]

For Examiner's Use

[2]


(iii) Count the tally marks in each group of bean seed length.

Write the total numbers in each group in Table 2.1.

Table 2.1

bean seed length / mm	tally	number in group
24.0 – 25.9	I	
26.0 – 27.9	IIII	
28.0 – 29.9	 	
30.0 – 31.9	 	
32.0 – 33.9	##	
34.0 – 35.9	Ш	

(iv) Construct a histogram on Fig. 2.2 of the number in each group of bean seed length.



[4]

(v)	Name the type of variation shown by the bean seeds.		For
			Examiner's
		[1]	Use
		Γ.1	

- (b) You are provided with two bean seeds, which have been soaked in water for 48 hours.
 - Select one of the seeds and remove the testa (seed coat).
 - The bean seed is in two parts. Carefully separate the parts and place on the white tile.
 - Use the hand lens to look at the inside of both parts, to view the embryo.
 - If an embryo is not present use another bean seed.
 - (i) Make a large, labelled drawing of the inside of one part of the bean seed.
 Include detail of the embryo in your drawing.

	(ii)	You are going to calculate the magnification of your drawing.
		Measure the maximum length of the bean seed.
		maximum length of bean seedmm
		Draw a line on your drawing, to show where you have measured this length.
		Measure the maximum length of the bean seed in your drawing.
		maximum length of the bean seed in your drawingmmm
		Calculate the magnification of your drawing.
		Show your working.
		magnification ×[4]
(c)		in seeds are included in the human diet. Most types of bean seed have a high tein content.
	Des	scribe a food test you could do to show that bean seeds contain protein.
		[2]
		[Total: 21]

© UCLES 2013 0610/52/O/N/13

For Examiner's Use

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.