www.xirenepabers.com

Location Entry Codes

As part of CIE's continual commitment to maintaining best practice in assessment, CIE uses different variants of some question papers for our most popular assessments with large and widespread candidature. The question papers are closely related and the relationships between them have been thoroughly established using our assessment expertise. All versions of the paper give assessment of equal standard.

The content assessed by the examination papers and the type of questions is unchanged.

This change means that for this component there are now two variant Question Papers, Mark Schemes and Principal Examiner's Reports where previously there was only one. For any individual country, it is intended that only one variant is used. This document contains both variants which will give all Centres access to even more past examination material than is usually the case.

The diagram shows the relationship between the Question Papers, Mark Schemes and Principal Examiners' Reports that are available.

Question Paper

Introduction First variant Question Paper Second variant Question Paper

Mark Scheme

Introduction

| First variant Mark Scheme |
|---------------------------|
| |
| |
| Second variant Mark |
| Scheme |

Principal Examiner's Report

| Report |
|-----------------------------------------------|
| Introduction |
| First variant Principal Examiner's Report |
| Second variant Principal Examiner's Report |

Who can I contact for further information on these changes?

Please direct any questions about this to CIE's Customer Services team at: international@cie.org.uk

The titles for the variant items should correspond with the table above, so that at the top of the first page of the relevant part of the document and on the header, it has the words:

• First variant Question Paper / Mark Scheme / Principal Examiner's Report

or

Second variant Question Paper / Mark Scheme / Principal Examiner's Report

as appropriate.





UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | | | | |
|-------------------|--|--|---------------------|--|--|
| CENTRE NUMBER | | | CANDIDATE NUMBER | | |

BIOLOGY 0610/31

Paper 3 Extended

October/November 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.


Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | | | |
|--------------------|--|--|--|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| Total | | | |

This document consists of 13 printed pages and 3 blank pages.





1 The freshwater mussel, Margaritifera margaritifera, is a mollusc which lives in rivers and streams.

For Examiner's Use

When the mussel reproduces, gametes are released into the water and fertilisation takes place.

The embryos, in the form of larvae, attach themselves to the gills of fish and develop there for a few months.

| The larvae then release themselves and grow in sand in the river, feeding by filtering food from the water. | | | | | |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| | The number of mussels is falling due to human predation and the species is threatened with extinction. | | | | |
| (a) | | e mussel belongs to the group known as the molluscs. State two features you would ect the mussel to have. | | | |
| | 1. | | | | |
| | | [2] | | | |
| (b) | Exp gen | plain how the species name of the freshwater mussel can be distinguished from its nus. | | | |
| | | | | | |
| | | [1] | | | |
| (c) | Sta | te the type of reproduction shown by the mussel. | | | |
| | Exp | olain your answer. | | | |
| | type | e of reproduction | | | |
| | ехр | lanation | | | |
| | | [2] | | | |
| (d) | (i) | Fish gills have the same function as lungs. Suggest one advantage to a mussel larva of attaching itself to fish gills. | | | |
| | | | | | |
| | | [1] | | | |
| | (ii) | The mussel develops on the fish gills. Define the term development. | | | |
| | | [11] | | | |

| (e) | threatened with extinction and outline how it could be conserved. | For Examiner's Use |
|-----|-------------------------------------------------------------------|--------------------------|
| | name of species | |
| | outline of conservation | |
| | | |
| | [3] | |
| | [Total: 10] | |

2 Fig. 2.1 shows crop productivity for a range of plants but the bar graph is incomplete.

For Examiner's Use




Fig. 2.1

(a) Complete Fig. 2.1 using the following data.

For Examiner's Use

| crop | productivity per day of growing season/g per m ² | |
|----------|-------------------------------------------------------------|---------------|
| | world average | highest yield |
| potatoes | 2.6 | 5.6 |

[2]

| (b) | Stat | te which crop has | |
|-----|-------|-------------------------------------------------------------------------------------------------------------------|-----|
| | (i) | the highest average productivity, | |
| | | | |
| | (ii) | the greatest difference between the average yield and the highest yield. | |
| | | [| 2] |
| (c) | | line how modern technology could be used to increase the productivity of a cronthe average yield to a high yield. | p |
| | | | |
| | | | ••• |
| | | | ••• |
| | ••••• | [| [3] |
| (d) | Whe | en the yield is measured, dry mass is always used rather than fresh mass. | |
| | Sug | gest why dry mass is a more reliable measurement than fresh mass. | |
| | | | |
| | | [| [1] |

| (e) | Maize is often used to feed cows, which are grown to provide meat for humans. | | | | |
|-----|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|--|--|--|
| | Explain why it is more efficient for humans to eat maize rather than meat from cows that have been fed on maize. | | | | |
| | | | | | |
| | | [3] | | | |
| (f) | (i) | Complete the equation for photosynthesis. | | | |
| | | $6CO_2 + 6H_2O$ light energy $C_6H_{12}O_6 + \dots$ [1] | | | |
| | (ii) | Describe how leaves are adapted to trap light. | | | |
| | | | | | |
| | | | | | |
| | | [2] | | | |
| | (iii) | With reference to water potential, explain how water is absorbed by roots. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [3] | | | |
| | (iv) | Explain how photosynthesising cells obtain carbon dioxide. | | | |
| | | | | | |
| | | | | | |
| | | [2] [7otal: 19] | | | |
| | | | | | |

3 Mycoprotein is similar to single cell protein and is sold as an alternative to meat such as beef.

For Examiner's Use

Table 3.1 shows the composition of mycoprotein and beef.

Table 3.1

| nutrient | dry mass/g per 100 g | | | |
|------------------|----------------------|---------------|--|--|
| nament | mycoprotein | uncooked beef | | |
| protein | 49.0 | 51.4 | | |
| fat | 9.2 | 48.6 | | |
| fibre (roughage) | 19.5 | 0.0 | | |
| carbohydrate | 20.6 | 0.0 | | |

| (a) (i) | State two differences in composition between mycoprotein and beef. |
|---------|--------------------------------------------------------------------------------------------------------------|
| | 1 |
| | 2[2] |
| (ii) | Using data from Table 3.1, suggest two reasons why eating mycoprotein is better for health than eating beef. |
| | Explain your answers. |
| | reason 1 |
| | explanation |
| | |
| | reason 2 |
| | explanation |
| | [4] |

(b) (i) Calculate the dry mass of mycoprotein **not** represented by protein, fat, fibre or carbohydrate.

For Examiner's Use

Show your working.

| Answer | g | [2] |
|--------|---|-----|
|--------|---|-----|

(ii) Suggest one nutrient that this dry mass might contain.

[1]

(c) The antibiotic penicillin is produced by fungi that are grown in a fermenter, as shown in Fig. 3.1. The process is similar to the manufacture of enzymes.




Fig. 3.1

| | (i) | Name the two raw materials likely to be present in the feedstock. | For |
|-----|-------|----------------------------------------------------------------------------------------------------------------------------------|-------------------|
| | | 1 | Examiner's Use |
| | | 2[2] | |
| | (ii) | State the function of X . | |
| | | [1] | |
| | (iii) | Suggest the name of the main gas present in the waste gases. | |
| | | [1] | |
| (d) | | ring the fermenting process, the temperature in the container would rise unless os are taken to maintain a constant temperature. | |
| | (i) | Suggest a suitable temperature for the feedstock. | |
| | | [1] | |
| | (ii) | Explain why the temperature rises. | |
| | | | |
| | | [2] | |
| | (iii) | Explain why a constant temperature has to be maintained. | |
| | | | |
| | | | |
| | | [2] | |
| | (iv) | Using the information from Fig. 3.1, suggest how a constant temperature is maintained. | |
| | | | |
| | | [1] | |
| | | [Total: 19] | |

4

© UCLES 2008

| A newspaper headline incorrectly stated, "The use of condoms can result in erectile dysfunction". |
|---------------------------------------------------------------------------------------------------------------------|
| Erectile dysfunction is a medical problem which results in problems with sexual intercourse. |
| Scientists are concerned that this incorrect statement could lead to an increase in HIV. |
| (a) Describe the process of sexual intercourse in humans. |
| |
| |
| [2] |
| |
| (b) Condoms are used as one form of birth control. |
| (i) What name is used to describe this method of birth control? |
| [1] |
| (ii) Explain how a condom acts as a method of birth control. |
| |
| |
| [2] |
| (c) Some readers of the newspaper may believe the newspaper and stop using condoms during sexual intercourse. |
| (i) Explain how a decrease in the use of condoms may lead to an increase in the incidence of HIV. |
| |
| |
| [2] |
| (ii) State two ways by which a person who does not have sexual intercourse might still become infected with HIV. |
| 1. |
| 2[2] |

0610/31/O/N/08

| | (iii) | Explain why the immune system is less effective in a person with HIV. | Exa |
|-----|-------|-----------------------------------------------------------------------|-----------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | [3] | |
| (d) | And | other sexually transmitted disease is gonorrhoea. | |
| | For | this disease, state | |
| | (i) | one sign or symptom, | |
| | | | |
| | (ii) | one effect on the body, | |
| | | | |
| | (iii) | the treatment. | |
| | | | |
| | | [3] | |
| | | [Total: 15] | |

5 Table 5.1 shows the energy reserves for skeletal muscles in an athlete.

For Examiner's Use

Table 5.1

| energy reserve | mass/g | energy/kJ | time the reserve would last/min | | |
|-----------------|--------|-----------|---------------------------------|---------------------|--|
| | | | walking | marathon running | |
| blood glucose | 3 | 48 | 4 | 1 | |
| liver glycogen | 100 | 1660 | 86 | 20 | |
| muscle glycogen | 350 | 5800 | 288 | 71 | |
| fat in skin | 9000 | 337 500 | 15 500 | 4018 | |

| (a) | (i) | Compare the eff | ect of walking a | nd marathon ru | nning on ener | gy reserves. | |
|-----|-------|--------------------------------|-------------------------|-----------------|-----------------|--------------------|------------|
| | | | | | | | |
| | | | | | | | [2] |
| | (ii) | Suggest which during exercise. | two energy res | erves would be | e most readily | available to mus | cles |
| | | 1 | | | | | |
| | | 2 | | | | | [1] |
| | (iii) | Underline the tw | /o food groups t | o which the ene | ergy reserves i | n Table 5.1 belonູ | g . |
| | | protein | mineral | fibre | fat | carbohydrate | [1] |
| | (iv) | Calculate the en | ergy per gram o | of glycogen. | | | |
| | | Show your work | ing. | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | energy = | kJ | [2] |

| (a) | Sug | gest why athletes eat foods high in |
|-----|-------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| | (i) | proteins, during training; |
| | | |
| | | [1] |
| | (ii) | carbohydrates, for three days before a marathon race. |
| | | |
| | | |
| | | [2] |
| (c) | | ing a fast race (a 100 metre sprint), 95% of the energy comes from anaerobic biration. |
| | Dur | ing a marathon, only 2% of the energy comes from anaerobic respiration. |
| | (i) | State the equation, in symbols, for anaerobic respiration in muscles. |
| | | [2] |
| | (ii) | Suggest and explain why a sprinter can use mainly anaerobic respiration during the race, while a marathon runner needs to use aerobic respiration. |
| | | |
| | | |
| | | |
| | | |
| | | [4] |
| | (iii) | Explain how, during a marathon race, the blood glucose concentration stays fairly constant, but the mass of glycogen in the liver decreases. |
| | | |
| | | |
| | | [2] |
| | | [Total: 17] |

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.





UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

| CANDIDATE NAME | | |
|-------------------|---------------------|--|
| CENTRE NUMBER | CANDIDATE NUMBER | |

BIOLOGY 0610/32

Paper 3 Extended

October/November 2008

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Exam | iner's Use |
|----------|------------|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| Total | |

This document consists of 15 printed pages and 1 blank page.



1 The freshwater mussel, *Margaritifera margaritifera*, is a mollusc which lives in rivers and streams.

For Examiner's Use

When the mussel reproduces, gametes are released into the water and fertilisation takes place.

The embryos, in the form of larvae, attach themselves to the gills of fish and develop there for a few months.

| | The larvae then release themselves and grow in sand in the river, feeding by filtering food from the water. | | |
|-----|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--|
| | nur nctic | nber of mussels is falling due to human predation and the species is threatened with on. | |
| (a) | | e mussel belongs to the group known as the molluscs. State two features you would ect the mussel to have. | |
| | 1. | | |
| | 2. | [2] | |
| (b) | Exp | plain how the species name of the freshwater mussel can be distinguished from its tus. | |
| | | [1] | |
| (c) | Sta | te the type of reproduction shown by the mussel. | |
| | Exp | olain your answer. | |
| | type | e of reproduction | |
| | ехр | lanation | |
| | | [2] | |
| (d) | (i) | Fish gills have the same function as lungs. Suggest one advantage to a mussel larva of attaching itself to fish gills. | |
| | | [1] | |
| | <i>(</i>) | | |
| | (ii) | The mussel develops on the fish gills. Define the term <i>development</i> . | |
| | | | |
| | | [1] | |

| (e) | The mussel is threatened with extinction. Name another organism which is also threatened with extinction and outline how it could be conserved. |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------|
| | name of species |
| | outline of conservation |
| | |
| | [3] |
| | [Total: 10] |

2 Fig. 2.1 shows the apparatus used to find the energy in a groundnut.

Results of the experiment are shown in Table 2.1.






Fig. 2.1

Table 2.1

| mass of nut/g | increase in temperature/°C | energy/J |
|---------------|----------------------------|----------|
| 0.3 | 15 | 1575 |
| 0.4 | 24 | |
| 0.5 | 29 | 3045 |
| 0.6 | 34 | 3570 |
| 0.7 | 44 | 4620 |

| (a) | Describe how the apparatus could be used to obtain the data shown in Table 2.1. |
|-----|-----------------------------------------------------------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [5] |
| (b) | The energy released by a groundnut was calculated using the equation shown below. |
| | energy = volume of water × increase in temperature × 4.2 |
| | Calculate the energy released by a groundnut of mass 0.4 g. |
| | Show your working. |
| | |
| | |
| | |
| | energy =J [2] |

(c) Fig. 2.2 shows a graph of the relationship between mass of groundnut and the energy it contains. The graph is incomplete.

For Examiner's Use




Fig. 2.2

- (i) Complete the graph, by adding the missing energy value, calculated in (b), drawing a line through the points and labelling the axes. [3]
- (ii) Describe the trend shown by the graph.

[1]

| (d) | (i) | The experimental results show that a groundnut of mass 0.5 g contains 3045 J energy. | | | | | |
|-----|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| | | Calculate the energy released from 100 g of these groundnuts. | | | | | |
| | | energy in 100 g =J [1] | | | | | |
| | (ii) | Official figures state that 100 g of groundnuts contain 2 428 000 J energy. | | | | | |
| | | With reference to the apparatus in Fig. 2.1, suggest two reasons why the experimental energy value for 100 g of groundnuts is much lower than the official energy value. | | | | | |
| | | 1. | | | | | |
| | | | | | | | |
| | | 2. | | | | | |
| | | [2] | | | | | |
| (e) | Groundnuts plants are legumes. | | | | | | |
| | | escribe how a groundnut plant obtains the nitrogen-containing compounds that it eeds to make proteins. | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | [5] | | | | | |
| | | [Total:19] | | | | | |

3 Mycoprotein is similar to single cell protein and is sold as an alternative to meat such as beef.

For Examiner's Use

Table 3.1 shows the composition of mycoprotein and beef.

Table 3.1

| nutrient | dry mass/g per 100 g | | | | |
|------------------|----------------------|---------------|--|--|--|
| nutrient | mycoprotein | uncooked beef | | | |
| protein | 49.0 | 51.4 | | | |
| fat | 9.2 | 48.6 | | | |
| fibre (roughage) | 19.5 | 0.0 | | | |
| carbohydrate | 20.6 | 0.0 | | | |


| (a) (i) | State two differences in composition between mycoprotein and beef. | | | |
|---------|--------------------------------------------------------------------------------------------------------------|--|--|--|
| | 1. | | | |
| | 2[2] | | | |
| (ii) | Using data from Table 3.1, suggest two reasons why eating mycoprotein is better for health than eating beef. | | | |
| | Explain your answers. | | | |
| | reason 1 | | | |
| | explanation | | | |
| | | | | |
| | reason 2 | | | |
| | explanation | | | |
| | [4] | | | |

| (b) | (i) | Calculate the dry mass of mycoprotein not represe carbohydrate. | ented by | protein, | fat, | fibre | or | For Examiner's Use |
|-----|------|------------------------------------------------------------------------|----------|----------|------|-------|-----|--------------------------|
| | | Show your working. | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | Answer | | g | | [2] | |
| | (ii) | Suggest one nutrient that this dry mass might contain | | | | | | |
| | | | | | | | [1] | |

(c) The antibiotic penicillin is produced by fungi that are grown in a fermenter, as shown in Fig. 3.1.

The process is similar to the manufacture of enzymes.

For Examiner's Use



(i) Name the two raw materials likely to be present in the feedstock.

| 1. | |
|----|--|
| | |
| | |

2. [2]

(ii) State the function of X.

[1]

(iii) Suggest the name of the main gas present in the waste gases.

[1]

| (d) | | ring the fermenting process, the temperature in the container would rise unless ps are taken to maintain a constant temperature. | | | | |
|-----|-------|----------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|
| | (i) | Suggest a suitable temperature for the feedstock. | | | | |
| | | [1] | | | | |
| | (ii) | Explain why the temperature rises. | | | | |
| | | | | | | |
| | | [2] | | | | |
| (| (iii) | Explain why a constant temperature has to be maintained. | | | | |
| | | | | | | |
| | | | | | | |
| | | [2] | | | | |
| (| (iv) | Using information from Fig. 3.1, suggest how a constant temperature is maintained. | | | | |
| | | | | | | |
| | | [1] | | | | |
| | | [Total: 19] | | | | |

| 4 | A ne | | paper headline incorrectly stated, "The use of condoms can result in erectile ion". | | | | |
|---|----------------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------------------------------|--|--|--|--|
| | Erectile dysfunction is a medical problem which results in problems with sexual intercourse. | | | | | | |
| | Scie | ntist | s are concerned that this incorrect statement could lead to an increase in HIV. | | | | |
| | (a) | Des | cribe the process of sexual intercourse in humans. | | | | |
| | ı | | | | | | |
| | ı | | [2] | | | | |
| | • | | | | | | |
| | (b) | Con | doms are used as one form of birth control. | | | | |
| | | (i) | What name is used to describe this method of birth control? | | | | |
| | | | [1] | | | | |
| | (| (ii) | Explain how a condom acts as a method of birth control. | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | [2] | | | | |
| | | | ne readers of the newspaper may believe the newspaper and stop using condoms ng sexual intercourse. | | | | |
| | | (i) | Explain how a decrease in the use of condoms may lead to an increase in the incidence of HIV. | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | [2] | | | | |
| | (| (ii) | State two ways by which a person who does not have sexual intercourse might still become infected with HIV. | | | | |
| | | | 1 | | | | |
| | | | 2[2] | | | | |

| | (iii) | Explain why the immune system is less effective in a person with HIV. | Exan |
|-----|-------|-----------------------------------------------------------------------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | [3] | |
| (d) | Anc | other sexually transmitted disease is gonorrhoea. | |
| | For | this disease, state | |
| | (i) | one sign or symptom, | |
| | | | |
| | (ii) | one effect on the body, | |
| | | | |
| | (iii) | the treatment. | |
| | | | |
| | | [3] | |
| | | [Total: 15] | |

5 Table 5.1 shows the energy reserves for skeletal muscles in an athlete.

For Examiner's Use

Table 5.1

| energy reserve | mass/g | energy/kJ | time the reserve would last/min | | | |
|-----------------|--------|-----------|------------------------------------|---------------------|--|--|
| | | | walking | marathon running | | |
| blood glucose | 3 | 48 | 4 | 1 | | |
| liver glycogen | 100 | 1660 | 86 | 20 | | |
| muscle glycogen | 350 | 5800 | 288 | 71 | | |
| fat in skin | 9000 | 337 500 | 15 500 | 4018 | | |

| (a) | (i) | Compare the effe | ect of walking a | nd marath | ion runnin | g on energ | y reserves. | |
|-----|-------|----------------------------------|------------------|------------|------------|-------------|--------------------|------|
| | | | | | | | | |
| | | | | | | | | [2] |
| | (ii) | Suggest which t during exercise. | wo energy res | erves wou | ıld be mo | st readily | available to muso | cles |
| | | 1 | | | | | | |
| | | 2 | | | | | | [1] |
| (| (iii) | Underline the tw | o food groups t | o which th | ie energy | reserves ir | n Table 5.1 belong | J. |
| | | protein | mineral | fibre | | fat | carbohydrate | [1] |
| (| (iv) | Calculate the en | ergy per gram o | of glycoge | n. | | | |
| | | Show your worki | ng. | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | energy = | | kJ per gram | [2] |

| (b) | Sug | gest why athletes eat foods high in |
|-----|-------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| | (i) | proteins, during their training; |
| | | |
| | | [1] |
| | (ii) | carbohydrates, for three days before a marathon race. |
| | | |
| | | |
| | | [2] |
| (c) | | ing a fast race (a 100 metre sprint), 95% of the energy comes from anaerobic piration. |
| | Dur | ing a marathon, only 2% of the energy comes from anaerobic respiration. |
| | (i) | State the equation, in symbols, for anaerobic respiration in muscles. |
| | | [2] |
| | (ii) | Suggest and explain why a sprinter can use mainly anaerobic respiration during the race, while a marathon runner needs to use aerobic respiration. |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | [4] |
| | (iii) | Explain how, during a marathon race, the blood glucose concentration stays fairly constant, but the mass of glycogen in the liver decreases. |
| | | |
| | | |
| | | [2] |
| | | [Total: 17] |

© UCLES 2008 0610/32/O/N/08

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.