neostasis is s before

UNIT 5: Coordination, Response and Homeostasis

Recommended Prior Knowledge: Knowledge of cell structure, osmosis, respiration and enzyme activity will help students to understand why homeostasis is important in mammals. It will also be helpful if they have some understanding of the behaviour of light, lenses, and how to draw simple ray diagrams before beginning work on the human eye. Candidates studying the supplement will need a simple knowledge of the immune response in order to discuss the difficulties associated with kidney transplants.

Context: This Unit provides several opportunities to reinforce ideas and facts that link the themes of this syllabus and covered in earlier Units. It is important to take sufficient time to study this Unit as many students find the concepts difficult to understand.

Outline: The theme running throughout this unit is communication within the body, through chemicals and the nervous system.

Students should be encouraged to see the similarity of the mechanisms by which both plants and animals achieve responses to stimuli.

Once the basic function of the nervous system has been covered, the effects on it of drugs such as alcohol and heroin are considered, this social aspect is interesting to students and discussions or a class survey can stimulate all the students.

Homeostasis is illustrated for all candidates by temperature regulation in humans, while the supplement covers the control of blood glucose concentration and takes an overview of how negative feedback is involved in control mechanisms.

A simple treatment of excretion in humans completes the Unit. However, II.9 can also be taught after II.6.3.7 when excretion could follow the concept of assimilation.

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------------|---|---|-----------|
| II 10.1 | Nervous control in humans Describe the human nervous system in terms of the central nervous system (brain and spinal cord as areas of coordination) and the peripheral nervous system which together serve to coordinate and regulate body functions | Diagrams or models can be used to illustrate the positions of the brain, spinal cord and peripheral nerves in the body. A model of the human skeleton can also be useful. Students can label diagrams and should differentiate between the spinal cord and the vertebral column. Lamb chops often have a small piece of spinal cord on them, lying in the groove of a vertebra, and this can show students what the cord looks like and how it is protected by the surrounding vertebra. A partly frozen sheep's brain will also show the cerebral hemispheres and may have a short length of spinal cord attached to the medulla. The cerebellum may also be visible. | |
| | Identify motor (effector) relay (connector) sensory neurones from diagrams | The structure of nerve cells, neurones can lead into the role of a reflex arc. Students can draw a diagram with annotated labels of a motor neurone. | |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------------|--|--|--|
| II 10.1 | Describe a simple reflex arc in terms of sensory, relay and motor neurones | The reflex arc is important to many organisms for self-protection. Students will understand its structure if different reflexes are considered: knee jerk, touching a pin with one finger. It is important to understand the role of the spinal cord in a reflex action and the receptor and effector. | This web site has some ideas about reaction time. |
| | Describe a reflex action as a means of automatically and rapidly integrating and coordinating stimuli with responses | Students should understand that reflex actions are not learnt responses but automatic. | Http://humanbenchmark. com/tests/reactiontime/in dex.php |
| | State that muscles and glands can act as effectors | This can be shown by the labels on the reflex arc as arm muscles contract and move away from the stimulus. Salivary glands that respond to food when is in the mouth. | |
| | Describe the action of antagonistic muscles to include the biceps and triceps at the elbow joint | A simple experiment can show the action of the arm muscles. Students like to find out how strong they are by lifting different weights and to see the contraction of their biceps muscle. It is important to understand that muscles can contract and relax but cannot become shorter. Two muscles work together to move bones but they act antagonistically to produce the movement. The action of leg muscles and those in the oesophagus Unit 2, 6.3.4 can be discussed. | |
| | Define sense organs as groups of receptor cells responding to specific stimuli. light sound touch temperature chemicals | Students should understand that there are different types of stimuli, chemical or mechanical, and that a sense organ combines receptors with other cells. Simple experiments can demonstrate the response of sense organs. A circus around the lab will allow all students to investigate each stimulus. | |

| Learning Outcomes | Suggested Teaching Activities | Resources |
|--|---|--|
| Describe the structure and function of the eye | The relation between the eye as a receptor and an effector in response to the stimulus of light can be used to reinforce the concept of a response to external stimuli. A model of the eye can be used to illustrate the relevant structures. A cow or a sheep's eye can be dissected. A large round flask containing fluorescein with a convex lens at the front can be used to show how light is focussed on the retina (at the back of the flask). Students can be given a large unlabelled diagram of the eye. Laminated cards on which the 14 important labels are written can be used to actively label the eye diagram. The class can be divided into teams to ask questions about structure and function to aid learning and the understanding of the eye. Students can use small mirrors to draw their own eye(s). If the eyes are moved up and down and from side to side, the whites of the eyes are seen. Accommodation is shown by reading and then looking outside to a distant object. Close vision: Ciliary muscles Contract. | http://www.webexhibits .org/colorart/ag.html this web site has some diagrams of the human eye. |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------|---|---|--------------------------|
| II | Supplement | The pupil reflex is a good example of a reflex action in which the pupil controls | Students should use |
| 10.1 | Distinguish between voluntary and | the amount of light falling on the retina for its protection. | past examination |
| | involuntary actions | Students can work in pairs and investigate the effect on the size of pupil of | papers to reinforce |
| | | having the eyes closed for 10 seconds and then open. The effect of a torch | their understanding of |
| | | shone into the eye and the change in pupil when looking at a near and then a | the eye. |
| | | distant object can all be investigated. | .A web site for teacher |
| | | Students can record their results and compare their reactions. | information: |
| | | | http://www.cis.rit.edu/p |
| | | Students should be able to suggest voluntary and involuntary responses. | eoplefaculty/montag/va |
| | | They should understand that a voluntary action involves the brain in its | ndplite/pagechap_9ch9 |
| | | initiation, that it is a conscious thought to make an action. | <u>pl.html</u> |
| | | Involuntary actions are automatic and faster than voluntary actions. | |
| | | ref to heart beat in Unit 4, 7.2.1 and peristalsis in Unit 2,6.3.4 | |
| | Distinguish between rods and cones in | | |
| | terms of | Rods and cones are light-sensitive receptor cells in the retina. | |
| | function and | Cones for Colour in the fovea | |
| | distribution. | Rods for light intensity throughout the retina. | |
| | | | |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------------|---|--|--|
| II 10.2 | Define a hormone as a chemical substance, produced by a gland, carried in the blood which alters the activity of one or more specific target organ and is then destroyed by the liver State the role of the hormone adrenaline in the chemical control of metabolic activity, including increasing the blood glucose concentration and pulse rate. Give examples of situations in which adrenaline secretion increases Compare nervous and hormonal control systems. | Use a simple diagram of the human body to show the source and the site of action of different hormones. Students will know about the sex hormones and can add adrenaline to their diagram. Adrenaline makes a good introduction to hormones as most students can relate to its effects. It should be mentioned that adrenaline bridges the gap between nervous and hormonal control because of its fast and short lived action. Students can discuss the effects on the body of the flight and fight hormone with their own examples. Students may produce their own table of comparison with sub-titles of: form and pathway of transmission speed of transmission duration of effect of hormone response to hormone | |
| | Supplement • Discuss the use of hormones in food production. | The meat and cattle industries have used hormones for many years. The sex hormones are used to promote growth in calves and lambs but not in poultry. Synthetic growth promoters can make animals grow faster. The European Union, Japan, Canada, Australia banned the use of hormones in cattle in 1981 but the US still uses protein and steroid hormones for cattle growth and to increase their milk yield. Students should be able to discuss the use of hormones in food production using information from journals, newspaper articles and the web | Posilac - an introduction http://www.monsantodai ry.com/about/index.html A view from the firm that makes and sells BST |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------|--|--|---|
| II | Tropic responses | Plants are able to respond to certain stimuli. | Neuroscience for kids |
| 10.3 | Define and investigate geotropism as a response in which a plant grows towards or away from gravity, and phototropism as a response in which a plant grows towards or away from the direction from which light is coming | Students can now study plant response to light and water. Geotropism and phototropism should be investigated with simple experiments using seeds that have been germinated before the start of the topic. It should be made clear that these are plant growth responses, auxin, a plant hormone, is produced by the shoot and root tips of the growing plant. The direction of growth is related to the direction of the stimulus. Receptors and effectors can be identified. Plant hormones are used to make fruit develop at the same time to allow for efficient picking. Weeds in fields of monoculture such as wheat are killed by selective weedkillers. Hormones can inhibit the fertilisation of fruit such as grapes that are | http://faculty.washington .edu/chudler/neurok.htm] Despite the title, some of the material at this site is a little advanced for IGCSE students. |
| | Supplement | then seedless. | |
| | Explain the chemical control of plant growth by auxins including geotropism and phototropism in terms of auxins regulating differential growth, and the effects of synthetic plant hormones used as weedkillers | The students could discuss the advantages and disadvantages of human manipulation of plant development. | |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------------|---|--|--|
| II 10.4 | Define homeostasis as the maintenance of a constant internal environment | The students should appreciate the importance of maintaining an internal steady state to keep the conditions in the tissue fluid around the cells constant. The concepts of diffusion, osmosis, enzyme activity and respiration will guide the students to understand the importance of constant pH, oxygen and carbon dioxide concentrations, water, enzymes and hormones. Students could think how they feel when they have a high fever to discuss the importance of an internal steady state. | Investigating plant growth regulators http://www-saps.plantsci.cam.ac.uk/worksheets/activ/prac4.htm An experiment involving the use of IAA on mustard seedlings. |
| | Identify, on a diagram of the skin: hairs sweat glands temperature receptors blood vessels fatty tissue Describe the maintenance of a constant body temperature in humans in terms of insulation and the role of temperature receptors in the skin: sweating shivering vasodilation vasoconstriction of arteries supplying skin surface capillaries and the coordinating role of the brain. | Body temperature is related to homeostasis in which communication is through the nervous system. Students should understand that the blood capillaries do not move up and down in the skin during vasodilation and vasoconstriction respectively. Emphasise the cooling effect sweating due to the evaporation of water. The brain receives impulses from sensory receptors and responds by adjusting the condition to maintain an optimum. A clear example linked to the skin is temperature control | A web site to show penguin huddling: http://www.coolantantarctica.com/Antarctica%20fact%20file/science/cold_penguins.htm |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------------|---|---|---|
| 11 10.4 | Supplement Explain the concept of control by negative feedback Describe the control of: the glucose content of the blood by the liver insulin and glucagon from the pancreas | The control of temperature and glucose can illustrate negative feedback. Flow diagrams can show how this is achieved. The control of glucose content can be linked with diabetes a relatively common disorder in many countries. The students should consider why it is important to control blood glucose content, thinking back to what they know about diet, including sweet fizzy drinks, osmosis and respiration. Correct spelling is essential to distinguish between glycogen and glucagon. | |
| II 10.5 | Drugs Define a drug as any substance taken into the body that modifies or affects chemical reactions in the body Describe the medicinal use of antibiotics for the treatment of bacterial infection Describe the effects of the abuse of heroin: a powerful depressant problems of addiction severe withdrawal symptoms associated problems such as crime and infection e.g. HIV/AIDS | This topic lends itself to class discussion or group presentations. Students will understand that accepted drugs are used to relieve pain and to treat a disease or infection. Antibiotics are drugs that either disrupt the metabolic processes of growth of the bacterium or stop the growth of bacterial spores. The students should be allowed to discuss the implications of taking recreational drugs both socially and medically including their effect on the nervous system and their possible long-term effects Students need to understand the effect, the symptoms and possible problems with taking heroin. | Teacher resource: Drug scenes complied by:Royal College of Psychiatrists. 0-902241-18-4 Or in the States: 0-88048-306-7 Drug Abuse published by Indepemdence Educational Publishers ISBN 1-872995-51-9 |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------------|---|---|--|
| II 10.5 | Describe the effects of excessive consumption of alcohol reduced self-control depressant effect on reaction times damage to the liver social implications | Many recreational drug can become addictive such as cigarette smoking and alcohol. | Alcohol http://www.health.org/feature s/kidsarea/funstuf/brain/defa ult.aspx Despite the title, some of the material at this site is a little advanced for IGCSE students. |
| | Describe the effects of tobacco smoke and its major toxic components - tar - nicotine - carbon monoxide - smoke particles on the gas exchange system | Cigarette smoking can be linked with Unit 4, 8.3 | |
| | Supplement • Explain why antibiotics kill bacteria but not viruses | Virus do not have their own metabolism but use the pathways of their host cell which prevents them from being destroyed by antibiotics. | Past papers will help students to relate their knowledge to understanding this complex subject. |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------|---|--|-----------|
| II 9 | Excretion in humans Define excretion as the removal from organisms of toxic materials, the waste products of metabolism (chemical reactions in cells including respiration) and substances in excess of requirements Substances should include carbon dioxide urea salts. | Excretion can be considered as another way in which the environment of cells is controlled, by removing toxic materials, waste products of metabolism and substances in excess of requirements. Ensure that they understand the difference between egestion (the removal of substances from the alimentary canal, that have never been part of the body at all) and excretion. Only a simple understanding of the formation of urea from excess amino acids is required. It is important to differentiate between ureter and urethra . Labelled diagrams will help the students to understand the structure of the kidney. refer to Unit 7: 1.2.2 for male reproductive system. | |
| | Describe the function of the kidney in terms of the removal of urea and excess water and the reabsorption of glucose and some salts (details of kidney structure and nephron are not required) State the relative positions of ureters bladder urethra in the body State that urea is formed in the liver from excess amino acids State that alcohol, drugs, hormones are broken down in the liver | A kidney from a sheep or a pig, can be dissected to show the gross structure. Mention that hormones are also broken down by the liver. | |

| | Learning Outcomes | Suggested Teaching Activities | Resources |
|------|--|---|-----------|
| II 9 | Supplement Outline the structure of a kidney cortex medulla, and the start of the ureter Outline the structure and | This should be dealt with very simply as even students studying the supplement may find details of nephron structure and the role of the kidney in reabsorption of glucose, salts and water difficult. The structure of the kidney can lead into the use of dialysis and the machine's role in removing excess urea and water. The importance of | |
| | functioning of a kidney tubule, including role of renal capsule in filtration from blood of - water - glucose - urea | homeostasis can be reinforced at this point as the kidneys are osmoregulators. The importance of retaining glucose must be emphasised and it is excess water, urea and salts that are excreted in urine. This will link back to section II 10.4 earlier in the unit which considers diabetes. | |
| | salts role of tubule in reabsorption of glucose most of the water some of the salts back into blood leading to concentration of urea in the urine as well as loss of excess water and | Diagams of dialysis machines should be studied to enable students to understand the process and the role of the dialysis fluid. | |
| | salts Explain dialysis in terms of maintenance of glucose and protein concentration in blood and diffusion of urea from blood dialysis fluid | Students will need to remember what they know about osmosis and diffusion in order to understand how dialysis works. There is a link with the immune system and tissue rejection, when considering kidney transplants. | |
| | Discuss the application of dialysis in kidney machines Discuss the advantages and disadvantages of kidney transplants, compared with dialysis. | | |