



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	

Biology

0610/53

Paper 5 Practical Test

October/November 2012

1 hour 15 minutes

Candidates answer on the Question Paper

Additional Materials:

As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
Total		

This document consists of 11 printed pages and 1 blank page.



Read through all the questions on this paper carefully before starting work.

For Examiner's Use

1 Milk is the main food for young mammals and contains all the required nutrients for the first part of life. Milk needs to clot before it can be digested.

The stomach of a young mammal produces an enzyme which causes some soluble proteins in milk to form insoluble clots.

You will carry out an investigation on this clotting process.

You are supplied with fresh milk, labelled milk.

You are also supplied with the enzyme, labelled enzyme.

Carry out your investigation as follows:

- Take a clean test-tube and label it 1.
- Measure 5 cm³ of milk into the test-tube. Stand the test-tube in the container of water at 40 °C.

When a mixture of milk and the enzyme solution is gently rotated in a test-tube, clotting goes through the stages shown in Fig. 1.1 and Fig. 1.2.

Stage **C** is the point at which you should record the time that the reaction has finished.




Fig. 1.1




Fig. 1.2

				3	
(a)	(i)	Add care	1 cm ³ of the fully.	enzyme solution to the milk in test-tube 1 and shake the test-tu	be
		•		and gently rotate the test-tube as shown in Fig. 1.1 to form a fine inside of the test-tube.	film
		•		ng the test-tube until stage ${\bf C}$ is reached, as shown in Fig. 1.1 and record the time that was taken for clots to form.	and
			Write the tir	ne taken for clots to form in Table 1.1.	[1]
		•	Leave the o	lotted milk in test-tube 1 as you will need it later.	
				Table 1.1	
		te	est-tube	time taken for clots to form using fresh milk / seconds	
			1		
		2			
			3		
	(ii)		eat this proc tion each tim	edure with test-tubes labelled 2 and 3 . Use fresh milk and enzy e.	me
		For	test-tube 2 a	nd test-tube 3 , record the time taken for clots to form in Table ²	1.1. [2]
(iii)				
		•	apparatus filter and m	elotted milk from test-tube 1 into a clean test-tube through provided. This separates the clots from the liquid. Leave this ove onto parts (b) and (c) whilst you wait. You will need both e separated liquid for part (e).	s to
		Sug	nest and eyr	lain why this procedure was carried out three times	

For Examiner's Use

Caggost and Oxplain willy time procedure was carried out times times.						
[2						

A similar experiment was carried out using dried milk mixed with water. The results are shown in Table 1.2.

For Examiner's Use

Table 1.2

test-tube	time taken for clots to form using dried milk / seconds
1	210
2	160
3	200

(b)		scribe and explain the results for the time taken to form clots using fresh milk ble 1.1 and dried milk in Table 1.2.	in
	•••••		[3]
(c)	Sug	ggest and explain why the test-tubes were placed in a container of water at 40 °C.	
	•••••		[2]
(d)	(i)	State one source of error in the method of this investigation.	
			[1]
	(ii)	Suggest how to improve the method to reduce the error stated in (d)(i).	
			[1]

(e) Now you are going to use both the clots and the liquid which you separated

(i)	Describe how you will safely carry out a test to compare the protein content of the clots with that of the liquid.
	[4]

Test the protein content of the clots by using a suitable reagent.

Test the protein content of the liquid using the same reagent.

by filtering the milk that was in test-tube 1.

(ii) Describe your observations and give your conclusions in Table 1.3.

Table 1.3

	clots	liquid
observations		
conclusions		

[4]

For

Examiner's Use

[Total: 20]

			6	
2	Υοι	ı are	provided with part of a plant organ labelled Y.	For Examiner's
	•	Rer	move the covering from Y.	Use
	(a)	(i)	Use the hand lens to examine the cut surface of Y . Make a large, labelled drawing of the cut surface of Y .	
			TA1	
		(ii)	Suggest two biological functions of Y for the plant.	
			1	

[2]

© UCLES 2012 0610/53/O/N/12

2

For Examiner's Use

•	Remove, by cutting, a small piece of the central part of Y .
•	Place it on the tile.
•	Carefully add a few drops of iodine solution to the small piece of Y .
(b)	Describe and explain your observations.
	[2]
	[Total: 8]

Question 3 begins on page 8.


3 Flies lay eggs which hatch into maggots. An investigation was carried out on the respiration rate of maggots.

For Examiner's Use

Fig. 3.1 shows some living maggots in a large test-tube.

The apparatus was left to settle with the clip open.

The clip was then closed and a drop of coloured liquid was introduced into the open end of the capillary tube.



Soda lime absorbs carbon dioxide.

During the investigation, the drop of coloured liquid moved along the capillary tube **towards** the test-tube.

For Examiner's Use

(a)	Explain why the drop of coloured liquid moved towards the test-tube.
	[4]

Question 3 continues on page 10.

Some students carried out a similar investigation with another sample of maggots to find the effect of temperature on this process.


For Examiner's Use

The distance moved by the drop of coloured liquid was measured after one minute at each temperature as shown in Table 3.1.

Table 3.1

temperature / °C	15	20	25	30	35	40
distance moved by drop / mm	20	40	55	80	120	105

(b) Plot the data in Table 3.1 to show the effect of temperature on the distance moved by the drop of coloured liquid.



[4]

(C)	Describe the results shown on the graph.	For Examiner's Use
	[3]	
(d)	Suggest a suitable control for this investigation.	
	[1]	
	[Total: 12]	

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.