## www.studyguide.pk

Candidate
Centre Number
Number

Candidate Name

## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**General Certificate of Education Advanced Subsidiary Level and Advanced Level** 

CHEMISTRY 9701/2

PAPER 2

**MAY/JUNE SESSION 2002** 

1 hour

Candidates answer on the question paper. Additional materials: Data Booklet

TIME 1 hour

## **INSTRUCTIONS TO CANDIDATES**

Write your name, Centre number and candidate number in the spaces at the top of this page. Answer **all** questions.

Write your answers in the spaces provided on the question paper.

## **INFORMATION FOR CANDIDATES**

The number of marks is given in brackets [ ] at the end of each question or part question. You may lose marks if you do not show your working or if you do not use appropriate units. A Data Booklet is provided.


FOR EXAM	NER'S USE
1	
2	
3	
4	
5	
6	
TOTAL	

This question paper consists of 11 printed pages and 1 blank page.



1			s Jeans, who was a great populariser of science, once described an atom of carbon like six bees buzzing around a space the size of a football stadium.
	(a)	(i)	Suggest what were represented by the six bees in this description.
		(ii)	Explain (in terms of an atom of carbon) what stopped the bees from flying away from the space of the football stadium.
	(	(iii)	What is missing from Jeans' description when applied to an atom of carbon?
			[3]

- **(b)** The diagram below represents the energy levels of the orbitals in atoms of the second period, lithium to neon.
  - (i) Label the energy levels to indicate the principal quantum number and the type of orbital at each energy level.



(ii) In the space below, sketch the shapes of the two types of orbital.



(iii)	Complete the electron conf diagrams below, using arrow	igurations of nitrogen and oxygen on the energy level vs to represent electrons.
-	<b>↑</b> ↓	
	nitrogen	oxygen
(iv)		your answer to (iii), the relative values of the first ogen and oxygen. The values are given in the Data ed in your answer.
		[6]
(c) (i)	State the formulae of the simple binary compounds (r	negatively charged ions formed by these elements in nitrides and oxides).
(ii)	Why do nitrogen and oxyge binary compounds?	en form negative ions, but not positive ions, in simple
		[2]
		[Total : 11]

[2]

**2** Ethanol, C<sub>2</sub>H<sub>5</sub>OH, is a most important industrial chemical and is used as a solvent, a fuel and an intermediate in large scale organic synthesis.

Ethanol is prepared industrially by the reaction of ethene and steam in the presence of a catalyst.

$$C_2H_4(g) + H_2O(g) \rightarrow C_2H_5OH(g)$$

The standard enthalpy change of the reaction can be determined by using the standard enthalpy changes of combustion,  $\Delta H_{c}^{\ominus}$ , at 298 K.

$$\Delta H_c^{\ominus}$$
/ kJ mol<sup>-1</sup>

$$C_2H_4(g)$$
 –1411

(a) Calculate the standard enthalpy change for the following reaction.

(b)

$$C_2H_4(g) + H_2O(I) \rightarrow C_2H_5OH(I)$$

(i)	Define the term standard enthalpy change of combustion.
(ii)	Explain why the state symbols for water and ethanol given in the equation in (a) have been changed from those quoted in the industrial process.
(iii)	Write the equation for the complete combustion of ethanol.
	[4]



5

For Examiner's Use

(c) Ethanol is miscible with water because of hydrogen bonding between molecules of ethanol and water. Draw a diagram, including dipoles, to show the hydrogen bonding between a molecule of ethanol and a molecule of water.

[2]

[Total: 8]



3

For
Examiner's
Use

	ivar	me a mineral from which aluminium may be extracted.
b)	(i)	Describe with the aid of a diagram, the electrolytic extraction of aluminium from purified aluminium oxide. State what the electrodes are made of.
	(ii)	Give an ion-electron equation for the electrode process
		at the cathode,
(	(iii)	at the anode
		[8]
)		ch of the bodywork of trains, aircraft and ships is made from aluminium rather than steel. State <b>two</b> advantages of using aluminium in the making of vehicles.
	1.	

studyguide.pk

[Total : 11]

4	Sulphuric acid is used in man	y industrial processes	of major importance

The first stage in the manufacture of sulphuric acid is to pass air over burning sulphur. The emerging gas has the following composition by volume.


sulphur dioxide 10% sulphur trioxide 0.2% oxygen 10% nitrogen etc. 79–80%

		nitrogen etc. 79-80%
(a)	(i)	Write an equation for sulphur burning in air.
	(ii)	Suggest why the air is passed so fast that only half the oxygen is used.
		[2]
	e eme mber	erging gas is passed over a catalyst maintained at $450-550^{\circ}\text{C}$ in the reaction .
(b)	Nan	ne the catalyst used in the Contact process.
		[1]
Sul	ohur	trioxide is formed in 98% yield; 2% of sulphur dioxide remains unconverted.
		$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$ $\Delta H = -197 \text{ kJ mol}^{-1}$
(c)		high yield is only achieved under certain conditions. r each condition explain why this leads to an increased yield of sulphur trioxide.
	(i)	There needs to be an excess of air in the reacting gas mixture.
		explanation
	(ii)	The catalyst needs to be cooled.
		explanation
	(iii)	The air used to burn the sulphur must be as clean as possible.  explanation
		[3]



(d)		modern plants, nearly all the $SO_2/SO_3$ mixture is absorbed but up to 0.05% by time of $SO_2$ may be allowed to pass into the atmosphere through a chimney stack.
	Give	e <b>two</b> reasons why SO <sub>2</sub> should not be discharged into the atmosphere.
		_
		[2]
(e)	(i)	When concentrated sulphuric acid is warmed with solid sodium chloride, misty fumes are produced.
		Identify the fumes.
		Write an equation for the reaction.
	(ii)	When concentrated sulphuric acid is warmed with solid sodium iodide, purple fumes are produced.
		Identify the fumes.
		[3]
		[Total: 11]
Cru	da o	il is the principal source of hydrocarbons. The following are examples of such

**5** Crude oil is the principal source of hydrocarbons. The following are examples of such hydrocarbons.



- (a) Give the structural formulae of the organic products in the following reactions.
  - (i) The reaction of ethane with bromine in the presence of u.v. light.
  - (ii) The polymerisation of propene.



For
Examiner's
Use

(iii)	The oxidation of propene with cold, acidified potassium manganate(VII).	
(iv)	The reaction of cyclohexene with hydrogen bromide.	
(v)	The reaction of cyclohexene with hot acidified potassium manganate(VII).	
( <b>b)</b> Wri	te equations for the following reactions. The complete combustion of ethane.	[5]
(ii)	The action of steam on propene in the presence of a catalyst.	
(iii)	The reaction of cyclohexene with hydrogen in the presence of a catalyst.	

[3]



<b>/!</b> \	Fundate order and although on a full
(i)	Explain why cracking is useful.
410	
(ii)	Suggest an equation for the cracking of C <sub>16</sub> H <sub>34</sub> into at least three fragments.
	[Total : 1
	uorocarbons, CFCs, are small alkane molecules in which some of the hydroge lave been replaced by atoms of chlorine and fluorine.
(a) (i)	State <b>two</b> uses of CFCs.
(a) (i)	State <b>two</b> uses of CFCs.
(a) (i)	State <b>two</b> uses of CFCs.
(a) (i) (ii)	State <b>two</b> uses of CFCs.  What property of CFCs causes them to be useful?
	What property of CFCs causes them to be useful?
(ii)	What property of CFCs causes them to be useful?
(ii) (b) At	What property of CFCs causes them to be useful?  [2 ypical CFC is CHF <sub>2</sub> CHC <i>l</i> F.
(ii)	What property of CFCs causes them to be useful?
(b) A t	What property of CFCs causes them to be useful?  [if ypical CFC is CHF2CHCIF.  Which covalent bond in this CFC is the weakest?
(ii) (b) At	What property of CFCs causes them to be useful?  [2 ypical CFC is CHF <sub>2</sub> CHC <i>l</i> F.
(ii) (b) A t	What property of CFCs causes them to be useful?  [2  [2  [2  [3  [3  [4  [5]  [5]  [5]  [6]  [6]  [7  [6]  [7  [7  [7  [7  [7  [7  [7  [8]  [9]  [9]  [9]  [9]  [9]  [9]  [9]
(ii) (b) A t	What property of CFCs causes them to be useful?  [2  [2  [2  [3  [3  [4  [5]  [5]  [5]  [6]  [6]  [7]  [7]  [7]  [8]  [8]  [9]  [9]  [9]  [9]  [9]  [9
(ii) (b) A t	What property of CFCs causes them to be useful?  [2  [2  [2  [2  [3  [3  [4  [5]  [5]  [6]  [7  [6]  [7  [7  [7  [7  [7  [7  [7  [7  [7  [



(c) Another CFC contains the following elements by mass. The value of its  $M_r$  is 135.

C, 17.8%; H, 1.5%; Cl, 52.6%; F, 28.1%

Use these data to determine the molecular formula of the CFC.

[3]

[Total : 8]



**BLANK PAGE** 

