



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

PHYSICS 0625/06

Paper 6 Alternative to Practical

May/June 2007

1 hour

Candidates answer on the Question Paper. No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE ON ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use			
1			
2			
3			
4			
5			
Total			

This document consists of 10 printed pages and 2 blank pages.



- 1 The IGCSE class is investigating the temperature changes that occur when hot and cold water are mixed.
 - (a) A student pours $50\,\mathrm{cm^3}$ of water into a beaker. He then measures the temperature θ_1 of the water in the beaker. Write down the value of θ_1 shown on the thermometer in Fig. 1.1.




Fig. 1.1

 $\theta_1 = \dots$ [2]

(b) The student then measures the temperature θ_2 of some hot water. He pours 50 cm³ of this hot water into the beaker of water at room temperature. He then records the temperature θ_3 of the water in the beaker. His readings are

 $\theta_2 = 76 \,^{\circ}\text{C}$

 $\theta_3 = 42 \,{}^{\circ}\text{C}.$

Calculate

(i) the temperature rise of the cold water,

(ii) the temperature fall of the hot water.

[2]

(c) A theoretical calculation based on the equation

thermal energy lost by hot water = thermal energy gained by cold water

predicts a higher value for the temperature θ_3 than the value that is obtained by this experiment. Suggest

(i) a practical explanation for the difference in values,

(ii) two practical improvements that you could make to the procedure for this experiment to obtain a result that is closer to the theoretical result.

1.

[Total: 7]

© UCLES 2007 0625/06/M/J/07

- **2** A student is investigating the position of a sheet of card that is hanging from a pivot.
 - Fig. 2.1 shows the apparatus drawn full size.




Fig. 2.1

(a) On Fig. 2.1 measure the distance *d* between the centre of the hole labelled 1 and the edge of the card at **A**. Record this value in the table.

hole	d/mm	<i>h</i> /mm	b/mm
1		140	
2		135	
3		132	
4		128	
5		124	
6		120	

[3]

- (b) Repeat step (a) for each of the remaining holes 2-6.
- (c) On Fig. 2.1 measure the height h_0 of the pointer above the bench.


$$h_0 = \dots$$
 [1]

- (d) A student hangs a 10 g mass from the hole 1 in the card. She records the height *h* of the end of the pointer above the bench. She then repeats this procedure by hanging the mass from each hole in turn. Her results are shown in the table above.
- (e) Calculate the differences in heights b using the equation

$$b = (h - h_0)$$

and record the results in the table above.

(f) Plot the graph of b/mm (y-axis) against d/mm (x-axis).



(g)	The student suggests that b is directly proportional to d. By reference to your graph
	state whether or not the results support the student's suggestion. Give a reason for your
	answer.

Statement	
Reason	
	[2]

(h)	It is important when recording the heights that the rule is vertical. State briefly how you
	would check that the rule is vertical.

 	[1]

[Total: 11]

3 The IGCSE class is investigating the resistance of a wire. The circuit is as shown in Fig. 3.1.




Fig. 3.1

(a) A student uses the switches to connect the wire **AB** into the circuit and records the p.d. *V* across the wire between **A** and **B**. He also records the current *I* in the wire.

The student then repeats the measurements using the wire CD in place of wire AB.

The readings are shown in the table below.

wire	V/	I/	R/
АВ	1.9	0.24	
CD	1.9	0.96	

[3]

(i) Calculate the resistance R of each wire, using the equation

$$R = V/I$$
.

0625/06/M/J/07

Record the values in the table.

(ii) Complete the column headings in the table.

© UCLES 2007

(b)		e two wires AB and CD are made of the same material and are of the same length. e diameter of wire CD is twice the diameter of wire AB .				
	(i)	Look at the results in the table. Below are four possible relationships between ${\it R}$ and the diameter ${\it d}$ of the wire. Tick the relationship that best matches the results.				
		R is proportional to d				
		R is proportional to $\frac{1}{d}$				
		R is proportional to d^2				
		R is proportional to $\frac{1}{d^2}$				
	(ii)	Explain briefly how the results support your answer in part (b)(i).				
		[2]				
(c)	with	owing this experiment, the student wishes to investigate whether two lamps in parallel each other have a smaller combined resistance than the two lamps in series. Draw circuit diagram showing				
	(i)	two lamps in parallel with each other connected to a power source,				
	(ii)	an ammeter to measure the total current in the circuit,				
	(iii)	a voltmeter to measure the potential difference across the two lamps.				

4 The IGCSE class is investigating the formation of images by a lens.

Fig. 4.1 shows the apparatus that is being used.




Fig. 4.1

(a) A student places the screen at a distance $d = 0.800 \,\mathrm{m}$ from the illuminated object. She adjusts the position of the lens until a clearly focused magnified image is formed on the screen. She measures the distance x between the centre of the lens and the screen. Without moving the illuminated object or the screen, she moves the lens towards the screen until a second clearly focused (but diminished) image is formed on the screen. She measures the distance y between the centre of the lens and the screen. She repeats the experiment with the distance d increased to 0.900 m. The readings are shown in the table.

x/m	<i>y</i> /m	d/m	f/m
0.205	0.600	0.800	
0.180	0.720	0.900	

(i) For each set of readings calculate the focal length *f* of the lens using the equation

$$f = \frac{xy}{d}$$
.

Enter the values in the table.

(ii) Calculate the average value of the focal length f.

average value of the focal length f :	:	[4]]
---	---	-----	---

(b) Suggest two precautions that can be taken in this experiment in order to obtain an accurate result.

1	 	 	
2			
	 	 	 [2]

(c) The illuminated object is triangular in shape, as shown in Fig. 4.2.




Fig. 4.2

In the space below, sketch the appearance of one of the images on the screen.

[1]

[Total: 7]

5 (a) An IGCSE student is investigating the relationship between the extension of a spring of unstretched length l_0 and the load hung on the spring. The apparatus is shown in Fig. 5.1 below. The spring is shown larger than its actual size.




Fig. 5.1

Consider the readings that the student should take and write appropriate column headings, with units, in the table below.

$$l_0 = 25 \, \text{mm}$$

0.0	25	0
0.1	30	5
0.2	36	11
0.3	43	18
0.4	50	25

[4]

(b) The student decides to repeat the experiment using a spring made of a different metal in order to study how the extension may be affected by the metal from which the spring is made. To make a fair comparison, other variables must be kept constant. Suggest three variables that the student should keep constant.

1	 	 	 	
_				

[Total: 7]

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.