

Status	Finished
Started	Sunday, 2 November 2025, 9:40 PM
Completed	Sunday, 2 November 2025, 10:33 PM
Duration	53 mins 11 secs

Question **1**

Correct

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.

The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2

3

5

Output:

WBW

BWB

WBW

WBWBW

BWBWB

WBWBW

BWBWB

WBWBW

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int t,size;
4     scanf("%d",&t);
5     for(int i=0;i<t;i++){
6         scanf("%d",&size);
7         for(int j=0;j<size;j++){
8             for(int k=0;k<size;k++){
9                 if((j+k)%2==0) printf("W");
10            else printf("B");
11        }
12    }
13    printf("\n");
14 }
15 }
16     return 0;
17 }
```

	Input	Expected	Got	
✔	2	WBW	WBW	✔
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	

Passed all tests! ✔

Question **2**

Correct

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

```
2
2 W
3 B
```

Output:

```
WB
BW
BWB
WBW
BWB
```

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int T;
4     scanf("%d",&T);
5     for(int t=0;t<T;t++){
6         int N;
7         char start;
8         scanf("%d %c",&N,&start);
9         // int c;
10        // while((c=getchar()) !='\n' && c !=EOF);
11
12        char color1,color2;
13        if(start=='W'){
14            color1='W';
15            color2='B';
16        }
17        else{
```

```
18         color1='B';
19         color2='W';
20     }
21     for(int i=0;i<N;i++){
22         for(int j=0;j<N;j++){
23             if((i+j)%2==0) printf("%c",color1);
24             else printf("%c",color2);
25         }
26         printf("\n");
27     }
28 }
29 return 0;
30 }
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**
Correct

Problem Statement:

In a small coding competition, participants are to be grouped into teams of three members, each member represented by a number – The rule of the competition states that no member can repeat within the same team.

Write a program to display all possible unique team combinations that can be formed using the members 1, 2, and 3 without repetitic

Sample Output:

1 2 3
1 3 2
2 1 3
2 3 1
3 1 2
3 2 1

Answer: (penalty regime: 0 %)

```
1 |  
2 | #include<stdio.h>  
3 |  
4 | int main(){  
5 |     int a,b,c;  
6 |  
7 |     for(a=1;a<=3;a++){  
8 |         for(b=1;b<=3;b++){  
9 |             for( c=1;c<=3;c++){  
10 |                 if(a!=b && b!=c && a!=c) printf("%d %d %d\n",a,b,c);  
11 |             }  
12 |         }  
13 |     }  
14 |     return 0;  
15 | }
```

	Expected	Got	
✓	1 2 3 1 3 2 2 1 3 2 3 1	1 2 3 1 3 2 2 1 3 2 3 1	✓

	Expected	Got	
	3 1 2	3 1 2	
	3 2 1	3 2 1	

Passed all tests! 