



Output Nr. 1: OUTPUT1 []  
Observation vs. Population and Individual Predictions  
Linear Axes



Output Nr. 1: OUTPUT1 []

Observation vs. Population and Individual Predictions


Log Axes (zero values plotted on axis)




# Output Nr. 1: OUTPUT1 []

## Weighted Individual and Population Residuals and NPDE vs. Time

XWRES



IWRES




Output Nr. 1: OUTPUT1 []


Weighted Individual and Population Residuals and NPDE vs. Time

Log TIME axis (values for time = 0 plotted on axis)

XWRES



IWRES



0.3

1.0


3.0

Time [ HOURS ]


# Output Nr. 1: OUTPUT1 []

## Weighted Individual and Population Residuals and NPDE vs. TAD

XWRES




IWRES




Output Nr. 1: OUTPUT1 []

Weighted Individual and Population Residuals and NPDE vs. Population Prediction

XWRES



IWRES



0

2000

4000


Population prediction (XPRED) []

# Output Nr. 1: OUTPUT1 []


Weighted Individual and Population Residuals and NPDE vs. Population Prediction

Log Prediction axis (values for prediction = 0 plotted on axis)

XWRES



IWRES




Population prediction (XPRED) []


Output Nr. 1: OUTPUT1 []

Histograms of Residuals compared to Standard Normal

XWRES




IWRES





Output Nr. 1: OUTPUT1 []  
QQ-Plots of Residuals

XWRES



IWRES

