


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician API Validating User login and logout module	6.459 s	1	1	0	0	4	4	0	0
Dietician API fetching all the morbidities and retrieve morbidity condition by test name	0.167 s	1	0	1	0	4	1	1	2

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	1	1	0	0	6.459 s
2	Dietician API fetching all the morbidities and retrieve morbidity condition by test name	1	0	1	0	0.167 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	Dietcian login response with valid credentials	4	4	0	0	6.452 s
2	Dietician API fetching all the morbidities and retrieve morbidity condition by test *	Fetching all the morbidities	4	1	1	2	0.167 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION -- 5 --

Dietician API Validating User login and logout module


PASSED	DURATION - 6.459 s	Scenarios		Steps	
		Total - 1		Total - 4	
/9:07:11.895 AN	Л // 9:07:18.354 AM /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Dietcian login response with valid credentials




#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload	PASSED	2.732 s
2	When User send post http request for Dietcian login	PASSED	3.517 s
3	Then The API call got success with a status code 200	PASSED	0.011 s
4	And Verify the response body	PASSED	0.002 s

Dietician API fetching all the morbidities and retrieve morbidity condition by test name



Fetching all the morbidities



#	Step / Hook Details	Status	Duration
1	Given user enters the url with login credentials	PASSED	0.119 s
2	When user sends the Get request along with Bearer token	FAILED	0.023 s
	java.lang.lllegalArgumentException: path cannot be null		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1643)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172)		
	at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy)		
	at com.dietician.StepDefinition.MorbidityStep.user_sends_the_Get_request_with_Authorizing_the_Bearer_token(MorbidityStep.java:32)		
	at ?.user sends the Get request along with Bearer token(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/		
	Features/MorbidityController.feature:5)		
	* Not displayable characters are replaced by '?'.		
3	Then user should get status code 200 OK in response	SKIPPED	0.002 s
4	And Verify the response body	SKIPPED	0.002 s