



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician API Validating User login and logout module	7.984 s	2	2	0	0	8	8	0	0
Dietician API fetching all the morbidities and retrieve morbidity condition by test name	0.055 s	1	0	1	0	4	1	1	2

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	2	2	0	0	7.984 s
2	Dietician API fetching all the morbidities and retrieve morbidity condition by test name	1	0	1	0	0.055 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API Validating User login and logout module	Dietcian login response with valid credentials	4	4	0	0	7.628 s
2	<u>Dietician API Validating User login and</u> <u>logout module</u>	User Logout with Authorization	4	4	0	0	0.178 s
3	Dietician API fetching all the morbidities and retrieve morbidity condition by test *	Fetching all the morbidities	4	1	1	2	0.055 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

Dietician API Validating User login and logout module


PASSED	DURATION - 7.984 s	Scenarios		Steps	
		Total - 2		Total - 8	
/ 8:49:05.174 AN	Л // 8:49:13.158 AM /	Pass - 2	2	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Dietcian login response with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload	PASSED	3.704 s
2	When User send post http request for Dietcian login	PASSED	3.264 s
3	Then The API call got success with a status code 200	PASSED	0.006 s
4	And Verify the response body	PASSED	0.002 s

User Logout with Authorization




DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
1	Given user enters the URL with valid endpoint	PASSED	0.006 s
2	When user sends the Get request with Authorizing the Bearer token	PASSED	0.154 s
3	Then user should get status code 200 OK	PASSED	0.006 s
4	And user should see the message "Logout successful" in response body	PASSED	0.002 s

Dietician API fetching all the morbidities and retrieve morbidity condition by test name

Steps	
Total - 4	
Pass - 1	4
Fail - 1	
Skip - 2	
	Pass - 1 Fail - 1

Fetching all the morbidities



#	Step / Hook Details	Status	Duration
1	Given user enters the endpoint	PASSED	0.008 s
2	When user sends the Get request along with Bearer token	FAILED	0.023 s
	java.lang.lllegalArgumentException: path cannot be null at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1643)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	$at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1710)$		
	$at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy:172)		
	at io.restassured.internal.RequestSpecificationImpl.get(RequestSpecificationImpl.groovy)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at com.dietician.StepDefinition.MorbidityStep.user_sends_the_Get_request_with_Authorizing_the_Bearer_token(MorbidityStep.java:32) at ?.user sends the Get request along with Bearer token(file:///C:/Users/gagan/Desktop/Team2_StatusCode_200/src/test/resources/Features/MorbidityController.feature:5) * Not displayable characters are replaced by '?'.		
3	Then user should get status code 200 OK in response	SKIPPED	0.005 s
4	And Verify the response body	SKIPPED	0.001 s