



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician API TC:001 Dietician login and logout http request	8.050 s	2	1	1	0	7	4	1	2
Dietician API fetching all the morbidities and retrieve morbidity condition by test name	0.507 s	2	2	0	0	6	6	0	0

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	2	1	1	0	8.050 s
2	Dietician API fetching all the morbidities and retrieve morbidity condition by test name	2	2	0	0	0.507 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Dietician API TC:001 Dietician login and logout http request	Dietcian login response with valid credentials	4	4	0	0	6.912 s
2	Dietician API TC:001 Dietician login and logout http request	Dietician create new patient using post request	3	0	1	2	0.960 s
3	Dietician API fetching all the morbidities and retrieve morbidity condition by test *	Fetching all the morbidities	3	3	0	0	0.279 s
4	Dietician API fetching all the morbidities and retrieve morbidity condition by test *	Fetch a morbidity by test name	3	3	0	0	0.189 s


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

Dietician API TC:001 Dietician login and logout http request




Dietcian login response with valid credentials



#	Step / Hook Details	Status	Duration
1	Given Add userLoginDto Payload from sheet "dietician_User_login"	PASSED	3.423 s
2	When User send post http request for Dietcian login	PASSED	3.260 s
3	Then The API call got success with a status code 200	PASSED	0.009 s
4	And Verify the response body	PASSED	0.047 s

Dietician create new patient using post request



#	Step / Hook Details	Status	Duration
1	Given Add new patient payload from sheet "CreatePatient" and send post http request	FAILED	0.905 s
	java.io.FileNotFoundException: C:\Users\Dumbledore\Downloads\HypoThyroidReport.pdf (The system cannot find the path specified)		
	at java.base/java.io.FileInputStream.open0(Native Method)		
	at java.base/java.io.FileInputStream.open(FileInputStream.java:216)		
	at java.base/java.io.FileInputStream. <init>(FileInputStream.java:157)</init>		
	at org.apache.http.entity.mime.content.FileBody.writeTo(FileBody.java:116)		
	at org.apache.http.entity.mime.AbstractMultipartForm.doWriteTo(AbstractMultipartForm.java:134)		
	at org.apache.http.entity.mime.AbstractMultipartForm.writeTo(AbstractMultipartForm.java:157)		
	at org.apache.http.entity.mime.MultipartFormEntity.writeTo(MultipartFormEntity.java:113)		
	at org.apache.http.HttpEntity\$writeTo\$4.call(Unknown Source)		
	at io.restassured.internal.multipart.RestAssuredMultiPartEntity.writeTo(RestAssuredMultiPartEntity.groovy:110)		
	at org.apache.http.entity.HttpEntityWrapper.writeTo(HttpEntityWrapper.java:96)		
	at org.apache.http.impl.client.EntityEnclosingRequestWrapper\$EntityWrapper.writeTo(EntityEnclosingRequestWrapper.java:110)		
	at org.apache.http.impl.entity.EntitySerializer.serialize(EntitySerializer.java:118)		
	at org.apache.http.impl.AbstractHttpClientConnection.sendRequestEntity(AbstractHttpClientConnection.java:274)		
	at org.apache.http.impl.conn.ManagedClientConnectionImpl.sendRequestEntity(ManagedClientConnectionImpl.java:214)		
	at org.apache.http.protocol.HttpRequestExecutor.doSendRequest(HttpRequestExecutor.java:238)		
	at org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:123)		
	at org.apache.http.impl.client.DefaultRequestDirector.tryExecute(DefaultRequestDirector.java:679)		
	at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:481)		
	at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835)		
	at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83)		
	at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141)		
	at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349)		
	at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166)		


#	Step / Hook Details	Status	Duration
	at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56)		
	at io.restassured.filter.Filter\$filter\$0.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext\$next.call(Unknown Source)		
	at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45)		
	at io.restassured.filter.Filter\$filter.call(Unknown Source)		
	at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72)		
	at io.restassured.filter.FilterContext\$next.call(Unknown Source)		
	at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704)		
	at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	$at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1710)$		
	$at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328)		

#	Step / Hook Details	Status	Duration
	at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1331)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1086)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1006)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:789)		
	at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46)		
	at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176)		
	at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy)		
	at com.dietician.StepDefinition.DieticianLoginStep.add_new_patient_payload_from_sheet_and_send_post_http_request(DieticianLoginStep.		
	java:77)		
	at ?.Add new patient payload from sheet "CreatePatient" and send post http request(file:///C:/Users/gagan/Desktop/		
	Team2_StatusCode_200/src/test/resources/Features/01_Dietician%20Login.feature:14)		
	* Not displayable characters are replaced by '?'.		
2	Then new patient created and verify status code 201	SKIPPED	0.004 s
3	And verify the response body created with patient	SKIPPED	0.019 s

Dietician API fetching all the morbidities and retrieve morbidity condition by test name


		teps				Scenarios	DURATION - 0.507 s	PASSED
		otal - 6				Total - 2		
6		ass - 6	• 1	2		Pass - 2	12:46:13.042 AM /	' 12:46:12.535 AM //
ŭ		ail - 0	, ,	- /	•	Fail - 0		
		kip - 0	7		_	Skip - 0		
	\		'					

Fetching all the morbidities



#	Step / Hook Details	Status	Duration
1	Given user is logged in as dietician	PASSED	0.002 s
2	When user sends the Get request along with Bearer token	PASSED	0.242 s
3	Then user should get status code 200 OK in response	PASSED	0.021 s

Fetch a morbidity by test name



#	Step / Hook Details	Status	Duration
1	Given user is logged in as dietician	PASSED	0.003 s
2	When user sends the Get request with test name "Plasma Glucose"	PASSED	0.162 s
3	Then user should get status code 200 OK in response	PASSED	0.012 s