Object Oriented Programming in Java

enum Classes

enum

■ What are enums?

- enums are classes where all instances are known to the compiler.
- Used for creating types with a fixed set of possible values.
- Created using the enum keyword instead of class.
- enum constants are listed in the body, separated by commas.
- No instances can be created outside of enum constants.

```
public enum DayOfWeek {
   MONDAY, TUESDAY, WEDNESDAY, THURSDAY, FRIDAY, SATURDAY, SUNDAY
}
```

All enums implicitly extend java.lang.Enum and cannot have subclasses.

Accessing, Evaluating, and Comparing enums

- enum values can be used as constants.
- Use == to compare enum instances.

```
DayOfWeek weekStart = DayOfWeek.MONDAY;

if (weekStart == DayOfWeek.MONDAY) {
   System.out.println("The week starts on Monday.");
}
```

Accessing, Evaluating, and Comparing enums

- Use switch for actions based on enum values.
- Switch expressions ensure exhaustiveness (all enum values are handled).

```
DayOfWeek someDay = DayOfWeek.FRIDAY;

switch (someDay) {
   case MONDAY -> System.out.println("start of week");
   case TUESDAY, WEDNESDAY, THURSDAY -> System.out.println("middle");
   case FRIDAY -> System.out.println("weekend is near.");
   case SATURDAY, SUNDAY -> System.out.println("Weekend");
   default -> throw new AssertionError("Should not happen");
}
```

Adding memebers to enum

- enums can have constructors, methods, and fields.
- Add a pafter the enum constants list to define members.

```
public enum DayOfWeek {
   MONDAY("MON"), TUESDAY("TUE"), WEDNESDAY("WED"),
   THURSDAY("THU"), FRIDAY("FRI"), SATURDAY("SAT"), SUNDAY("SUN");
   private final String abbreviation;
   DayOfWeek(String abbreviation) { this.abbreviation = abbreviation;}
   public String getAbbreviation() { return abbreviation; }
}
```

Using enums as Singletons:

Define a single enum constant

```
public enum SomeSingleton {
    INSTANCE;
    // Fields, methods, etc.
}
```

enum Methods

Special Methods in enums

- Instance Methods:
 - name(): Returns the name of the enum constant.
 - ordinal(): Returns the position of the enum constant in the declaration.

```
System.out.println(DayOfWeek.MONDAY.name());  // "MONDAY"
System.out.println(DayOfWeek.MONDAY.ordinal()); // "0"
```

enum Methods

Special Methods in enums

- Static Methods:
 - values(): Returns an array of all enum instances.
 - valueOf(String): Returns an enum instance by name.

```
DayOfWeek[] days = DayOfWeek.values(); // All days
DayOfWeek monday = DayOfWeek.valueOf("MONDAY");
```

enums implement Comparable and are ordered by their ordinal number.

Abstract Methods : each enum constant must provide an implementation.

```
enum MyEnum {
 A() {
   @Override
    void doSomething() {
      System.out.println("a");
  B() {
   @Override
    void doSomething() {
      System.out.println("b");
  abstract void doSomething();
```

enum: Precautions

- Precautions with enums
 - Changes to enum Constants:
 - Adding, removing, or renaming enum constants can break code.
 - Review all code using the enum when making changes.
 - Large Number of Instances:
 - For many instances, consider using a configuration file instead of listing all in code.