

Deep Learning


TSM-DeLearn

Using Jupyterhub and GPUs




Signing in

- You'll need to use your GitHub account to sign in
 - create one if you don't have one
 - send your GitHub user name to julien.esseiva@hefr.ch and CC jean.hennebert@hefr.ch
- Only members of the Jupyterhub-iCoSys GitHub organisation are authorised
 - You need to wait we add you to the organisation
 - You receive and must accept the invitation
- Then you can access the Jupiter hub at <https://icolab-gpu-2.tic.heia-fr.ch>



Using the HUB

- You probably already know how to use Jupyter, you can either upload your notebook or create a new one directly on the server
- You can also start a terminal, it'll be useful to check GPU utilisation or manipulating files
- Don't forget to stop your server in the control panel when you're done



Using the HUB - cont'd

- TF (and therefore Keras) is greedy and uses all the memory of each GPUs by default.
- You can expect python kernel dying with multiple users running the default configuration
- You can check the GPU utilisation using the command `nvidia-smi`

```
cuda_user@8cc810abf499:~$ nvidia-smi
Wed Nov  7 17:50:19 2018
```

NVIDIA-SMI 410.48				Driver Version: 410.48			
GPU	Name	Persistence-M	Bus-Id	Disp.A	Volatile	Uncorr. ECC	
Fan	Temp	Perf	Pwr:Usage/Cap	Memory-Usage	GPU-Util	Compute	M.
0	Tesla K80	Off	00000000:04:00.0	Off		0	
N/A	35C	P0	56W / 149W	10899MiB / 11441MiB	3%	Default	
1	Tesla K80	Off	00000000:05:00.0	Off		0	
N/A	42C	P0	70W / 149W	10877MiB / 11441MiB	0%	Default	
2	Tesla K80	Off	00000000:83:00.0	Off		0	
N/A	42C	P0	54W / 149W	10877MiB / 11441MiB	0%	Default	
3	Tesla K80	Off	00000000:84:00.0	Off		0	
N/A	49C	P0	70W / 149W	10877MiB / 11441MiB	0%	Default	

Using the HUB - cont'd

- Select which GPU is used by TensorFlow with “CUDA_VISIBLE_DEVICES”
- Additionally, tell TF to only use a fraction of GPU memory when creating a session. During lectures, each of you should use ~8% of a GPU memory.
- Check which GPUs are available with nvidia-smi

```
import os
os.environ['CUDA_VISIBLE_DEVICES'] = '2'
```

```
gpu_options = tf.GPUOptions(per_process_gpu_memory_fraction=0.08)
config = tf.ConfigProto(gpu_options=gpu_options)
sess = tf.Session(config=config)
with sess:
```

2	Tesla K80	Off	00000000:83:00.0 Off	0
N/A	39C	P0	57W / 149W	1054MiB / 11441MiB
				16%
				Default