

Strings

Chapter 6



Python for Everybody
www.py4e.com



String Data Type


- A string is a sequence of characters
- A string literal uses quotes
'Hello' or "Hello"
- For strings, + means “concatenate”
- When a string contains numbers, it is still a string
- We can convert numbers in a string into a number using `int()`

```
>>> str1 = "Hello"
>>> str2 = 'there'
>>> bob = str1 + str2
>>> print(bob)
Hellothere
>>> str3 = '123'
>>> str3 = str3 + 1
Traceback (most recent call
last):  File "<stdin>", line 1,
in <module>
TypeError: cannot concatenate
'str' and 'int' objects
>>> x = int(str3) + 1
>>> print(x)
124
>>>
```

Reading and Converting

- We prefer to read data in using **strings** and then parse and convert the data as we need
- This gives us more control over error situations and/or bad user input
- Input numbers must be **converted** from strings

```
>>> name = input('Enter: ')
Enter: Chuck
>>> print(name)
Chuck
>>> apple = input('Enter: ')
Enter: 100
>>> x = apple - 10
Traceback (most recent call
last):  File "<stdin>", line 1,
in <module>
TypeError: unsupported operand
type(s) for -: 'str' and 'int'
>>> x = int(apple) - 10
>>> print(x)
90
```



Looking Inside Strings

- We can get at any single character in a string using an index specified in **square brackets**
- The index value must be an integer and starts at zero
- The index value can be an expression that is computed

b	a	n	a	n	a
0	1	2	3	4	5

```
>>> fruit = 'banana'
>>> letter = fruit[1]
>>> print(letter)
a
>>> x = 3
>>> w = fruit[x - 1]
>>> print(w)
n
```

A Character Too Far

- You will get a **python error** if you attempt to index beyond the end of a string.
- So be careful when constructing index values and slices

```
>>> zot = 'abc'
>>> print(zot[5])
Traceback (most recent call
last):  File "<stdin>", line
1, in <module>IndexError:
string index out of range
>>>
```

Strings Have Length

The built-in function `len` gives us the length of a string




```
>>> fruit = 'banana'
>>> print(len(fruit))
6
```

len Function (1 of 2)

```
>>> fruit = 'banana'
>>> x = len(fruit)
>>> print(x)
6
```

A function is some stored code that we use. A function takes some input and produces an output.



len Function (2 of 2)

```
>>> fruit = 'banana'
>>> x = len(fruit)
>>> print(x)
6
```

A function is some stored code that we use. A function takes some input and produces an output.

'banana'
(a string)



```
def len(inp):
    blah
    blah
    for x in y:
        blah
        blah
```



6
(a number)

Looping Through Strings (1 of 3)

Using a **while** statement and an **iteration variable**, and the **len** function, we can construct a loop to look at each of the letters in a string individually

```
fruit = 'banana'
index = 0
while index < len(fruit):
    letter = fruit[index]
    print(index, letter)
    index = index + 1
```

```
0 b
1 a
2 n
3 a
4 n
5 a
```

Looping Through Strings (2 of 3)

- A definite loop using a **for** statement is much more elegant
- The **iteration variable** is completely taken care of by the **for** loop

```
fruit = 'banana'  
for letter in fruit:  
    print(letter)
```

b
a
n
a
n
a

Looping Through Strings (3 of 3)

- A definite loop using a **for** statement is much more **elegant**
- The **iteration variable** is completely taken care of by the **for** loop

```
fruit = 'banana'
for letter in fruit :
    print(letter)
```

b
a
n
a
n
a

```
index = 0
while index < len(fruit) :
    letter = fruit[index]
    print(letter)
    index = index + 1
```

Looping and Counting

This is a simple loop that loops through each letter in a string and counts the number of times the loop encounters the 'a' character

```
word = 'banana'
count = 0
for letter in word :
    if letter == 'a' :
        count = count + 1
print(count)
```

Looking Deeper into **in**


- The **iteration variable** “iterates” through the **sequence** (ordered set)
- The **block (body)** of code is executed once for each value **in** the **sequence**
- The **iteration variable** moves through all of the values **in** the **sequence**

Iteration variable

Six-character string

```
for letter in 'banana' :  
    print(letter)
```

The diagram illustrates the components of a Python for loop. A green arrow points from the text 'Iteration variable' to the variable 'letter' in the code. An orange arrow points from the text 'Six-character string' to the string 'banana' in the code. The code itself is color-coded: 'for' is yellow, 'letter' is green, 'in' is yellow, 'banana' is orange, and the colon and 'print' are purple.



```
for letter in 'banana' :  
    print(letter)
```

The **iteration variable** “iterates” through the **string** and the **block (body)** of code is executed once for each value **in** the **sequence**

Slicing Strings

(1 of 2)

- We can also look at any continuous section of a string using a **colon operator**
- The second number is one beyond the end of the slice - “up to but not including”
- If the second number is beyond the end of the string, it stops at the end

M	o	n	t	y		P	y	t	h	o	n
0	1	2	3	4	5	6	7	8	9	10	11

```
>>> s = 'Monty Python'
>>> print(s[0:4])
Mont
>>> print(s[6:7])
P
>>> print(s[6:20])
Python
```

Slicing Strings

(2 of 2)

If we leave off the first number or the last number of the slice, it is assumed to be the beginning or end of the string respectively

M	o	n	t	y		P	y	t	h	o	n
0	1	2	3	4	5	6	7	8	9	10	11

```
>>> s = 'Monty Python'
>>> print(s[:2])
Mo
>>> print(s[8:])
thon
>>> print(s[:])
Monty Python
```


Manipulating Strings..



Acknowledgements / Contributions



These slides are Copyright 2010- Charles R. Severance (www.dr-chuck.com) of the University of Michigan School of Information and open.umich.edu and made available under a Creative Commons Attribution 4.0 License. Please maintain this last slide in all copies of the document to comply with the attribution requirements of the license. If you make a change, feel free to add your name and organization to the list of contributors on this page as you republish the materials.

Initial Development: Charles Severance, University of Michigan School of Information

... Insert new Contributors and Translators here