

LUMAWISE

TE Internal #: 2213611-3

PCB Mount Hermaphroditic Connector, Horizontal, Board-to-Board, 6 Position, 4 mm [.157 in] Centerline, Gold, Surface Mount,

Power, Natural


View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles











PCB Connector Assembly Type: PCB Mount Hermaphroditic Connector

PCB Mount Orientation: Horizontal Connector System: Board-to-Board

Number of Positions: 6
Number of Rows: 1

Features

Mechanical Attachment

PCB Mount Alignment Type	Peg
PCB Mount Retention	Without
PCB Mount Alignment	With
Connector Mounting Type	Board Mount
Mating Alignment	Without

Termination Features

Rectangular Termination Post & Tail Width	.7 mm[.028 in]
Rectangular Termination Post & Tail Thickness	.3 mm[.011 in]
Termination Method to PCB	Surface Mount

Contact Features

Contact Underplating Material	Nickel
Contact Mating Area Plating Material Thickness	3.81 – 7.62 μm
Mating Tab Width	1.55 mm[.061 in]
Mating Tab Thickness	.3 mm[.011 in]



Contact Mating Area Plating Material Finish	Matte
Contact Mating Area Plating Material	Gold
Contact Type	Hermaphroditic
Contact Current Rating (Max)	3 A
Housing Features	
Housing Material	LCP
Centerline (Pitch)	4 mm[.157 in]
Configuration Features	
Board-to-Board Configuration	Co-Planar
Stackable	No
PCB Mount Orientation	Horizontal
Number of Positions	6
Number of Rows	1
Product Type Features	
PCB Connector Assembly Type	PCB Mount Hermaphroditic Connector
Connector System	Board-to-Board
Sealable	No
	No
Sealable	No Natural
Sealable Body Features	
Sealable Body Features Primary Product Color	
Sealable Body Features Primary Product Color Operation/Application	Natural
Sealable Body Features Primary Product Color Operation/Application Circuit Application	Natural
Sealable Body Features Primary Product Color Operation/Application Circuit Application Industry Standards	Natural Power
Sealable Body Features Primary Product Color Operation/Application Circuit Application Industry Standards UL Flammability Rating	Natural Power
Sealable Body Features Primary Product Color Operation/Application Circuit Application Industry Standards UL Flammability Rating Packaging Features	Natural Power UL 94V-0
Sealable Body Features Primary Product Color Operation/Application Circuit Application Industry Standards UL Flammability Rating Packaging Features Packaging Method	Natural Power UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




Customers Also Bought






TE Part #2176045-2 EP 5W 10R 5%



TE Part #5787444-1 HDR ASY,VERT,NO KEY,STR TAIL



TE Part #5-103168-3 10 MODII HDR DRST SHRD .100CL



TE Part #1971567-3
MINIATURE HERMAPHRODITIC (6P)



TE Part #770997-1 04P CMNL SOK HDR ASSY




TE Part #2213616-2 HERM BLADE & RECPT,4 POS,POST, SEL GOLD



TE Part #1954289-2 Connector,Blade & Recpt 4 Pos



TE Part #350424-1 04P CMNL HDR ASSY PC NATL



TE Part #5-103168-4 12 MODII HDR DRST SHRD .100CL



Documents

Product Drawings

MINI HERM ASSY WITH POSTS - SELECT GOLD

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2213611-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2213611-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2213611-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages



Hermaphroditic Connectors with Select Gold Plating Flyer

Hermaphroditic Connectors with Select Gold Plating Flyer

English

Product Specifications

Application Specification

English

Agency Approvals

Mini Hermaphroditic Connectors

English